# 

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

		5) days prior to commencing well	
Superand Shoul Date: 02	09 2008		
Expected Spud Date: 02 month	day year	Spot Description: SVE, NW, SAW, SAW, SAW, SAW, SW, SW, SW, Sec. 17 Twp. 26	_S. R. 18
33685			N / X S Line of Section
OPERATOR: License#			E / W Line of Section
Name: Jesseph Oil Well Service		Is SECTION: Regular Irregular?	TE / [ ] W Line of Section
Address 1: 22963 Reno Road		· <del></del>	
Address 2:State:	KS Zip: 66717 RECEIVED	(Note: Locate well on the Section Plat of	n reverse side)
Contact Person: Henry Jesseph	KANSAS CORPORATION COM	County: Allen  MiSSigne Name: Barnett	
Phone: 620-537-2003	INIO PRO INCIDENCE	Field Name: Hombuldt	Well #: B12
CONTRACTOR: License# 5831	FEB 13 2008		Yes No
Name: MOKAT		Is this a Prorated / Spaced Field?  Target Formation(s): Bartlesville	☐ res 🔼 No
	CONSERVATION DIVISION	N Nearest Lease or unit boundary line (in footage): 16	
Well Drilled For: Well Clas	s: Type EquipmentilTA, KS	1000	feet MSL
Oil Enh Rec Infiel		Water well within one-quarter mile:	☐ Yes ☒ No →
	Ext Air Rotary	Public water supply well within one mile:	Yes X No
Disposal Wilde		Depth to bottom of fresh water: 20'	T 571.00
Seismic ; # of Holes Other Other:	er	Depth to bottom of usable water: 150'	
If OWWO: old well information as fo	illows:	> Length of Surface Pipe Planned to be set:	ninimum
Operator:	-	Length of Conductor Pipe (if any): 0	
Well Name:		Projected Total Depth: 850'	
Original Completion Date:		Formation at Total Depth: Bartolle Bartlesu	ile
		Water Source for Drilling Operations:	_
Directional, Deviated or Horizontal wellbore?		Well Farm Pond Other: X	
Yes, true vertical depth:		DWR Permit #:	
Bottom Hole Location:		(Note: Apply for Permit with DW	R 🔲 )
CC DKT #:		Will Cores be taken?	☐Yes ⊠No
		If Yes, proposed zone:	
		ii ics, propossa zone.	
		•	RECEIVED
	AFFIC	DAVIT	RECEIVED KANSAS CORPORATION COMMISS
he undersigned hereby affirms that the o		•	KANSAS CORPORATION COMMISS
	drilling, completion and eventual plugg	DAVIT	RECEIVED KANSAS CORPORATION COMMISSI FEB 0 6 2008
	drilling, completion and eventual plugg quirements will be met:	DAVIT	FEB 0 6 2008
is agreed that the following minimum re  Notify the appropriate district office  A copy of the approved notice of in	drilling, completion and eventual plugg quirements will be met: <b>prior</b> to spudding of well; tent to drill <b>shall be</b> posted on each dr	DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  rilling rig;	FEB 0 6 2008  CONSERVATION DIVISION
t is agreed that the following minimum re  Notify the appropriate district office  A copy of the approved notice of in  The minimum amount of surface pi	drilling, completion and eventual plugg quirements will be met: prior to spudding of well; tent to drill shall be posted on each di pe as specified below shall be set by	DAVIT  jing of this well will comply with K.S.A. 55 et. seq.  rilling rig;  circulating cement to the top; in all cases surface pigns.	FEB 0 6 2008  CONSERVATION DIVISION
t is agreed that the following minimum re  Notify the appropriate district office  A copy of the approved notice of in  The minimum amount of surface pi through all unconsolidated material	drilling, completion and eventual plugg quirements will be met: prior to spudding of well; tent to drill shall be posted on each di pe as specified below shall be set by Is plus a minimum of 20 feet into the u	DAVIT  jing of this well will comply with K.S.A. 55 et. seq.  rilling rig;  circulating cement to the top; in all cases surface pilinderlying formation.	FEB 0 6 2008  CONSERVATION DIVISION DIVISION SEALED BY SECULIAL RESERVATION OF SHALL DE SHALL
t is agreed that the following minimum re  1. Notify the appropriate district office 2. A copy of the approved notice of in 3. The minimum amount of surface pintrough all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will be	drilling, completion and eventual plugg quirements will be met: prior to spudding of well; tent to drill shall be posted on each di pe as specified below shall be set by is plus a minimum of 20 feet into the u t between the operator and the district e notified before well is either plugged	DAVIT  Jing of this well will comply with K.S.A. 55 et. seq.  rilling rig;  circulating cement to the top; in all cases surface pinderlying formation.  It office on plug length and placement is necessary production casing is cemented in;	FEB 0 6 2008  CONSERVATION DIVISION DE Shall be WEHITA, KS  prior to plugging;
is agreed that the following minimum re  1. Notify the appropriate district office 2. A copy of the approved notice of in 3. The minimum amount of surface pi through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION	drilling, completion and eventual plugg quirements will be met: prior to spudding of well; tent to drill shall be posted on each dr pe as specified below shall be set by is plus a minimum of 20 feet into the u thetween the operator and the district e notified before well is either plugged I, production pipe shall be cemented fi	DAVIT  jing of this well will comply with K.S.A. 55 et. seq.  rilling rig;  circulating cement to the top; in all cases surface pignderlying formation.  It office on plug length and placement is necessary production casing is cemented in;  rom below any usable water to surface within 120 D.	FEB 0 6 2008  CONSERVATION DIVISION DE shall be SIGHITA, KS  prior to plugging;  AYS of spud date.
1. Notify the appropriate district office 2. A copy of the approved notice of in 3. The minimum amount of surface pi through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East	drilling, completion and eventual plugg quirements will be met: prior to spudding of well; tent to drill shall be posted on each di pe as specified below shall be set by to plus a minimum of 20 feet into the u to the tween the operator and the district e notified before well is either plugged the production pipe shall be cemented freen Kansas surface casing order #133	DAVIT  jing of this well will comply with K.S.A. 55 et. seq.  rilling rig;  circulating cement to the top; in all cases surface pip  nderlying formation.  t office on plug length and placement is necessary p  or production casing is cemented in;  rom below any usable water to surface within 120 D.  891-C, which applies to the KCC District 3 area, alt	FEB 0 6 2008  CONSERVATION DIVISION DE shall be SENTA, KS  Prior to plugging;  AYS of spud date, ernate II cementing
t is agreed that the following minimum re  1. Notify the appropriate district office 2. A copy of the approved notice of in 3. The minimum amount of surface pi through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days of	drilling, completion and eventual plugg quirements will be met:  prior to spudding of well; tent to drill shall be posted on each dripe as specified below shall be set by is plus a minimum of 20 feet into the uit between the operator and the district enotified before well is either plugged in production pipe shall be cemented fierr Kansas surface casing order #133 of the spud date or the well shall be plugged the spud date or the well shall be plugged.	DAVIT  ping of this well will comply with K.S.A. 55 et. seq.  rilling rig;  circulating cement to the top; in all cases surface pinderlying formation.  It office on plug length and placement is necessary particle or production casing is cemented in;  rom below any usable water to surface within 120 Day, 891-C, which applies to the KCC District 3 area, altungged. In all cases, NOTIFY district office prior to	FEB 0 6 2008  CONSERVATION DIVISION DE shall be SENTA, KS  Prior to plugging;  AYS of spud date, ernate II cementing
t is agreed that the following minimum re  1. Notify the appropriate district office 2. A copy of the approved notice of in 3. The minimum amount of surface pi through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days of	drilling, completion and eventual plugg quirements will be met:  prior to spudding of well; tent to drill shall be posted on each dripe as specified below shall be set by is plus a minimum of 20 feet into the uit between the operator and the district enotified before well is either plugged in production pipe shall be cemented fierr Kansas surface casing order #133 of the spud date or the well shall be plugged the spud date or the well shall be plugged.	DAVIT  ping of this well will comply with K.S.A. 55 et. seq.  rilling rig;  circulating cement to the top; in all cases surface pinderlying formation.  It office on plug length and placement is necessary particle or production casing is cemented in;  rom below any usable water to surface within 120 Day, 891-C, which applies to the KCC District 3 area, altungged. In all cases, NOTIFY district office prior to	FEB 0 6 2008  CONSERVATION DIVISION THE SHALL BE
is agreed that the following minimum re  1. Notify the appropriate district office 2. A copy of the approved notice of in 3. The minimum amount of surface pi through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days hereby certify that the statements made	drilling, completion and eventual plugg quirements will be met:  prior to spudding of well; tent to drill shall be posted on each dipe as specified below shall be set by is plus a minimum of 20 feet into the uit between the operator and the district e notified before well is either plugged in production pipe shall be cemented fiern Kansas surface casing order #133 of the spud date or the well shall be plus herein are true and correct to the bas	DAVIT  In price of this well will comply with K.S.A. 55 et. seq.  In this well will comply will be well will comply will be well will be w	FEB 0 6 2008  CONSERVATION DIVISION THE SHALL BE WELLITA, KS  Prior to plugging;  AYS of spud date, ernate II cementing any cementing.
is agreed that the following minimum re  1. Notify the appropriate district office 2. A copy of the approved notice of in 3. The minimum amount of surface pi through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days whereby certify that the statements made	drilling, completion and eventual plugg quirements will be met:  prior to spudding of well; tent to drill shall be posted on each dripe as specified below shall be set by Is plus a minimum of 20 feet into the uit between the operator and the district e notified before well is either plugged I, production pipe shall be cemented frem Kansas surface casing order #133 of the spud date or the well shall be plus herein are true and correct to the bas	DAVIT  Initing of this well will comply with K.S.A. 55 et. seq.  Initing rig;  circulating cement to the top; in all cases surface pipenderlying formation.  It office on plug length and placement is necessary proposed in the complex of the comple	FEB 0 6 2008  CONSERVATION DIVISION  De shall be SEHITA, KS  prior to plugging;  AYS of spud date, ernate II cementing
1. Notify the appropriate district office 2. A copy of the approved notice of in 3. The minimum amount of surface pinthrough all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days thereby certify that the statements made pate:	drilling, completion and eventual plugg quirements will be met:  prior to spudding of well; tent to drill shall be posted on each dipe as specified below shall be set by is plus a minimum of 20 feet into the uit between the operator and the district e notified before well is either plugged in production pipe shall be cemented fiern Kansas surface casing order #133 of the spud date or the well shall be plus herein are true and correct to the bas	ping of this well will comply with K.S.A. 55 et. seq.  circulating cement to the top; in all cases surface pinderlying formation.  It office on plug length and placement is necessary plus or production casing is cemented in; rom below any usable water to surface within 120 D., 891-C, which applies to the KCC District 3 area, althoughed. In all cases, NOTIFY district office prior to to my knowledge and belief.  Title:	FEB 0 6 2008  CONSERVATION DIVISION THE SHALL BE
1. Notify the appropriate district office 2. A copy of the approved notice of in 3. The minimum amount of surface pi through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days whereby certify that the statements made	drilling, completion and eventual plugg quirements will be met:  prior to spudding of well; tent to drill shall be posted on each dripe as specified below shall be set by is plus a minimum of 20 feet into the unit between the operator and the district enotified before well is either plugged in, production pipe shall be cemented from Kansas surface casing order #133 of the spud date or the well shall be plus herein are true and correct to the bas of Operator or Agent:	ping of this well will comply with K.S.A. 55 et. seq.  rilling rig; circulating cement to the top; in all cases surface pinderlying formation.  toffice on plug length and placement is necessary plus or production casing is cemented in; rom below any usable water to surface within 120 D.  1,891-C, which applies to the KCC District 3 area, alt ugged. In all cases, NOTIFY district office prior to the top to the knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to	FEB 0 6 2008  CONSERVATION DIVISION DE shall be WEHITA, KS  Prior to plugging;  AYS of spud date. ernate II cementing any cementing.
t is agreed that the following minimum re  1. Notify the appropriate district office 2. A copy of the approved notice of in 3. The minimum amount of surface pill through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days hereby certify that the statements made Date: Signature  For KCC Use ONLY API # 15 - OOL - 297/4-0	drilling, completion and eventual plugg quirements will be met:  prior to spudding of well; tent to drill shall be posted on each dripe as specified below shall be set by its plus a minimum of 20 feet into the uit to between the operator and the district e notified before well is either plugged it, production pipe shall be cemented fill production properties as surface casing order #133 of the spud date or the well shall be plusherein are true and correct to the bas of Operator or Agent:	ping of this well will comply with K.S.A. 55 et. seq.  rilling rig; circulating cement to the top; in all cases surface pinderlying formation.  toffice on plug length and placement is necessary plus or production casing is cemented in; rom below any usable water to surface within 120 D.  1,891-C, which applies to the KCC District 3 area, alt ugged. In all cases, NOTIFY district office prior to the file of my knowledge and belief.  Title:  Remember to:  File Drilt Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp	FEB 0 6 2008  CONSERVATION DIVISION De shall be WOHITA, KS  Prior to plugging;  AYS of spud date. ernate II cementing any cementing.
t is agreed that the following minimum re  1. Notify the appropriate district office 2. A copy of the approved notice of in 3. The minimum amount of surface pi through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days whereby certify that the statements made  Date:  Signature  For KCC Use ONLY  API # 15	drilling, completion and eventual plugg quirements will be met:  prior to spudding of well; tent to drill shall be posted on each dripe as specified below shall be set by is plus a minimum of 20 feet into the unit between the operator and the district enotified before well is either plugged in, production pipe shall be cemented from Kansas surface casing order #133 of the spud date or the well shall be plusherein are true and correct to the bas of Operator or Agent:	ping of this well will comply with K.S.A. 55 et. seq.  rilling rig; circulating cement to the top; in all cases surface pinderlying formation.  toffice on plug length and placement is necessary placed or production casing is cemented in; rom below any usable water to surface within 120 Dispersion.  Below any usable water to surface within 120 Dispersion to the KCC District 3 area, alt ugged. In all cases, NOTIFY district office prior to the top of	FEB 0 6 2008  CONSERVATION DIVISION DE shall be WEHITA, KS Prior to plugging;  AYS of spud date. ernate II cementing any cementing.  Drill; ud date; tion orders; 26
t is agreed that the following minimum re  1. Notify the appropriate district office 2. A copy of the approved notice of in 3. The minimum amount of surface pi through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days whereby certify that the statements made  Date: Signature  For KCC Use ONLY  API # 15 OI - 297/4-C  Conductor pipe required Non Minimum surface pipe required	drilling, completion and eventual plugg quirements will be met:  prior to spudding of well; tent to drill shall be posted on each dripe as specified below shall be set by is plus a minimum of 20 feet into the unit between the operator and the district enotified before well is either plugged in, production pipe shall be cemented from Kansas surface casing order #133 of the spud date or the well shall be plusherein are true and correct to the bas of Operator or Agent:	ping of this well will comply with K.S.A. 55 et. seq.  rilling rig; circulating cement to the top; in all cases surface pinderlying formation.  toffice on plug length and placement is necessary plus or production casing is cemented in; rom below any usable water to surface within 120 D.  1,891-C, which applies to the KCC District 3 area, alt ugged. In all cases, NOTIFY district office prior to the file of my knowledge and belief.  Title:  Remember to:  File Drilt Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp	FEB 0 6 2008  CONSERVATION DIVISION THE SHALL BE WELLIAM, KS  Prior to plugging;  AYS of spud date, ernate II cementing any cementing.  Drill;  ud date; binor orders; brokover or re-entry; moleted (within 60 days):
t is agreed that the following minimum re  1. Notify the appropriate district office 2. A copy of the approved notice of im 3. The minimum amount of surface pi through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days whereby certify that the statements made  Date: SG Signature  For KCC Use ONLY  API # 15 OOL 297/4-C  Conductor pipe required Non- Minimum surface pipe required	drilling, completion and eventual plugg quirements will be met:  prior to spudding of well; tent to drill shall be posted on each dripe as specified below shall be set by is plus a minimum of 20 feet into the unit between the operator and the district enotified before well is either plugged in, production pipe shall be cemented from Kansas surface casing order #133 of the spud date or the well shall be plus herein are true and correct to the bas of Operator or Agent:	ping of this well will comply with K.S.A. 55 et. seq.  rilling rig; circulating cement to the top; in all cases surface pinderlying formation.  toffice on plug length and placement is necessary placed or production casing is cemented in; rom below any usable water to surface within 120 Dispersion of the KCC District 3 area, altugged. In all cases, NOTIFY district office prior to the top of the	FEB 0 6 2008  CONSERVATION DIVISION TO E shall be WOHITA, KS  Prior to plugging:  AYS of spud date.  Ternate II cementing.  AYS of spud date.  To any cementing.  Drill;  ud date;  tion orders;  pricover or re-entry;  upleted (within 60 days);
t is agreed that the following minimum re  1. Notify the appropriate district office 2. A copy of the approved notice of in 3. The minimum amount of surface pi through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days hereby certify that the statements made  Date: Signature  For KCC Use ONLY  API # 15 - OOL - 29714-C  Conductor pipe required Non Minimum surface pipe required  Approved by: Was 2-14-08	drilling, completion and eventual plugg quirements will be met:  prior to spudding of well; tent to drill shall be posted on each dripe as specified below shall be set by its plus a minimum of 20 feet into the unit between the operator and the district enotified before well is either plugged it, production pipe shall be cemented fill production pipe shall be cemented fill ern Kansas surface casing order #133 of the spud date or the well shall be plusherein are true and correct to the bas of Operator or Agent:  feet  feet  feet	prilling of this well will comply with K.S.A. 55 et. seq.  filling rig; circulating cement to the top; in all cases surface pignoderlying formation.  It office on plug length and placement is necessary prince on production casing is cemented in; from below any usable water to surface within 120 Di. 1891-C, which applies to the KCC District 3 area, although and belief.  Title:  **Remember to:*  File Drill Pit Application (form CDP-1) with Intent to be pile acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to we submit plugging report (CP-4) after plugging is completing this permit has expired (See: authorized expiration).	FEB 0 6 2008  CONSERVATION DIVISION THE SHALL BE
t is agreed that the following minimum re  1. Notify the appropriate district office 2. A copy of the approved notice of in: 3. The minimum amount of surface pi through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days hereby certify that the statements made  Date: Signature  For KCC Use ONLY  API # 15 OOL 29714-C  Conductor pipe required Non  Minimum surface pipe required  Approved by: Auto 2-14-08  This authorization expires: 2-14-08	drilling, completion and eventual plugg quirements will be met:  prior to spudding of well; tent to drill shall be posted on each dripe as specified below shall be set by its plus a minimum of 20 feet into the unit between the operator and the district enotified before well is either plugged it, production pipe shall be cemented from Kansas surface casing order #133 of the spud date or the well shall be plusherein are true and correct to the base of Operator or Agent:	ping of this well will comply with K.S.A. 55 et. seq.  rilling rig; circulating cement to the top; in all cases surface pinderlying formation.  toffice on plug length and placement is necessary placed or production casing is cemented in; rom below any usable water to surface within 120 Dispersion of the Completion of the KCC District 3 area, alt ugged. In all cases, NOTIFY district office prior to the completion of the com	FEB 0 6 2008  CONSERVATION DIVISION DE shall be CHITA, KS  Prior to plugging;  AYS of spud date.  ernate II cementing any cementing.  Drill;  ud date; ition orders; prkover or re-entry; inpleted (within 60 days); g salt water. In date) please
t is agreed that the following minimum re  1. Notify the appropriate district office 2. A copy of the approved notice of in 3. The minimum amount of surface pi through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days hereby certify that the statements made  Date: Signature  For KCC Use ONLY  API # 15 - OOL - 29 7/4 - OCC ON ONLY  API # 15 - OOL - 29 7/4 - OCC ON ONLY  Minimum surface pipe required  Approved by:	drilling, completion and eventual plugg quirements will be met:  prior to spudding of well; tent to drill shall be posted on each dripe as specified below shall be set by its plus a minimum of 20 feet into the unit between the operator and the district enotified before well is either plugged it, production pipe shall be cemented from Kansas surface casing order #133 of the spud date or the well shall be plusherein are true and correct to the base of Operator or Agent:	prilling of this well will comply with K.S.A. 55 et. seq.  filling rig; circulating cement to the top; in all cases surface pignoderlying formation.  It office on plug length and placement is necessary prince on production casing is cemented in; from below any usable water to surface within 120 Di. 1891-C, which applies to the KCC District 3 area, although and belief.  Title:  **Remember to:*  File Drill Pit Application (form CDP-1) with Intent to be pile acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to we submit plugging report (CP-4) after plugging is completing this permit has expired (See: authorized expiration).	FEB 0 6 2008  CONSERVATION DIVISION DE shall be CHITA, KS  Prior to plugging;  AYS of spud date.  ernate II cementing any cementing.  Drill;  ud date; idion orders; prkover or re-entry; inpleted (within 60 days); g salt water. In date) please

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 001-2971	4-00	$\infty$						
Operator: Jesseph Oil Weil Service					Location of	Well: County: Alle	n	
Lease: Barnett					495	,	feet from	N / X S Line of Section
Well Number: B12					2,805		feet from	
Field: Hombuldt					Sec. 17	Twp. 26		
Number of Acres attributable to we	ell:				le Contion:	Regular or	- Irrogular	
QTR/QTR/QTR of acreage:	- <del>S/E-</del>	- <b>VIVA</b> +	_ ~877	_ sw	is Section.	M Hegular O	irregular	
	NE	SE	Я		If Section Is Section corr			arest corner boundary. SE SW

**PLAT** 

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Jesseph Oil Well Service			License Number: 33685			
Operator Address: 22963 Reno Ro	ad	Buffalo	KS 66717			
Contact Person: Henry Jesseph		Phone Number: 620-537-2003				
Lease Name & Well No.: Barnett	Lease Name & Well No.: Barnett B12					
Type of Pit:	Pit is:		WE SE SE SE NOW SW SW			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 17 Twp. 26 R. 18	ast West		
Settling Pit	If Existing, date constructed:		495 Feet from North / Sc	outh Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		2,805 Feet from East / W	est Line of Section		
(If WP Supply API No. or Year Drilled)	80	(bbls)	Allen			
Is the pit located in a Sensitive Ground Water	Area? Yes	סא	Chloride concentration:	· I		
is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not us GEL			
Pit dimensions (all but working pits):	Length (fe	eet)10	Width (feet)	A: Steel Pits		
	om ground level to de		(:/	o Pit		
If the pit is lined give a brief description of the line integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining RECEIVED liner integrity, including any special monitoring.  KANSAS CORPORATION COM						
FEB 13	2008	OLL		FEB 0 6 2008		
CONSERVATIO! WICHITA				CONSERVATION DIVISION		
Distance to nearest water well within one-mile			west fresh water150feet.	WICHITA, KS		
NA feet Depth of water wellfeet		Source of information:  measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	8		
Producing Formation: Type of n			Type of material utilized in drilling/workover: WATSR			
Number of producing wells on lease:	Number of working pits to be utilized:					
			Abandonment procedure: HAU WATER Fall P2F			
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above state	ments are true and	correct to the best	of my knowledge and belief.	O		
2-9-2008 Date		Henry	Juseph gnature of Applicant or Agent			
	KCC	OFFICE USE OF	NLY Steel Pit RFAC	RFAS		
Date Received: 2 13 5 Permit Num	ber:	Permi	t Date: $\frac{z/13}{\sqrt{5}}$ Lease Inspection:	Yes No		