For KCC Use:

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date: February 18, 2008	Spot Description:
month day year OPERATOR: License# 9722	
Name: G & J OIL COMPANY, INC	3,795 feet from N / X S Line of Section 1,275 feet from E / W Line of Section
Address 1: ROUTE 1 BOX 212	Is SECTION: Regular Irregular?
Address 2: P. O. BOX 188	(Note: Locate well on the Section Plat on reverse side)
City: CANEY State: KS Zip: 67333 + 0188	County: MONTGOMERY
Contact Person: GENE NUNNELEY Phone: 620-252-9700	Lease Namer MEADOWS Well # 08-04
	Field Name: WAYSIDE-HAVANA
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name: FINNEY DRILLING COMPANY	Target Formation(s): WAYSIDE
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary fine (in footage): 495
☑Oil ☐ Enh Rec ☐ Infield ☐ Mud Rotary	Ground Surface Elevation: N/A feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100+
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: I X II
	Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): NONE
Operator: N/A	Projected Total Depth: 720'
Well Name:Original Total Depth:	Formation at Total Depth: WAYSIDE
Original Completion Date Original Total Depth	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: HAUL IN
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR (1)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone: WAYSIDE ANSAS CORPORATION COMMISSION:
	RATION COMMISSION
	IDAVIT FFR 1.3
The undersigned hereby affirms that the drilling, completion and eventual plug	iging of this well will comply with K.S.A. 55 et. seq. 13 2008
It is agreed that the following minimum requirements will be met:	UNSERVATION
 Notify the appropriate district office prior to spudding of well; 	
	CHITA KE DIVISION
2. A copy of the approved notice of intent to drill shall be posted on each	
3. The minimum amount of surface pipe as specified below shall be set b	orilling rig; y circulating cement to the top; in all cases surface pipe shall be set
The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the	orilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.
 The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 	orilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented 	orilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
 The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 	orilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. IS3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best plants. 	orilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Test of my knowledge and ballef.
 The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 	orilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. IS3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. It to flice on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. It is specified in the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title:
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date: Signature of Operator or Agent: For KCC Use ONLY	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. It is also says to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title:
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date: Signature of Operator or Agent: For KCC Use ONLY	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 set of my knowledge and balief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of soud date:
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: 2-7-6-8 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125-31547-0000	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 st of my knowledge and balief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: 2 7 6 8 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 315 47 - 0000 Conductor pipe required 1000000000000000000000000000000000000	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. to office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 set of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the contract of the contract of the between the contract of the cont	rilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and balief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days):
3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed bate: Signature of Operator or Agent: Signature of Op	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 set of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best pate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 315 47 - 0000 Conductor pipe required	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. to office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 set of my knowledge and balief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed bate: Signature of Operator or Agent: Signature of Op	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. Is a plugged. In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing. It it is: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best pate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 315 47 - 0000 Conductor pipe required	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 File Drill Pit Application (form CDP-1) with Intent to Drill; 16 File Completion Form ACO-1 within 120 days of spud date; 17 File acreage attribution plat according to field proration orders; 18 Notify appropriate district office 48 hours prior to workover or re-entry; 29 Submit plugging report (CP-4) after plugging is completed (within 60 days); 20 Obtain written approval before disposing or injecting salt water. 20 If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31547-0000	
Operator: G & J OIL COMPANY, INC	Location of Well: County: MONTGOMERY
Lease: MEADOWS	3,795 feet from N / X S Line of Section
Well Number: 08-04	1,275 feet from X E / W Line of Section
Field: WAYSIDE-HAVANA	Sec. 1 Twp. 34 S. R. 14 X E W
Number of Acres attributable to well: 10 QTR/QTR/QTR/QTR of acreage: NW _ SE _ NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

			<u></u>	
Operator Name: G & J OIL COMPANY, INC		License Number: 9722		
		D. BOX 188 CANEY KS 6733		
Contact Person: GENE NUNNELEY		Phone Number: 620-252-9700		
Lease Name & Well No.: MEADOWS 08-04		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW _ SE _ NE _	
Emergency Pit Burn Pit	Proposed Existing		Sec. 1 Twp. 34 R. 14 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		3,795 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1,275 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	100	(bbls)	MONTGOMERY	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/	
Is the bettern below ground level?	Additional Linear	- .	(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? SHALE	
Pit dimensions (all but working pits):4	.0 Length (fe	eet) 8	Width (feet) N/A: Steel Pits	
Depth from ground level to deepest point:4 (feet) No Pit				
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, in	edures for periodic maintenance and determining recluding any special monitoring RECEIVED FEB 13 2008 CONSERVATION DIVISION TO SERVATION DIVISION	
Source of infor		•		
			cover and Haul-Off Pits ONLY:	
		al utilized in driffing/workover: FRESH WATER		
Į.		ł	of working pits to be utilized:1	
1		procedure: Pit dried, backfill with overburden then		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must t		topsoil restored at surface se closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
2-7-08 Date Men Agenty Signature of Applicant or Agenty				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 2/13/08 Permit Numi	ber:	Permi	iit Date: Z/13/d7Lease Inspection: Yes A No	