For KCC Use: 2-19-08
Effective Date: 4
District #
SGA? Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

ust be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date February 21, 2008 month day year	Spot <u>E/2 - NE - NW</u> Sec. 36 Twp. 5 S. R	East West
OPERATOR: License# 7076	660 feet from N / S 2310 feet from E / V W	Line of Section
Name: Black Diamond Oil, Inc.	Is SECTION ✓ Regular — Irregular?	Line of Section
Address: P.O. Box 641 City/State/Zip, Hays, KS 67601	•	. 2.4.3
City/State/Zip: Hays, NS 67601 Contact Person: Kenneth Vehige	(Note: Locate well on the Section Plat on reverse County: Norton	e side)
Phone: 785-625-5891	Lease Name: Wyrill W	/ell #: 1-36
	Field Name: Ray	7 0 11 #
CONTRACTOR: License# 33575	Is this a Prorated / Spaced Field?	Yes ✓ No
Name: W W Drilling	Target Formation(s): Anhydrite	
W. K. D. W. J. G. W. J. Olses Transferred	Nearest Lease or unit boundary: 330	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2200 Est	feet MSL
Oil Enh Rec / Infield / Mud Rotary	Water well within one-quarter mile:	Yes VNo
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes 🗸 No
OWO ✓ Disposal Wildcat Cable	Depth to bottom of fresh water: 188/50	
Seismic;# of Holes Other	Depth to bottom of usable water: 1000'	
Other	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200' set	
Operator:	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth: 1800	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Anhydrite	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Lease Salt Wa	ter
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	RECEIVED
APPI	ANSAS CO	RPORATION
AFFI	DAVIT	" OF WHICH COMMISS
The undersigned hereby affirms that the drilling, completion and eventual plu	DAVIT ugging of this well will comply with K.S.A. 55 et. seq.	RPORATION COMMISSI
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. FE	В 13 2008
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:	ugging of this well will comply with K.S.A. 55 et. seq. FE	B 13 2008
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the discount of the surface price in the discount of the surface price in the surface plus a minimum of 20 feet into the surface plus and surface plus a minimum of 20 feet into the surface plus and su	agging of this well will comply with K.S.A. 55 et. seq. FE	B 13 2008 RVATION DIVISION shall be set
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the search o	th drilling rig; th by circulating cement to the top; in all cases surface pipe underlying formation. strict office on plug length and placement is necessary proged or production casing is cemented in; def from below any usable water to surface within 120 day. #133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to the	RNATION DIVISION Shall be set vior to plugging; sof spud date.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the standard and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order.	th drilling rig; th by circulating cement to the top; in all cases surface pipe underlying formation. strict office on plug length and placement is necessary proged or production casing is cemented in; def from below any usable water to surface within 120 day. #133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to the	RNATION DIVISION Shall be set vior to plugging; sof spud date.
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the search o	th drilling rig; th by circulating cement to the top; in all cases surface pipe underlying formation. strict office on plug length and placement is necessary proged or production casing is cemented in; def from below any usable water to surface within 120 day. #133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to the	RNATION DIVISION Shall be set vior to plugging; sof spud date.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of Date: 2/7/08 Signature of Operator or Agent:	th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe e underlying formation. strict office on plug length and placement is necessary proged or production casing is cemented in; and from below any usable water to surface within 120 day. #133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to any knowledge and belief.	RNATION DIVISION Shall be set vior to plugging; sof spud date.
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the search o	th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe e underlying formation. strict office on plug length and placement is necessary proged or production casing is cemented in; and from below any usable water to surface within 120 day. #133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to a my knowledge and belief. Title: Owner Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	RNATION DIVISION Shall be set vior to plugging; sof spud date. ernate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the search o	th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe e underlying formation. strict office on plug length and placement is necessary proged or production casing is cemented in; and from below any usable water to surface within 120 day. #133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to a my knowledge and belief. Title: Owner Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud delays.	RNATION DIVISION SHAPE S
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office and the district office will be a minimum of 20 feet into the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the plants of the plants of the plants of the spud date or Agent: Por KCC Use ONLY	th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe e underlying formation. strict office on plug length and placement is necessary proged or production casing is cemented in; and from below any usable water to surface within 120 days. #133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to a my knowledge and belief. Title: Owner Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud district acreage attribution plat according to field proration	RNATION DIVISION Shall be set vior to plugging; sof spud date. ernate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accompanient of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the displants of the spropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: Date: 2/7/08	th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe e underlying formation. strict office on plug length and placement is necessary proged or production casing is cemented in; and from below any usable water to surface within 120 day. #133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to a my knowledge and belief. Title: Owner Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud delays.	RNATION DIVISION Shall be set vior to plugging; sof spud date. ernate II cementing any cementing. ate; orders; ver or re-entry; ed;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the specified district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the plug of the spud date or the well shall be conductor pipe required to the plug of the spud date or the well shall be conductor pipe required to the plug of the spud date or the well shall be conductor pipe required to the plug of the spud date or the well shall be conductor pipe required to the plug of the spud date or the well shall be conductor pipe required to the plug of the spud date or the well shall be conductor pipe required to the plug of the spud date or the well shall be conductor pipe required to the plug of the spud date or the well shall be conductor pipe required to the plug of the spud date or the well shall be conductor pipe required to the plug of the spud date or the well shall be conductor pipe required to the plug of the spud date or the plug of the spud of the spud of the shall be conductor pipe required to the plug of the spud of the spud of the spud of the shall be conductor pipe required to the plug of the spud of the spud of the spud of the spud of the shall be posted on the shall be conductor pipe shall be conductor pi	th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe e underlying formation. strict office on plug length and placement is necessary proged or production casing is cemented in; and from below any usable water to surface within 120 day. #133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to a my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud define acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complet. Obtain written approval before disposing or injecting sa	RWATION DIVISION SHAPE S
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 2/7/08 For KCC Use ONLY API # 15 · 137 - 204 76 - OCCO Conductor pipe required feet Minimum surface pipe required feet Approved by: Ama 2-14-09 This authorization expires: 2/4-09 (This authorization void if drilling not started within months of approval date.)	th drilling rig; It by circulating cement to the top; in all cases surface pipe is underlying formation. It is strict office on plug length and placement is necessary property of ped or production casing is cemented in; and from below any usable water to surface within 120 day. If 133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to a my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worker. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting satisfication of the supportation data check the box below and return to the address below.	RWATION DIVISION STATE OF STAT
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will shall be posted on each and the district of the appropriate district of the statement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plug of the spud date or the well shall be conductor pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 · 137 - 20476-0000 Conductor pipe required. Approved by:	th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe in underlying formation. Strict office on plug length and placement is necessary property of the underlying formation. Strict office on plug length and placement is necessary property of the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged. Title: Owner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting sate. If this permit has expired (See: authorized expiration data check the box below and return to the address below. Well Not Drilled - Permit Expired	RNATION DIVISION STATE OF STAT
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 2/7/08 For KCC Use ONLY API # 15 · 137 - 204 76 - OCCO Conductor pipe required feet Minimum surface pipe required feet Approved by: Ama 2-14-09 This authorization expires: 2/4-09 (This authorization void if drilling not started within months of approval date.)	th drilling rig; It by circulating cement to the top; in all cases surface pipe is underlying formation. It is strict office on plug length and placement is necessary property of ped or production casing is cemented in; and from below any usable water to surface within 120 day. If 133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to a my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worker. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting satisfication of the supportation data check the box below and return to the address below.	RWATION DIVISION STATE OF STAT


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 137-20476-0000	Location of Well: County: Norton
Operator: Black Diamond Oit, Inc.	660 feet from N / S Line of Section
Lease: Wyrill	2310 feet from E / W Line of Section
Well Number: 1-36	Sec, <u>36</u> Twp. <u>5</u> S. R. <u>21</u> East ✓ Wes
Field: Ray	
Number of Acres attributable to well: 10 QTR / QTR of acreage: E/2 - NE - NW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Black Diamond Oil, Inc.		License Number: 7076		
Operator Address: P.O. Box 641 H	lays, KS 6760	01		
Contact Person: Kenneth Vehige		Phone Number: (785) 625 - 5891		
Lease Name & Well No.: Wyrill #1-36			Pit Location (QQQQ):	
Type of Pit:	Pit is:		C _ E/2 _ NE _ NW	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 36 Twp. 5 R. 21 ☐ East 🗸 West	
Settling Pit	If Existing, date constructed:		660 Feet from 🗹 North / 🗌 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		2310 Feet from East / 🗸 West Line of Section	
(If WP Supply API No. or Year Drilled)	1000	(bbls)	Norton County	
is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No	Chloride concentration: mg/l	
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes ✓	No	Native Soil	
Pit dimensions (all but working pits):	55 Length (fe	eet) 65	Width (feet) N/A: Steel Pits	
Depth fo	rom ground level to de	eepest point: 3'	(feet)	
material, thickness and installation procedure	э.	liner integrity, i	edures for periodic maintenance and deterifficaccorporation commission of the second control of the second commission of the second control of the second	
		Depth to shallo Source of info	west fresh water 133 feet. feet.	
		measuredwell owner electric logKDWR		
			Drilling, Workover and Haul-Off Pits ONLY:	
		naterial utilized in drilling/workover: Drilling Mud		
			r of working pits to be utilized: 3	
Barrels of fluid produced daily:		Abandonment procedure: Airdry & backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.	
		N		
2-6-08 Am		ignature of Applicant or Agent		
Date				
	KCC	OFFICE USE O	NLY RFAC	
,	1100	011102 002 0		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

February 14, 2008

Mr. Kenneth Vehige Black Diamond Oil, Inc. PO Box 641 Hays, KS 67601

RE: Drilling Pit Application Wyrill Lease Well No. 1-36 NW/4 Sec. 36-05S-21W Norton County, Kansas

Dear Mr. Vehige:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased. **Please keep all pits away from any draws.**

If production casing is set all completion fluids shall be removed from the working pits daily.

NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-5200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.