For KCC Use: Effective Date: 2-23-08 District # Ves VNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: February 27, 2008	Spot Description: 180'N & 30'W of
month day year	
4767 V	
OPERATOR: License#	leet from Min 7 1 3 Eine of Section
Name: Ritchie Exploration, Inc.	leet from [N E / [] W Line of Section
Address 1: PO 783188	is SECTION: KRegular Inregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Justin Clegg	County: Lane County
Phone: 316-691-9500	Lease Name: Stevenson-York Well #: 1
, and a second s	Field Name: Wildcat
CONTRACTOR: License# KLN 30606 V Name: Murfin Drilling Company, Inc.	Is this a Prorated / Spaced Field?
Name:	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 510'
⊠Oil Enh Rec Infield ⊠Mud Rotary	Ground Surface Elevation: 2865.3 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal XWildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
Dis CNARACO, and well information on fallows	Surface Pipe by Alternate:
if OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200 minimum.
Operator:	Length of Conductor Pipe (if any): NONE
Well Name;	Projected Total Depth: 4750'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other: X
If Yes, true vertical depth:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR
	Will Cores be taken? Yes No If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:	DAVIT RECEIVED ging of this well will comply with K.S.A. 55 etcanges CORPORATION COMMISSION
Notify the appropriate district office prior to spudding of well:	CED 15 ages
2. A convert the appropriate police of intent to drill about he posted an each of	
2. A copy of the approved notice of intent to arill shar pe posted on each a	rilling rig: FEB 15 2008
 A copy of the approved notice of intent to drill shall be posted on each d The minimum amount of surface pipe as specified below shall be set by 	ming rig; circulating cement to the top; in all cases surface give: ehall be set
3. The minimum amount of surface pipe as specified below shall be set by	circulating cement to the top; in all cases surface oins that the set
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u If the well is dry hole, an agreement between the operator and the district 	rining rig; circulating cement to the top; in all cases surface of the cat inderlying formation. WICHITA KS at office on plug length and placement is necessary prior to plugging;
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. 	circulating cement to the top; in all cases surface of the cast inderlying formation. WICHITA KS to office on plug length and placement is necessary prior to plugging; if or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for the complete shall be complete. 	circulating cement to the top; in all cases surface of the case inderlying formation. WICHITA KS with the control of the case
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. 	circulating cement to the top; in all cases surface of the case inderlying formation. WICHITA KS it office on plug length and placement is necessary prior to plugging; if or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 8,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 	circulating cernent to the top; in all cases surface of the chall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; if or production casing is cemented in; irom below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate it cementing lugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pill hereby certify that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the statements. 	initing rig; circulating cement to the top; in all cases surface of the right of the circulating cement to the top; in all cases surface of the right of the circulating cement to the complete of the complet
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. If the well is dry hole, an agreement between the operator and the districts. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pine. 	circulating cernent to the top; in all cases surface of the chall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; if or production casing is cemented in; irom below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate it cementing lugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pill hereby certify that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the beside that the statements made herein are true and correct to the statements. 	recirculating cement to the top; in all cases surface of the EARLY DIVISION WICHITA KS with office on plug length and placement is necessary prior to plugging; it of production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. GIS Specialist Title:
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plugged. I hereby certify that the statements made herein are true and correct to the best pate: February 14, 2008 Signature of Operator or Agent: For KCC Use ONLY	circulating cernent to the top; in all cases surface of the challenge of the circulating cernent to the top; in all cases surface of the challenge of the complete of the comp
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plusted. I hereby certify that the statements made herein are true and correct to the best part of the plusted. Signature of Operator or Agent: 	riting rg; circulating cement to the top; in all cases surface of the relation division with office on plug length and placement is necessary prior to plugging; if or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. GIS Specialist Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pit in hereby certify that the statements made herein are true and correct to the best Date: February 14, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 22081-0000	circulating cernent to the top; in all cases surface one challon plus in derlying formation. WICHITA, KS and office on plug length and placement is necessary prior to plugging; if or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. GIS Specialist File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pit hereby certify that the statements made herein are true and correct to the best Date: February 14, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - / OI - 2008 / OOO Conductor pipe required feet	circulating cernent to the top; in all cases surface of the relation of circulating cernent to the top; in all cases surface of the relation of the complete o
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pill hereby certify that the statements made herein are true and correct to the best place. February 14, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - / O/ - 2008/-0000 Conductor pipe required	riting rig; circulating cerment to the top; in all cases surface of the complete of the comple
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district of the surface plus an appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pithereby certify that the statements made herein are true and correct to the best pate: February 14, 2008 Signature of Operator or Agent: For KCC Use ONLY API #15 - / O/ - 208/-000 Conductor pipe required	circulating cerment to the top; in all cases surface object AND DIVISION WICHITA KS and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. GIS Specialist Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district of the surface plus an appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pitched that the statements made herein are true and correct to the best part of the surface of Operator or Agent: February 14, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - / OI - 2008 / ODD Conductor pipe required feet per ALT. I III Approved by: Minimum surface pipe required feet per ALT. I IIII Approved by: This authorization expires: 2 1809	circulating cerment to the top; in all cases surface of the control of circulating cerment to the top; in all cases surface of the control of
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pitched by the certify that the statements made herein are true and correct to the best best part of Operator or Agent: February 14, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - / O/ - 2208/-000 Conductor pipe required	riting rg; circulating cerment to the top; in all cases surface one relation bid since circulating cerment to the top; in all cases surface one relation bid since on plug length and placement is necessary prior to plugging; if or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. GIS Specialist Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pitched by the certify that the statements made herein are true and correct to the best part of the production of the conductor of the specific productor of the productor pipe required	circulating cerment to the top; in all cases surface of the control of circulating cerment to the top; in all cases surface of the control of
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best part of the spud date of the well shall be p. I hereby certify that the statements made herein are true and correct to the best part of the spud date of the well shall be p. I hereby certify that the statements made herein are true and correct to the best part of the spud date of the well shall be p. I hereby certify that the statements made herein are true and correct to the best part of the spud date of the well shall be p. I hereby certify that the statements made herein are true and correct to the best part of the spud date of the well shall be p. I hereby certify that the statements made herein are true and correct to the best part of the spud date of the well shall be p. I hereby certify that the statements made herein are true and correct to the best production of the spud date of the well shall be p. I hereby certification and the district of the district production and the district production and the district production are producted and the district production are producted and the district production and the district produ	circulating cerment to the top; in all cases surface of the control of the circulating cerment to the top; in all cases surface of the control of the circulating cerment to the top; in all cases surface of the control of the circulating formation. Wichita KS Wichita KS Wichita KS Wichita KS It of production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. By Byt-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. GIS Specialist Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Orllled - Permit Expired Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 101	1-220	Y/-00	∞								
Operator: Ritchie 6	exploration.						ocation of V	Well: County: La	ne County		
Lease: Stevensor	-York						150			N / S Line	e of Section
Well Number: 1						_	1,680		feet from	_	e of Section
Fleld: Wildcat						Se	ec. 27	Twp. 20	S. R. <u>30</u>		₹ w
Number of Acres a	ttributable t	o well:									-
QTR/QTR/QTR/QT			- NE	. NW	- NE	- Is	Section:	Regular or	Irregular		
						_	Caatlan la		• ···-!! 4 ··-··-		
								i Irregular, locate er used: Ni			idary.
						36	SCHOIT CON	iei usecivi	-	⊏ [
						PLAT					
		(Show lo						or prorated or spa	ced wells.)		
			(Sho	w toptage		aresi lease	or unit bo	oundary line.)			
					12						
	:	:	:		84	1680 FE	<u>ن</u>				
	į		:		4		:				
				<u> \/\</u>	itized						
	;				:						
		i .	:		:	:	:				
	;	:	:		:	:	:		See the control	. SelVEI	כ
İ					:	:	:		- 10 m	**************************************	OMMISSIO
*******	· · · · · · · · · · · · · · · · · · ·	:	:		·	:	1				
	:	:	<u>:</u>		:	:	:			FEB 15 20	J 8
	:		:			:	:	EXAN	4DI E	SERVATION DIVI	kinu
	:	<u>:</u>	: 7	7	:	:	:	EXAM	APLE :	WICHITA, KS	SICN
			:	•			:		: :	•	
	:	:	:			:	:	''''	:	4000	1
********	:	:	:		:		:	i gi		o1980 I■I	1
		:	:		•						
	:	:	:		:	:	:		: :	3390'	
1				1				1 1	•	3.39U ·	4

NOTE: in all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Ritchie Exploratio	n, Inc.	License Number: 4767				
Operator Address: PO 783188		Wichita KS 67278				
Contact Person: Justin Clegg		Phone Number: 316-691-9500				
Lease Name & Well No.: Stevensor	n-York 1	Pit Location (QQQQ):				
Type of Pit:	Pit is:		160'N B 30W _ NE _ NW _ NE			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 27 Twp. 20 R. 30 East West			
Settling Pit Drilling Pit	If Existing, date of	onstructed:	150 Feet from North / South Line of Section			
☐ Workover Pit ☐ Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbis)	1,680 Feet from East / West Line of Section Laine County			
Is the pit located in a Sensitive Ground Water	Area? Yes X		Chloride concentration:mg/l			
Is the bottom below ground level?	Artificial Liner?	-	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?			
Yes No	Yes X	No	Cottonseed Hulls / AquaGel			
Pit dimensions (all but working pits): 100 Length (feet) 100 Width (feet)						
Depth fi If the pit is lined give a brief description of the	rom ground level to de	eepest point:	6 (feet) No Pit			
material, thickness and installation procedure. liner integrity, including any special monitoring.						
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	west fresh water FEESAS CORPORATION COMMISSIO			
N/A_feet Depth of water well_	feet	measu	red well owner electric logE 1 1 1 10008			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY: CONSERVATION DIVISION of utilized in drilling/workover: Fresh / CherWicary April 1			
Producing Formation:						
Number of producing wells on lease: Barrels of fluid produced daily:		Number of working pits to be utilized: 3 Abandonment procedure: Backfill				
Does the slope from the tank battery allow all flow into the pit? Yes No		Abandonment procedure: Dackilli Drill pits must be closed within 365 days of spud date. correct to the best of my knowledge and belief				
I hereby certify that the above state	ments are true and c	correct to the best	of my knowledge and belief.			
February 14, 2008 Date		J. Si	gnature of Applicant or Agent			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 2/15/08 Permit Num	ber:	Permi	t Date: 2/15/08 Lease Inspection: Yes 🗷 No			