# For KCC Use: Effective Date: 2-24-08 District # Yes VNo

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

October 200<sup>-</sup> Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five	
Expected Soud Date: 2/25/08	Spot Description:
month day year	C - E/2 . NE . NE Sec. 5 Twp. 29 S. R. 15 XE W
OPERATOR: License# 33539 /	feet from N / S Line of Section  330 Seet from E / W Line of Section
Name: Cherokee Wells, LLC	
Address 1: P.O. Box 296	ls SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City Fredonia State: KS Zip: 66736	County: Wilson
Contact Person: Tracy Miller	Lease Name: Cline Well # A-5
Phone: 620-378-3650	Field Name. Cherokee Basin Coal Gas Area
CONTRACTOR: License# 33072	Is this a Prorated / Spaced Field?
Name: Well Refined Drilling	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330'
Oil Enh Rec   Intield   Mud Rotary	Ground Surface Elevation: Unknown feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile.  Public water supply well within one mile.  Yes X No
Disposal Wildeat Cable	Public water supply well within one mile.  Yes No  Part to be supply well within one mile.
Seismic : # of Holes Other	Depth to bottom of fresh water: est. 100' +  Depth to bottom of usable water: est. 200' 15"
Other:	Surface Pipe by Alternate.
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
	Length of Conductor Pipe (if any): N/A
Operator:	Projected Total Depth: 1350'
Well Name:Original Total Depth:	Formation at Total Depth: Mississipplan
/	Water Source for Drilling Operations:
Directional. Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
If Yes, true vertical depth.	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	
	Will Cores be taken?
	Will Cores be taken?
	(f Yes, proposed zone:
AFF	If Yes, proposed zone:  RECEIVED  WANSAS CORPORATION COMMISSION  RECEIVED
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:  RECEIVED  RECEIVED  KANSAS CORPORATION COMMISSION  Graph of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:  RECEIVED  WANSAS CORPORATION COMMISSION  RECEIVED
AFF  The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMMISSIC  RECEIVED  KANSAS CORPORATION COMMISSIC  FEB 1 8 2008
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	If Yes, proposed zone:    RECEIVED
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to the third the state of the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be shall be shall be shall be shall be</i>	If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMMISSION  FEB 18 2008  drilling rig:  ONSERVATION DIVISION  of circulating cement to the top; in all cases surface pipe shall be referred. KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distri	RECEIVED  RECEIVED  RANSAS CORPORATION COMMISSION  Grilling rig:  ONSERVATION DIVISION  On circulating cement to the top; in all cases surface pipe shall be referred to the top; in all cases surface
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	RECEIVED  RECEIVED  RANSAS CORPORATION COMMISSION  FEB 18 2008  drilling rig:  ONSERVATION DIVISION  or circulating cement to the top; in all cases surface pipe shall be referred to the top; in all
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1:	RECEIVED  RECEIVED  RANSAS CORPORATION COMMISSION  FEB 18 2008  drilling rig:  ONSERVATION DIVISION  or circulating cement to the top; in all cases surface pipe shall be referred. KS  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	RECEIVED  RECEIVED  ANSAS CORPORATION COMMISSION  Gring of this well will comply with K.S.A. 55 et. seq.  FEB 18 2008  drilling rig:  CONSERVATION DIVISION  On circulating cement to the top; in all cases surface pipe shall be realth, KS  and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1:	RECEIVED  RANSAS CORPORATION COMMISSION  Graphing of this well will comply with K.S.A. 55 et. seq.  FEB 18 2008  drilling rig:  ONSERVATION DIVISION  of circulating cement to the top; in all cases surface pipe shall be referred. KS  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If the ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the statements.	RECEIVED  RECEIVED  ANSAS CORPORATION COMMISSION  Gring of this well will comply with K.S.A. 55 et. seq.  FEB 18 2008  drilling rig:  CONSERVATION DIVISION  On circulating cement to the top; in all cases surface pipe shall be realth, KS  and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	RECEIVED  RECEIVED  RECEIVED  RANSAS CORPORATION COMMISSION  Griging of this well will comply with K.S.A. 55 et. seq.  FEB 18 2008  drilling rig:  CONSERVATION DIVISION  On the control of the top; in all cases surface pipe shall be referred to the top; in all cases surface pipe shall be referred to the top; in all cases surface pipe shall be referred to the top; in all cases surface pipe shall be referred to the top; in all cases surface pipe shall be referred to the top; in all cases surface pipe shall be referred to the top; in all cases and placement is necessary prior to plugging; and or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.  Administrative Assistant
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the bound of the statements of the spud date or the well shall be signature of Operator or Agent:    Date: 2/15/08   Signature of Operator or Agent:	RECEIVED  RECEIVED  RANSAS CORPORATION COMMISSION  FEB 18 2008  drilling rig:  ONSERVATION DIVISION  oy circulating cement to the top; in all cases surface pipe shall be entry. Ks.  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the broate:  2/15/08  Signature of Operator or Agent:  For KCC Use ONLY	IDAVIT  Grant of this well will comply with K.S.A. 55 et. seq.  FEB 18 2008  drilling rig:  ONSERVATION DIVISION  of circulating cement to the top; in all cases surface pipe shall be sent a. Ks.  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Administrative Assistant  Title:  Administrative Assistant  File Completion form CDP-1) with intent to Drill;  File Completion form ACC-1 within 120 days of sourt date:
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the brushes.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 2 7 4 6 0 - 0000	RECEIVED  (ANSAS CORPORATION COMMISSING  Graphing of this well will comply with K.S.A. 55 et. seq.  FEB 18 2008  drilling rig:  ONSERVATION DIVISION  or circulating cement to the top; in all cases surface pipe shall be entry  ounderlying formation.  ict office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing  plugged. In all cases, NOTIFY district office prior to any cementing.  ast of my knowledge and belief.  Title:  Administrative Assistant  Title:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the drift that well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the because of the complete to the surface of Operator or Agent:    Por KCC Use ONLY	RECEIVED  (ANSAS CORPORATION COMMISSING  Gring of this well will comply with K.S.A. 55 et. seq.  FEB 18 2008  drilling rig:  ONSERVATION DIVISION  OVICE OF THE PITTAL RES  Underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  ast of my knowledge and belief.  Hemember to:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders.  Notify appropriate district office 48 hours prior to workover or re entry;
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or operator or Agent:    Por KCC Use ONLY	IDAVIT  Graing of this well will comply with K.S.A. 55 et. seq.  FEB 18 2008  drilling rig:  ONSERVATION DIVISION  Overlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  ast of my knowledge and belief.  Hemember to:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders.  Notify appropriate district office 48 hours prior to workover or re entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the broader:    Park KCC Use ONLY	IDAVIT  Gaing of this well will comply with K.S.A. 55 et. seq.  FEB 18 2008  drilling rig:  ONSERVATION DIVISION  of circulating cement to the top; in all cases surface pipe shall be entry, its office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  ast of my knowledge and belief.  Title:  Administrative Assistant  Title:  Administrative Assistant  Title:  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the branch 2/15/08.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 2 7 4 6 0 - 0000  Conductor pipe required  Minimum surface pipe required  Approved by:  Minimum surface pipe required  Approved by:  This authorization expires:  2 19 09	RECEIVED  (ANSAS CORPORATION COMMISSION gring of this well will comply with K.S.A. 55 et. seq.  FEB 18 2008  drilling rig:  ONSERVATION DIVISION of circulating cement to the top; in all cases surface pipe shall be referra, KS  underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Administrative Assistant  Title:  Administrative Assistant  Title:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders.  Notify appropriate district office 48 hours prior to workover or re entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the surface of Operator or Agent:    Park CC Use ONLY	### RECEIVED  ### RANSAS CORPORATION COMMISSION  FEB 1 8 2008  ### CONSERVATION DIVISION  ### CONSERVATION DIVISION  ### CONSERVATION DIVISION  ### RECEIVED  ### RECEIVED  ### RANSAS CORPORATION COMMISSION  ### CONSERVATION DIVISION  ### CONSERVATION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the but hereby certify that the statements made herein are true and correct to the but hereby certify that the statements made herein are true and correct to the but hereby certify that the statements made herein are true and correct to the but hereby certify that the statements made herein are true and correct to the but hereby certify that the statements made herein are true and correct to the but hereby certify that the statements made herein are true and correct to the but hereby certify that the statements made herein are true and correct to the but hereby certify that the statements made herein are true and correct to the but hereby certify that the statements made herein are true and correct to the but hereby certify that the statements made herein are true and correct to the but hereby certify that the statements made herein are true and correct to the but hereby certify that the statements made herein are true and correct to the but hereby certified by the product of the but hereby certified by the product of the but hereby certified by the product of the	### RECEIVED  ### RANSAS CORPORATION COMMISSION  ### CONSERVATION DIVISION

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No 15 - 205-27460-0000	
Operator: Cherokee Wells, LLC	Location of Well: County: Wilson
Lease: Cline	660 feet from N / S Line of Section  330 feet from X E / W Line of Section
Well Number: A-5	
Field: Cherokee Basin Coal Gas Area	Sec. 5 Twp. 29 S R 15 X E W
Number of Acres attributable to well:  OTR/QTR/QTR/QTR of acreage:  C	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)


					V	100'   NL
		 **********	,~,,	*******		330' FEL
***		 	,	CL	ING A-S	
<b></b>						
		 *******	,	LAD I DATE	********	
			******		, . , . , . , . ,	
		 			4*4*****	
	· · · · · · · · · · · · · · · · · · ·					

RECEIVED

«ANSAS CORPORATION COMMISSION

FEB 18 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage)
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
April 2004
Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Cherokee Wells, LLC		License Number: 33539					
Operator Address: P.O. Box 296			Fredonia KS 667:	36			
Contact Person: Tracy Miller			Phone Number: 620-378-3650				
Lease Name & Well No.: Cline	A-:	5	Pit Location (QQQQ):				
Type of Pit:	Pit is:		C _ E/2 _ NE _ NE				
Emergency Pit Burn Pit	Proposed	Existing	Sec. 5 Twp. 29 R. 15 East West				
Settling Pit	If Existing, date constructed:		660 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:		330 Feet from East / West Line of Sect	1			
(If WP Supply API No. or Year Drilled)	800	(bbls)	Wilson				
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg				
<u> </u>			(For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?				
			Natural Clay & Earth	_			
Pit diffiensions (an but working pits).	30 Length (fe		Width (feet) N/A: Steel Pits				
Depth fr	om ground level to de	eepest point:	b (feet) No Pit				
If the pit is lined give a brief description of the		1 '	dures for periodic maintenance and determining				
material, thickness and installation procedure	<b>.</b>	mier miegnity, n	ncluding any special monitoring.				
				_			
				3			
<del></del>			west fresh water 100 feet	_\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	West Hosti Waterloct.	7			
N/A / feet Depth of water well	feet	measu	red well owner electric log KDWR	3			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	-27460000			
		Type of materia	erial utilized in drilling/workover: Fresh Water				
		working pits to be utilized:1					
Barrels of fluid produced daily: Abandonment		procedure: Remove Fluids, Allow to Dry, Level					
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must I			Surface	_			
		Drill pits must t	e closed within 365 days of spud date. RECEIVE				
I hereby certify that the above state	ements are true and	correct to the best	of my knowledge and belief.	COMMISS			
		Λ	FEB 18 20	1800			
2/15/08			CONSERVATION DI	VISI <b>O</b> N			
Date		S	gnature of Applicant or Agent WICHITA, KS				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS							
Date Received: 2 18 08 Permit Num	ber:	Permi	t Date: み/18/05 Lease Inspection: Yes へNo				