For KCC Use: Effective Date: 2-25-08 District # 3 SGA? Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: February 19, 2008 month day year	Spot Description: NE _ SE _ Sec. 9 _ Twp. 29	0 p 20 🔽 = 🗆
33344		
OPERATOR: License#	leet non	E / W Line of Section
Name: Quest Cherokee, LLC		E / W Line or Section
Address 1: 210 W. Park Ave., Suite 2750	Is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat or	n reverse side)
City: Oklahoma City State: OK Zip: 73102 +	County: Neosho	
Contact Person: Richard Marlin Phone: 405-702-7480	Lease Name: Hines, Jack L.	Well #: 9-1
	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# 33837 or another Licensed by KCC Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field?	Yes No
Well Drilled For: Well Class: Type Equipment:	Target Formation(s): Cherokee Coals Nearest Lease or unit boundary line (in footage): 660	
	Ground Surface Elevation: 875	feet MSL
Oil Enh Rec XInfield Mud Rotary	Water well within one-quarter mile:	☐Yes 🛛 No 🖊
Gas Storage Pool Ext. X Air Rotary	Public water supply well within one mile:	Yes X No
Disposal Wildcat Cable	Depth to bottom of fresh water: 100	
Seismic; # of HolesOther Other: Coalbed Methane	Depth to bottom of usable water: 150	
Notiner: Coalded installation	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
	Length of Condustor Pine (if any):	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Iolal Depth;	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
	Well Farm Pond Other: Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWI	
KCC DKT #:	Will Cores be taken?	Yes X No
ROC DR1 #:	Will Cores be taken? If Yes, proposed zone:	
ROC DR1 #:	If Yes, proposed zone:	RECEIVED
AFF	If Yes, proposed zone:KANSA	
	If Yes, proposed zone:KANSA	RECEIVED AS CORPORATION COMMISSION
AFF	If Yes, proposed zone:KANSA	RECEIVED
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:KANSA CDAVIT ging of this well will comply with K.S.A. 55 et. seq.	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:KANSA DAVIT ging of this well will comply with K.S.A. 55 et. seq.	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: CANSA Ging of this well will comply with K.S.A. 55 et. seq. drilling rig;	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITALKS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: CANSA Grilling rig; y circulating cement to the top; in all cases surface pipunderlying formation.	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITA, KS De Shall be set
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	If Yes, proposed zone: CANSA Grilling rig; y circulating cement to the top; in all cases surface pipunderlying formation. ct office on plug length and placement is necessary p	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITA, KS De Shall be set
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge	If Yes, proposed zone: CANSA Grilling rig; y circulating cement to the top; in all cases surface pipunderlying formation. ct office on plug length and placement is necessary part or production casing is cemented in;	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITA, KS De shall be set Prior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the set of the the set of the intention of the set of the	If Yes, proposed zone: CDAVIT Ging of this well will comply with K.S.A. 55 et. seq. Chilling rig; y circulating cement to the top; in all cases surface pipunderlying formation. ct office on plug length and placement is necessary production casing is cemented in; from below any usable water to surface within 120 DA	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITA, KS DE shall be set Prior to plugging; AYS of spud date.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone: CDAVIT Ging of this well will comply with K.S.A. 55 et. seq. Cdrilling rig; y circulating cement to the top; in all cases surface pipunderlying formation. ct office on plug length and placement is necessary production casing is cemented in; from below any usable water to surface within 120 DA 3,891-C, which applies to the KCC District 3 area, alto	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITA, KS DE shall be set orior to plugging; AYS of spud date. ernate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: CANSA Grilling rig; y circulating cement to the top; in all cases surface pipunderlying formation. ct office on plug length and placement is necessary plud or production casing is cemented in; from below any usable water to surface within 120 DA 3,891-C, which applies to the KCC District 3 area, altoolugged. In all cases, NOTIFY district office prior to	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITA, KS DE shall be set orior to plugging; AYS of spud date. ernate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone: CANSA Grilling rig; y circulating cement to the top; in all cases surface pipunderlying formation. ct office on plug length and placement is necessary plud or production casing is cemented in; from below any usable water to surface within 120 DA 3,891-C, which applies to the KCC District 3 area, altoolugged. In all cases, NOTIFY district office prior to	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITA, KS DE shall be set orior to plugging; AYS of spud date. ernate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an intensity of the approved notice of intent to drill <i>shall be</i> posted on each and through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong and the distriction of the intensity of the specific	MANSA Compared to the top; in all cases surface piper underlying formation. It office on plug length and placement is necessary part of the production casing is cemented in; from below any usable water to surface within 120 DA (3,891-C, which applies to the KCC District 3 area, alto plugged. In all cases, NOTIFY district office prior to st of my knowledge and belief.	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITA, KS DE shall be set orior to plugging; AYS of spud date. ernate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	MANSA Compared to the top; in all cases surface piper underlying formation. It office on plug length and placement is necessary part of the production casing is cemented in; from below any usable water to surface within 120 DA (3,891-C, which applies to the KCC District 3 area, alto plugged. In all cases, NOTIFY district office prior to st of my knowledge and belief.	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITA, KS DE shall be set Prior to plugging; AYS of spud date. Dernate II cementing any cementing. President
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an intensity of the approved notice of intent to drill <i>shall be</i> posted on each and through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong and the distriction of the intensity of the specific	MANSA Compared to the top; in all cases surface piper underlying formation. It office on plug length and placement is necessary part of the production casing is cemented in; from below any usable water to surface within 120 DA (3,891-C, which applies to the KCC District 3 area, alto plugged. In all cases, NOTIFY district office prior to st of my knowledge and belief.	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITA, KS DE shall be set Prior to plugging; AYS of spud date. Demanting any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the beautiful to the complete to the statements of the plants of the plants. February 13, 2008 Signature of Operator or Agent:	If Yes, proposed zone: CANSA Grilling rig; y circulating cement to the top; in all cases surface pipunderlying formation. ct office on plug length and placement is necessary plud or production casing is cemented in; from below any usable water to surface within 120 DA 3,891-C, which applies to the KCC District 3 area, altoolugged. In all cases, NOTIFY district office prior to st of my knowledge and belief.	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITA, KS DE shall be set Prior to plugging; AYS of spud date. Ternate II cementing any cementing. President
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date: February 13, 2008 Signature of Operator or Agent: For KCC Use ONLY	If Yes, proposed zone: DAVIT KANSA	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITA, KS DE shall be set Prior to plugging; AYS of spud date. Bernate II cementing any cementing. President Drill; Und date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the complete that the complete that the statements are considered.	If Yes, proposed zone: CANSA Grilling rig; y circulating cement to the top; in all cases surface pipunderlying formation. ct office on plug length and placement is necessary plus or production casing is cemented in; from below any usable water to surface within 120 Designations. 3,891-C, which applies to the KCC District 3 area, alto plugged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spice. File acreage attribution plat according to field prorate.	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITA KS DE shall be set Prior to plugging; AYS of spud date. Dernate II cementing any cementing. President O Drill; ud date; tion orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the conductor pipe required	If Yes, proposed zone: CANSA Grilling rig; y circulating cement to the top; in all cases surface pipunderlying formation. ct office on plug length and placement is necessary plunderlying is cemented in; from below any usable water to surface within 120 Delaysed. In all cases, NOTIFY district office prior to st of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spice. Notify appropriate district office 48 hours prior to work and the surface within 120 days of spice.	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITA KS De shall be set Prior to plugging; AYS of spud date. Driate II cementing any cementing. President Drill; ud date; tion orders; prkover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate distriction of the well be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the conductor pipe required	If Yes, proposed zone: CANSA	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITA, KS De shall be set WIC
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtive of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the conductor pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27403-000 Conductor pipe required Minimum surface pipe required Approved by: App	If Yes, proposed zone: CDAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipunderlying formation. ct office on plug length and placement is necessary plunderlying formation. ct office on plug length and placement is necessary plunderlying formation. ct office on plug length and placement is necessary plunderlying formation as a surface within 120 Delay 13,891-C, which applies to the KCC District 3 area, altoplugged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spin in the plunder of the property of the plunding propriate district office 48 hours prior to work in the plunding propriate district office 48 hours prior to work in the plunding propriate district office 48 hours prior to work in the plunding propriate district office 48 hours prior to work in the plunding propriate district office 48 hours prior to work in the plunding propriate district office 48 hours prior to work in the plunding propriate district office 48 hours prior to work in the plunding propriate district office 48 hours prior to work in the plunding propriate district office 48 hours prior to work in the plunding propriate district office 48 hours prior to work in the plunding propriate district office 48 hours prior to work in the plunding propriate district office 48 hours prior to work in the plunding propriate district office 48 hours prior to work in the plunding propriate district office 48 hours prior to work in the plunding propriate district office 48 hours prior to work in the plunding propriate district office 48 hours prior to work in the plunding propriate district office 48 hours prior to work in the plunding propriate district office 48 hours prior to work in the plunding propriate district office 48 hours prior to work in the plunding propriate district office 48 hours prior to work in the plunding pr	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITA, KS oe shall be set Prior to plugging; AYS of spud date, ernate II cementing any cementing. President Drill; ud date; tion orders; prkover or re-entry; repleted (within 60 days); g salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtive of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the conductor pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27403-000 Conductor pipe required Minimum surface pipe required Approved by: App	If Yes, proposed zone: Comparison	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITA, KS DO shall be set Prior to plugging; AYS of spud date, dernate II cementing any cementing. President Drill; did date; tion orders; price of within 60 days); g salt water. In date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate distriction of the well be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the conductor pipe required	If Yes, proposed zone: CDAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipunderlying formation. ct office on plug length and placement is necessary plus of or production casing is cemented in; from below any usable water to surface within 120 Designation of the KCC District 3 area, alto plugged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to plugged attribution plat according to field proration. Notify appropriate district office 48 hours prior to we submit plugging report (CP-4) after plugging is comeditation. Obtain written approval before disposing or injecting this permit has expired (See: authorized expiration check the box below and return to the address below.	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITA, KS DO shall be set Prior to plugging; AYS of spud date, dernate II cementing any cementing. President Drill; did date; tion orders; price of within 60 days); g salt water. In date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and correct to the best part of the statement of the product of the spud state of the spud	If Yes, proposed zone: Comparison	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITA, KS be shall be set WICHITA KS or for to plugging; AYS of spud date. ernate II cementing any cementing. President Drill; ud date; tion orders; pricover or re-entry; spleted (within 60 days); g salt water. In date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a shall be certify that the statements made herein are true and correct to the best of the spud state. February 13, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27403-0000 Conductor pipe required	If Yes, proposed zone: CDAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipunderlying formation. ct office on plug length and placement is necessary plus of or production casing is cemented in; from below any usable water to surface within 120 Designation of the KCC District 3 area, alto plugged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to plugged attribution plat according to field proration. Notify appropriate district office 48 hours prior to we submit plugging report (CP-4) after plugging is comeditation. Obtain written approval before disposing or injecting this permit has expired (See: authorized expiration check the box below and return to the address below.	RECEIVED AS CORPORATION COMMISSION FEB 1 9 2008 CONSERVATION DIVISION WICHITA, KS De shall be set WICHITA, KS DIVISION WICHITA, KS DE shall be set WICHITA, KS DE shall be set WICHITA, KS DIVISION WICHITA, KS DE shall be set WICHITA, KS DE shall be set WICHITA, KS DIVISION WICHITA, KS DE shall be set WICHITA, KS DE shall be set WICHITA, KS DIVISION WICHITA, KS DE shall be set WICHITA, WICHITA, WICHITA, WICHITA, WICHITA, WICHITA, WICHITA, W


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27403-0600	
Operator: Quest Cherokee, LLC	Location of Well: County: Neosho
Lease: Hines, Jack L.	1,980 feet from N / N S Line of Section
Well Number: 9-1	660 feet from X E / W Line of Section
Field: Cherokee Basin CBM	Sec. 9 Twp. 29 S. R. 20 X E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: - NE - SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Occast Characters LLO		License Number: 33344	
Operator Name: Quest Cherokee, LLC			
Operator Address: 210 W. Park Ave., Suite 2750		Oklahoma City OK 73102	
Contact Person: Richard Marlin		Phone Number: 405-702-7480	
Lease Name & Well No.: Hines, Jack L. 9-1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed Existing		Sec. 9 Twp. 29 R. 20 East West
Settling Pit	If Existing, date constructed:		1,980 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		660 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County
Is the pit located in a Sensitive Ground Water	Area? Tayes X		Chloride concentration:mg/l
is the processed in a constant cream cream.			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
			Air Drilling Well
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits			
Depth from ground level to deepest point: 10 (feet) No Pit			
		edures for periodic maintenance and determining ncluding any special monitoring.	
Well is being air drilled. Well is bei		ng air drilled with operations lasting approx.	
		3 days	
		west fresh waterfeet.	
NA feet Depth of water well feet mea			ured well owner electric log KDWR
		over and Haul-Off Pits ONLY:	
		al utilized in drilling/workover: Air Drilled	
		orking pits to be utilized:1	
		procedure: Air Dry, Back fill and cover.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMIS	
thereby certify that the above statements are true and correct to the best of my knowledge and belief.			
February 13, 2008), ela	WICHTA KS
Date		· s	signature of Applicant or Agent
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 2/19/c&Permit Num	nber:	Perm	iit Date: z/19(68 Lease Inspection: Yes 1No