

For KCC	
Effective	Date: 02/26/2008
District #	1
2012	Diva IVIII

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1016707

Form C-1 October 2007

District # 1 SGA? Yes No		NOTICE OF IN	TENT TO DRILL (5) days prior to commencing well	Form must be Typed Form must be Signed All blanks must be Filled
Expected Spud Date:	3/18/2008 month	day year	SE NE SW SE Sec. 30 Twp.	
OPERATOR: License# Name: Larson Engineering	3842 , Inc. dba Larson Oper	ating Company	Total III	N / X S Line of Section E / W Line of Section
Address 1: 562 W STATE F			Is SECTION: Regular Irregular?	al de la constant
City: OLMITZ	State: KS	Zip: 67564 + 8561	(Note: Locate well on the Section P County: Ness	
Contact Person: Tom Larse Phone: 620-653-7368			Lease Name: Vogel Field Name: Wildcat	
CONTRACTOR: License#.			Is this a Prorated / Spaced Field? Target Formation(s): Marmaton, Mississippi	Yes X No
Operator: Well Name: Original Completion Da Directional, Deviated or Hol If Yes, true vertical depth: Bottom Hole Location:	ge Pool Ext. sal Wildcat of Holes Other information as follow ite: Or	Cable s: riginal Total Depth:	Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: 2583 Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: 180 Depth to bottom of usable water: 850 Surface Pipe by Alternate: I I I I I Length of Surface Pipe Planned to be set: 250 Length of Conductor Pipe (if any):	feet MSL Yes No Yes No No Yes No
The undersigned hereby	affirms that the drilli		IDAVIT gging of this well will comply with K.S.A. 55 et. seq	
It is agreed that the follow	ring minimum requir	ements will be met:		
3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	oved notice of intent unt of surface pipe a blidated materials pl te, an agreement be strict office will be no I COMPLETION, pr tendix "B" - Eastern	to drill shall be posted on each as specified below shall be set to lus a minimum of 20 feet into the etween the operator and the districtified before well is either plugger oduction pipe shall be cemented Kansas surface casing order #13	by circulating cement to the top; in all cases surfac	ary <i>prior to plugging;</i> O DAYS of spud date. In alternate II cementing
Submitted Electror	nically			
			Remember to:	ω

S

	Remember to:	ے
For KCC Use ONLY API # 15 - 15-135-24754-00-00 Conductor pipe required 0 feet Minimum surface pipe required 200 feet per ALT. I I III Approved by: Rick Hestermann 02/21/2008	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. 	18 26
This authorization expires: 02/21/2009 (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent:	- If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 15-135-24754-00-00			
Operator: Larson Engineering, Inc. dba Larson Operating Company	Location of Well: County:	Ness	
Lease: Vogel	695	feet from N / S Line of Section feet from X E / W Line of Section	
Well Number: 1-30	1,585		
Field: Wildcat	Sec. 30 Twp. 18	S. R. <u>26</u> E 🔀 W	
Number of Acres attributable to well: QTR/QTR/QTR/QTB of acreage: SE . NE . SW . SE	Is Section: Regular	or Irregular	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

695 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1016707

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Larson Engineering, Inc.	dba Larson Opera	License Number: 3842			
Operator Address: 562 W STATE F	RD 4		OLMITZ KS 67564		
Contact Person: Tom Larson			Phone Number: 620-653-7368		
Lease Name & Well No.: Vogel	1-0	30	Pit Location (QQQQ):		
Type of Pit:	Pit is:		SE NE SW SE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 30 Twp. 18 R. 26 East West		
Settling Pit Drilling Pit	If Existing, date o	onstructed:	695 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1,585 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	6,400	(bbls)	Ness County		
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration:mg/l		
		 ਨਾ	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
			native mud & bentonite clay		
Pit dimensions (all but working pits):8	Length (fe	eet)80	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to d	eepest point:	3 (feet) No Pit		
If the pit is lined give a brief description of the material, thickness and installation procedure	edures for periodic maintenance and determining necluding any special monitoring.				
material, thickness and installation procedure	•	mici integrity, ii	locating trip operation monitoring.		
Distance to nearest water well within one-mile of pit De			west fresh water0feet.		
		Source of infor	mation:		
leet Depth of water well	feet	measu			
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:		
Producing Formation:			at utilized in drilling/workover: fresh water mud		
Number of producing wells on lease:			king pits to be utilized:3		
Barrels of fluid produced daily: Ab			procedure: Allow to dry then backfill.		
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must t	pe closed within 365 days of spud date.		
Submitted Electronically					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 02/20/2008 Permit Number: 15-135-24754-00-00 Permit Date: 02/20/2008 Lease Inspection: Yes No					