


15-163-00587-00-00

STATE OF KANSAS  
STATE CORPORATION COMMISSION

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bittig Building  
Wichita, Kansas

WELL PLUGGING RECORD

NORTH



Locate well correctly on above  
Section Plat

Rooks County. Sec. 33 Twp. 8S Rge. (E) 17(W)  
Location as "NE/CNW/SW" or footage from lines NE NE SW  
Lease Owner Jones, Shelburne & Farmer, Inc.  
Lease Name McMullen Well No. 1  
Office Address Russell, Kansas  
Character of Well (completed as Oil, Gas or Dry Hole) Dry  
Date well completed 10-5 1952  
Application for plugging filed 12-1 1952  
Application for plugging approved 12-1 1952  
Plugging commenced 12-3 1952  
Plugging completed 12-7 1952  
Reason for abandonment of well or producing formation Too much water

If a producing well is abandoned, date of last production 11-25 1952  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well Elden Petty  
Producing formation \_\_\_\_\_ Depth to top \_\_\_\_\_ Bottom \_\_\_\_\_ Total Depth of Well 3459 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8 5/8	169	None
				5 1/2	3470	2820

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

- Lane Wells plug at 3306
- Perforations 3233-38 and 3215-18
- Hole filled with crushed rock from 3306-3200' with 5 sacks of cement on top
- Casing shot at 2875' and 2820'
- Pulled casing out of hole
- Filled hole with heavy mud to 155'
- Set rock bridge at 155' with 15 sacks of cement on top
- Filled hole with heavy mud to 30'
- Filled hole to top with 10 sacks cement

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Forbes Casing Pulling Company  
Address Great Bend, Kansas


STATE OF \_\_\_\_\_, COUNTY OF \_\_\_\_\_, SS. \_\_\_\_\_ (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) John W. Farmer Vice-President  
(Address) \_\_\_\_\_

SUBSCRIBED AND SWORN TO before me this 11th day of December, 1952  
Bonnie Berryhill Notary Public.

My commission expires April 23, 1956

24-2675-S 2-52-20M




OPERATOR Jones, Shelburne &amp; Farmer, Inc.

ADDRESS Russell, Kansas

## FORMATION RECORD

Give detailed description and thickness of all formations drilled through, contents of sand, whether dry, water, oil or gas.

640 Acres  
N

Locate well correctly.

COUNTY Rooks SEC 33 TWP 8S RGE 17W  
 COMPANY OPERATING Jones, Shelburne & Farmer, Inc.  
 OFFICE ADDRESS Russell, Kansas  
 FARM NAME McMillen WELL NO. 1  
 DRILLING STARTED 9-7, 1952 DRILLING FINISHED 9-23, 1952  
 DATE OF FIRST PRODUCTION \_\_\_\_\_ COMPLETED \_\_\_\_\_  
 WELL LOCATED NE 1/4 NE 1/4 SW 1/4 North of South  
 Line and \_\_\_\_\_ ft. East of West Line of Quarter Section  
 Elevation (Relative to sea level) 2018 DERRICK FLOOR 2018 GROUND \_\_\_\_\_  
 CHARACTER OF WELL (Oil, gas or dryhole) Oil

## OIL OR GAS SANDS OR ZONES.

Name	From	To	Name	From	To
1			4		
2			5		
3			6		

## Perforating Record If Any

## Shot Record

Formation	From	To	No. of Shots	Formation	From	To	Size of Shot

## CASING RECORD

Amount Set						Amount Pulled				Packer Record	
Size	Wt.	Thds.	Make	Ft.	In.	Ft.	In.	Size	Length	Depth Set	Make
8 5/8	24	8	LW	169				none			
5 1/2	17	8	LW	3465				none			

Liner Record: Amount \_\_\_\_\_ Kind \_\_\_\_\_ Top \_\_\_\_\_ Bottom \_\_\_\_\_

## CEMENTING AND MUDDING

Size	Amount Set		Sacks Cement	Chemical		Method of Cementing	Amount	Mudding Method	Results (See Note)
	Ft.	In.		Gal.	Make				
8 5/8	169		100						
5 1/2	3465		100						

Note: What method was used to protect sands if outer strings were pulled? \_\_\_\_\_

NOTE: Were bottom hole plugs used? \_\_\_\_\_ If so, state kind, depth set and results obtained \_\_\_\_\_

## TOOLS USED

Rotary Tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet to \_\_\_\_\_

Type Rig \_\_\_\_\_

## INITIAL PRODUCTION TEST

Describe initial test: whether by flow through tubing or casing or by pumping \_\_\_\_\_

Amount of Oil Production \_\_\_\_\_ bbls. Size of choke, if any \_\_\_\_\_ Length of test \_\_\_\_\_ Water

Production \_\_\_\_\_ bbls. Gravity of oil \_\_\_\_\_ Type of Pump or pump is used, describe \_\_\_\_\_

Formation	Top	Bottom	Formation	Top	Bottom
Shale	0	160			
Shale	160	795			
Shale, Sand					
Red Bed	795	1130			
Shale	1130	1342			
Anhydrite	1342	1377			
Shale & Shells	1377	1900			
Lime & Shale	1900	2285			
Shale & Lime	2285	2420			
Lime & Shale	2420	2595			
Shale & Lime	2595	2935			
Lime & Shale	2935	3165			
Lime	3165	3355			
Lime & Shale	3355	3454			
Dolomite	3454	3459			

TOPS:

Elevation 2018 D. F.  
2020 R. B.

Heebner 3128

Toronto 3150

Lansing K. C. 3168

Cherty Conglomerate 3448

Arbuckle dolomite 3454

Total Depth 3459

**PLUGGING**  
 FILE SEC 33-1-8-R-11-1  
 BOOK PAGE 64-LINE 12

12/15/52

I, the undersigned, being first duly sworn upon oath, state that this well record is true, correct, and complete according to the records of this office and to the best of my knowledge and belief.

Vice-President Jones, Shelburne & FarmerSubscribed and sworn to before me this 11th day of December, 1952.My Commission expires April 23, 1956 Jessie Derryshell  
Notary Public.

15-163-00587-02

WELL NO. COUNTY TWP RGE FARM NAME