KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL PLUGGING APPLICATION

Please TYPE Form and File ONE Copy

Form CP-1 September 2003 This Form must be Typed Form must be Signed All blanks must be Filled

Well Operator: McCoy Petroleum		KCC License #: 500)3	
Address: P.O. Box 39	(Owner / Company Name)	City: Spivey	(Operator's)	
State: Kansas	Zip Code: 67142		32 - 9232	
Lease: Yeiser A	Well #: 2-4			Z 13/2 at
		nty: Seward	o. nEasi	vvesi
1980 Feet (in exact footage)	From North / South (from nea			
A 4 - A		rest outside section corner) Line of Sec		
Check One: V Oil Well Gas	Arraman Instrument	Water Supply Well	MON (NOL LEASE LINE)	
SWD Docket #		·	÷	
Conductor Casing Size:	Set at:	-		Sacks
Surface Casing Size: 8 5/8"	Set at: _1601'	Cemented with: 515		Sacks
Production Casing Size: 4 1/2" 10.5#				Sacks
DV Tool 3233' with 300 sx.	Morrow Lime 4849' - 4854' 503	4' - 5046' 5118' - 5124' 5131 hydrite Depth: (Stan		
DV Tool 3233' with 300 sx. Elevation: (GL / KB.) T	Morrow Lime 4849' - 4854' 503	4' - 5046' 5118' - 5124' 5131 hydrite Depth: (Stan	' - 5149' ne Corral Formation)	ECEIVE
DV Tool 3233' with 300 sx. Elevation: (□GL / □KB) T Condition of Well: ✓ Good □ Proposed Method of Plugging (attach a sep	ts: Morrow Lime 4849' - 4854' 503 D.: 5149' PBTD: Ar Poor Casing Leak Ju arate page if additional space is needed): as p	4' - 5046' 5118' - 5124' 5131 hydrite Depth:	' - 5149' ne Corral Formation) RI KANSAS CORI	ECEIVE
DV Tool 3233' with 300 sx. Elevation: (GL / KB) T Condition of Well: Good [Proposed Method of Plugging (attach a sep	ts: Morrow Lime 4849' - 4854' 503 D.: 5149' PBTD: Ar Poor Casing Leak Ju arate page if additional space is needed): as p	4' - 5046' 5118' - 5124' 5131 hydrite Depth:	' - 5149' THE CORRELATION TO THE CONSERVANCE OF T	ECEIVE PORATION DE RIVATION DE
DV Tool 3233' with 300 sx. Elevation: (GL / KB) T Condition of Well: Good [Proposed Method of Plugging (attach a sep	ts: Morrow Lime 4849' - 4854' 503 D.: 5149' PBTD: Ar Poor Casing Leak Ju arate page if additional space is needed): as p	4' - 5046' 5118' - 5124' 5131 hhydrite Depth: (Stan er KCC	' - 5149' THE CORRELATION TO THE CONSEINANCE OF T	ECEIVE PORATION E RVATION E RVICHITA, K
DV Tool 3233' with 300 sx. Elevation: (GL / KB) The Good (GL / KB) The Good (GL) Good	ts: Morrow Lime 4849' - 4854' 503 D.: 5149' PBTD: Ar Poor Casing Leak Juleate page if additional space is needed): as percentage as percentage. Pequired? Yes No Is ACO-1 filed ordance with K.S.A. 55-101 et. seq. and the	4' - 5046' 5118' - 5124' 5131 hhydrite Depth: (Ston ### Ston #	' - 5149' THE CORRELATION TO THE CONSEINANCE OF T	ECEIVE PORATION E RVATION E RVICHITA, K
DV Tool 3233' with 300 sx. Elevation: (GL / KB) The Good (GL / KB) Th	ts: Morrow Lime 4849' - 4854' 503 D.: 5149' PBTD: Ar Poor Casing Leak Ju arate page if additional space is needed): as p	4' - 5046' 5118' - 5124' 5131 hhydrite Depth: (Stan IR KCC IP Yes No Rules and Regulations of the State as: Dave Oller	' - 5149' THE CORRELATION TO THE CONSEINANCE OF T	ECEIVE PORATION E RVATION E RVICHITA, K
DV Tool 3233' with 300 sx. Elevation: (GL / KB) T Good	ts: Morrow Lime 4849' - 4854' 503 D.: 5149' PBTD: Ar Poor Casing Leak Juleate page if additional space is needed): as percentage as percentage. Pequired? Yes No Is ACO-1 filed ordance with K.S.A. 55-101 et. seq. and the	4' - 5046' 5118' - 5124' 5131 hydrite Depth: (Ston IT Yes No Rules and Regulations of the State IS: Dave Oller Phone: (620) 532 - 9	' - 5149' RE KANSAS CORF JAN CONSER W Corporation Commission 3232	ECEIVE PORATION E RVATION E RVICHITA, K
DV Tool 3233' with 300 sx. Elevation: (GL / KB) The Good (GL / KB) Th	ts: Morrow Lime 4849' - 4854' 503 D.: 5149' PBTD: Ar Poor Casing Leak Justine arate page if additional space is needed): as performed? Yes No Is ACO-1 filed ordance with K.S.A. 55-101 et. seq. and the horized to be in charge of plugging operation vice	A' - 5046' 5118' - 5124' 5131 hydrite Depth: (Stori	' - 5149' RE KANSAS CORF JAN CONSER W Corporation Commission 3232	ECEIVE PORATION E RVATION E RVICHITA, K
DV Tool 3233' with 300 sx. Elevation: (GL / KB) TO Good (GL) Condition of Well: Good (GL) Proposed Method of Plugging (attach a seption of the Elevation as in the Elevation of the Elevation	ts: Morrow Lime 4849' - 4854' 503 D.: 5149' PBTD: Ar Poor Casing Leak Justine arate page if additional space is needed): as percentage as pe	A' - 5046' 5118' - 5124' 5131 Thydrite Depth: (Stort Ink in Hole er KCC TYes No Rules and Regulations of the State as: Dave Oller Phone: (620) 532 - 9 City / State: Spivey, KS 671 KCC License #: 31925	' - 5149' RE KANSAS CORF JAN CONSER W Corporation Commission 3232	ECEIVE PORATION E RVATION E RVICHITA, K

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

CONSERVATION DIVISION



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

December 27, 2007

MCCOY PETROLEUM CORPORATION 8080 E CENTRAL STE 300 WICHITA, KS 67206-2366

RE: API Well No. 15-055-21577-00-00

YEISER A 2-4

NWSE, 4-26S-34W

FINNEY County, Kansas

Dear Operator:

The Well Plugging application form (CP-1) for the above referenced well was received on November 28, 2007. The CP-1 is incomplete. We need to have the information marked below before the application can be processed. This information must be submitted by January 10, 2008.

	API # assigned to well, or year well was originally drilled. KCC License # assigned to well operator.
	Spot location / Quarter sections.
	Exact footages from nearest outside corner of section (NE, NW, SE, SW).
	Name of company representative in charge of plugging.
	Must have plugging contractor with an active KCC license #.
. a b'	Proposed date and hour of plugging.
an-	X Authorized signature of operator/agent, and date.
	Anything marked in RED or HIGHLIGHTED.
	Must have Hard Copy of CP-1 with original signature, NOT A COPY OR FAX.
	CP-1 form must be TYPED.
	Other:

Please feel free to contact me at (316) 337-6200 if you have any questions. I appreciate your attention to this matter.

Sincerely,

Steve Bond

Production Department

Stur Bond

RECEIVED KANSAS CORPORATION COMMISSION

JAN 0 8 2008

CONSERVATION DIVISION WICHITA, KS



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE OF RECEIPT OF WELL PLUGGING APPLICATION (CP-1)

MCCOY PETROLEUM CORPORATION 8080 E CENTRAL STE 300 WICHITA, KS 67206-2366

January 08, 2008

Re: YEISER A #2-4

API 15-055-21577-00-00

4-26S-34W, 1980 FSL 1980 FEL FINNEY COUNTY, KANSAS

Dear Operator:

This letter is to notify you that the Conservation Division has received your plugging proposal, form CP-1, for the above well and has reviewed the proposal for completeness. The central office will now forward your CP-1 to the district office listed below for review of the proposed plugging method. Please contact the district office for approval of your proposed plugging method at least five (5) days before plugging the well, pursuant to K.A.R. 82-3-113(b). If a workover pit will be used during the plugging of the well it must be permitted. A CDP-1 form must be filed and approved prior to the use of the pit in accordance with K.A.R. 82-3-600.

The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well. This notice in no way constitutes authorization to plug the above well by persons not having legal rights of ownership or interest in the well.

This notice is void after July 6, 2008. The CP-1 filing does not bring the above well into compliance with K.A.R. 82-3-111 with regard to the Commission's temporary abandonment requirements.

Sincerely,

Steve Bond

Stur Bond

Production Department Supervisor

District: #1 210 E Frontview, Suite A

Dodge City, KS 67801

(620) 225-8888