CONFIDENTIAL

Operator: License # 33335

KANSAS CORPORATION COMMISSIO ORIGINAL OIL & GAS CONSERVATION DIVISION WELL COMMISSION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License #33335	API No. 15051-25502-0000
Name: IA Operating, Inc.	County: Ellis
Address: 900 N Tyler Road #14	SE _NE _SW - NW Sec. 26 Twp. 14 S. R. 20 ☐ East ✓ Wes
Purchaser: Coffeyville Resources, LLC CONFIDENTIAL	1280 feet from E / W circle one) Line of Section
Operator Contact Person: Hal Porter	isst from E / Vicinitie on Section
Phone: (_316) _721-0036	Footages Calculated from Nearest Outside Section Corner:
Contractor: Name: Murfin Drilling Co., Inc.	— (circle one) NE SE NW SW Lease Name: Mavis Well #: ²⁶⁻¹
License: 30606	AAPI I
Wellsite Geologist: Randall Kilian	
Designate Type of Completion:	Producing Formation: LKC and Regan Sand
✓ New Well Re-Entry Workover	Elevation: Ground: 2107' Kelly Bushing: 2112'
,	Total Depth: 3819' Plug Back Total Depth: 3819
Tomp. Abd.	Amount of Surface Pipe Set and Cemented at 219' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ✓ Yes □ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set 1366'
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from1366
Operator:	feet depth to Surface W/ 175
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) WHTW 6-26-07
Deepening Re-perf Conv. to Enhr./SWD	(Bata must be conected from the Reserve Pit)
Plug BackPlug Back Total Depth	Chloride content 57,000 ppm Fluid volume 400 bbls
Commingled Docket No.	Dewatering method used Evaporation/Backfill
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
0,00,00	Lease Name: License MAY 1 1 200
2/28/06 3/06/06 03/06/06 Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. Country
Spud Date or Date Reached TD Completion Date or Recompletion Date	Country Sec. IWp. S. R. East West
	Lease Name: License MAY 1 1 2006 West Quarter Sec. Twp. S. RCC WCHITA
Information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline log TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged well	
All requirements of the statutes, rules and regulations promulgated to regunerein are complete and correct to the best of my knowledge.	ilate the oil and gas industry have been fully complied with and the statements
Signature: / Sall Wall	V00 044; 11
	KCC Office Use ONLY
Date. TiOTO Q	Letter of Confidentiality Received
Subscribed and sworn to before me this 10 day of May	If Denied, Yes Date:
006	Wireline Log Received
Jotary Public: Dule Bury our	Geologist Report Received
	LUCDistribution
ate Commission Expires: March 10, 2009	JULIE BURROWS NOTARY PUBLIC
	STATE OF KANSAS
	My Appt. Exp. 3-10-09

Side Two

KCC

**4Y 1 0 200r

Operator Name: L	A Operating, Inc.		leas	e Name	. Mavis	ieire	# 	S-1
Sec Twp.	S. R	East ✓ West	Coun	ty: Ellis	- YUN	IFIDENT!	well #:	
temperature, fluid	recovery, and flow ra	s and base of formation ving and shut-in pressur ates if gas to surface tes th final geological well s	is penetrated es, whether s	. Detail	all cores. Repo			
Drill Stem Tests Taken ✓ Yes No (Attach Additional Sheets)			V	Log Forma	tion (Top), Depti	n and Datum	Sample	
Samples Sent to Geological Survey			i	Name		Тор	Datum	
Cores Taken		☐ Yes 🗸 No		Anhyrdrite			1364'	+748
Electric Log Run		✓ Yes No		Topeka Heebner Shale			3100'	-988
(Submit Copy)				Toronto Lansing Reagan Sand			3346'	-1234
List All E. Logs Ru	n:						3371'	-1259'
Wellsite Geol	ogist's Report. I	Dual Compensate	Ч				3389' 3722'	-1277'
Porosity Log,	Dual Induction	Log, Microresisity	Log,	g, Granite		_		-1610'
Borehole Con	npensated Soni	c Log	•				3807'	-1695'
		CASIN	IG RECORD	√ N	al Depth		3819'	-1707
		Report all strings se		۱۱ ریا urface, in	lew Used termediate, produc	ction, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Wei Lbs.	ght	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	23#		219'	Common	150	3% CC, 2% gel
Production	7 7/8"	5 1/2"	15.5#		3815'	ASC	150	2% gel, 500 gal WFR-2
Purpose:	Depth		AL CEMENTIN	VG / SQ	UEEZE RECORD)		
Perforate	Top Bottom	Type of Cement	#Sacks	Used	Type and Percent Additives			
Protect Casing Plug Back TD Plug Off Zone	1366	60/40 Poz	50/40 Poz 175		6 % gel, 1/4 flo-seal			
	BEDFORM	ION DECORP						
Shots Per Foot	Specify	ION RECORD - Bridge Pl Footage of Each Interval P	ugs Set/Type erforated			cture, Shot, Cemen		
4	3723-28'				(Amount and Kind of Material Used) Depth 250 gal. 7.5% MCA			
					gai. 7.070		RECE MAY 1	IVEN
							MAY 1 KCC WIC	1 2006
							KCC WIC	HITA
TUBING RECORD	Size	Set At	Packer At		Liner Run			· "IA
	7/8"	3689'				Yes No		
4/10/	d Production, SWD or E 06	nhr. Producing Me		Flowing	√ Pumping	Gas Lif	t Other	(Explain)
Estimated Production Per 24 Hours	0il 23	Bbls. Gas	Mcf	Water 6			as-Oil Ratio	Gravity
Disposition of Gas	METHOD OF C	OMPLETION			Production Interva	al		27
Vented Sold (If vented, Sui	Used on Lease	Open Hole Other (Spec	Perf.	Du	Jally Comp.	Commingled		

ALLIED CEMENTING CO., IN Federal Tax I.D.# MAY 1 0 2006 REMIT TO P.O. BOX 31 SERVICE POINT **RUSSELL, KANSAS 67665** CONFIDENTIAL TWP. SEC. RANGE CALLED OUT ON LOCATION JOB START JOB FINISH 10:00 0,0 20 10. 15 an 11,15 am COUNTY WELL# 76-2 LOCATION E-11/5 OLDOR NEW (Circle one) Well **CONTRACTOR** Scruice **OWNER** TYPE OF JOB Circulate Cement Usel 175 T.D. CASING SIZE 51/2 AMOUNT ORDERED <u>ろろつ</u> **DEPTH** TUBING SIZE 2 78 **DEPTH** DRILL PIPE **DEPTH** Collar-TOOL Port 1366 DEPTH PRES. MAX 1000 psi **MINIMUM** COMMON 105 MEAS. LINE SHOE JOINT POZMIX 70 @ 364 00 CEMENT LEFT IN CSG. GEL @ CHLORIDE @ DISPLACEMENT) 661 ASC (a) 44年 **EQUIPMENT** Floren 79 20 (a) (a) @ PUMP TRUCK CEMENTER Show (a) @ **BULK TRUCK** @ DRIVER @ **BULK TRUCK** @ DRIVER HANDLING 368 @ **REMARKS:** TOTAL <u>349</u>9 **SERVICE** DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE (a) MILEAGE_ @ 50 MANIFOLD_ @ @ RECEIVED @ CHARGE TO: [A. Operating MAY 1 1 2006 TOTAL 1110 KCC WICHITA _____ STATE _____ ZIP

To Allied Cementing Co., Inc.

HOLE SIZE

PERFS.

409

362

STREET _

CITY

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

Marks

SIGNATURE

PLUG & F	FLOAT EQUIPMENT	
	@	
	@	
	@	_
		_
,		
	TOTAL	
TAX		
TOTAL CHARGE		

DISCOUNT

PRINTED NAME

- IF PAID IN 30 DAYS

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	MAY 1 0 2006 SERVICE POINT:				
DATE 3/6/06 SEC. SEC. SEC. SEC. SEC. SEC. SEC. SEC.	CALLED OUT ON LOCATION JOB START JOB FINISH				
LEASE Mavi's WELL# 26-/ LOCATION E OLDOR NEW (Circle one) Sinto	1113 85 2E COUNTY STATE				
CONTRACTOR Purch Drilling Ris	e/6 owner				
HOLE SIZE > 1/6 T.D. 38/9	CEMENT				
CASING SIZE 5/2 /55 DEPTH 36/3 TUBING SIZE DEPTH	AMOUNT ORDERED 175 ASC 28 Gol				
DRILL PIPE DEPTH	500 Gal WFR-2				
TOOL P. C. DEPTH 1369.	76				
PRES. MAX MINIMUM	COMMON@				
MEAS. LINE SHOE JOINT 15,					
CEMENT LEFT IN CSG. /5, 7/	GEL 3 @ 1500 4500				
PERFS. DISPLACEMENT 90 & 66/	CHLORIDE@				
	ASC 175 @ 1132 206505				
EQUIPMENT	WFR-2 50012 @ 102 50002				
PUMP TRUCK CEMENTER Kane					
# 409 HELPER Coais BULK TRUCK	@				
# 362 DRIVER Sack					
# DRIVER	@				
	HANDLING 178 @ 172 30249				
REMARKS:	MILEAGE 7 \$/SK/ MILE 6233				
Rot Hole 15 de	TOTAL 35356				
Mouse the 10 sks	SERVICE				
· · · · · · · · · · · · · · · · · · ·					
Condal plus @ 1500 ps;	DEPTH OF JOB				
Float Held	PUMP TRUCK CHARGE				
	EXTRA FOOTAGE @ MILEAGE 5\(\text{S} = \text{25} \) \(\text{25} \)				
	- MANIFOLD @				
	RECEIVED @				
	@				
CHARGE TO: I. A. Operating	MAY 1 1 2006				
STREET	KCC WICHITA TOTAL 1700				
CITY STATE ZIP	PLUG & FLOAT EQUIPMENT				
,	20 RECIP SCRTCH 3500 70000				
FAXED:	Oude Shoe @ 16000				
21.10	AFU Truct @ 235°				
	1-Basket @ 140 02				
You are hereby requested to rent cementing equipment					
and furnish cementer and helper to assist owner or					
contractor to do work as is listed. The above work wa lone to satisfaction and supervision of owner agent or	18				
ontractor. I have read & understand the "TERMS AN	TOTAL 3395				
ONDITIONS" listed on the reverse side.	TAX				
the levelse side.	TOTAL CHARGE				
Marks !	TOTAL CHARGE				
	DISCOUNT IF PAID IN 30 DAYS				
GNATURE Adu DIAO	1.11 2 16 1				
They were	Andy Dinkel				
•	PRINTED NAME				

ALLIED CEMENTING CO., INC. 25104 Federal Tax I.D.

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	MAY 1 0 2006 SERVICE POINT:				
DATE 2 25/06 SEC. TWP. RANGE 20	CALLED OUT ON LOCAT		JOB FINISH		
LEASE May: WELL#26-/ LOCATION E//is OLD OR NEW (Circle one) 5/1/5		COUNTY	STATE		
CONTRACTOR Murcin Prilling Rig #16 TYPE OF JOB SUDDAY Sel	OWNER				
HOLE SIZE 12/4 T.D. 220 CASING SIZE 5/8 23 DEPTH 2/8, 40 TUBING SIZE DEPTH DRILL PIPE DEPTH TOOL DEPTH	CEMENT AMOUNT ORDERED _/ _2 9. Cz/	50 Com (39.00		
PRES. MAX MINIMUM MEAS. LINE SHOE JOINT CEMENT LEFT IN CSG.	COMMON 150	@	1440 00		
PERFS. DISPLACEMENT /3 66/	GEL 3 CHLORIDE 5 ASC	@ <u>15</u> <u>@</u> 42 <u>\$</u>	210°		
EQUIPMENT		@			
# 398 HELPER Gary BULK TRUCK		@ @ @ @			
# Y/O DRIVER Down BULK TRUCK # DRIVER	HANDLING 158	@	2684		
REMARKS:	MILEAGE 74/S	MW:/E	553 °		
	SE	RVICE			
ement cire	DEPTH OF JOB PUMP TRUCK CHARGE _ EXTRA FOOTAGE	(i)	73500		
	MILEAGE	<u></u>	250°		
CHARGE TO: I.A. Operation Inc. STREET	MAY 1 1 2006	@	985°		
CITYSTATEZIP	KCC WICHITA PLUG & FLOAT EQUIPMENT				
To Allied Computing Co. I		@			
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or	SI and o	2.5 _@	55 55		
contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS", listed on the reverse side.	TAX	TOTAL _			
thanks.	TOTAL CHARGE		IN 30 DAYS		
SIGNATURE Ady Dill	Andy Dinker	NTED NAME			