

15-065-02654-00-00

STATE OF KANSAS  
STATE CORPORATION COMMISSION


WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bittling Building  
Wichita, Kansas

OR  
FORMATION PLUGGING RECORD

Strike out upper line  
when reporting plug-  
ging of formations.

Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines Graham County. Sec. 7 Twp. 8S Rge. (E) 23 (W)  
Lease Owner Barnett Oil Company, et al  
Lease Name Montgomery Well No. 1  
Office Address 417 First Natl. Bank Bldg., Wichita, Kansas  
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole  
Date well completed August 28, 1947  
Application for plugging filed October 1, 1947  
Application for plugging approved October 1, 1947  
Plugging commenced October 1, 1947  
Plugging completed October 7, 1947  
Reason for abandonment of well or producing formation Dry Hole



Locate well correctly on above  
Section Plat

If a producing well is abandoned, date of last production ----- 19  
Was permission obtained from the Conservation Division or its agents before plugging was com-  
menced? Yes

Name of Conservation Agent who supervised plugging of this well C. D. Stough  
Producing formation ----- Depth to top --- Bottom --- Total Depth of Well 4004 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Surface Pipe				8 5/8"	326'	None
Oil String				5 1/2"	3759'	2812

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from ----- feet to ----- feet for each plug set.

Dumped six sacks cement at 3752 feet and filled hole with heavy mud to 200 feet. Dumped 15 sacks of cement at 200 feet and filled hole with heavy mud to 15 feet and with cement to the surface.

10-29-1947

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Barnett Oil Company  
Address 417 First Natl. Bank Bldg., Wichita, Kansas

STATE OF Kansas, COUNTY OF Sedgwick, ss.

W. R. Hunter (employee of owner) or (owner/operator) of the above-described well,  
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) W. R. Hunter

First Natl. Bank Bldg., Wichita, Kansas  
(Address)

SUBSCRIBED AND SWORN to before me this 28th day of October, 1947.

My commission expires July 17, 1948

Anthony B. Barth  
Notary Public.

PLUGGING  
FILE SEC 7 T 8 R 23 W  
BOOK PAGE 138 LINE 28


BARNETT DRILLING COMPANY, DERBY OIL COMPANY

H. W. SHIELDS AND GLENN W. PEEL

LOG OF MONTGOMERY WELL NO. 1

NW 1/4 NE 1/4 SECTION 7-8S-23W, GRAHAM COUNTY, KANSAS

<u>Formation</u>	<u>From</u>	<u>To</u>	<u>Remarks</u>
Shale	0	125	
Sand	125	185	
Shale and Sand	185	248	
Sand	248	310	
Shale	310	328	Set 8 5/8" Surface Pipe at 326 ft., cemented with 125 sacks
Shale and Shells	328	400	
Shale	400	647	
Sand and Shale	647	823	
Shale and Sand	823	1198	
Shale and Shells	1198	1970	
Anhydrite	1970	2010	
Shale and Shells	2010	2140	
Shale and Lime	2140	2230	
Lime and Shale	2230	2530	
Shale and Lime	2530	2680	
Lime and Shale	2680	2825	
Shale and Lime	2825	2940	
Lime	2940	3010	
Lime and Shale	3010	3100	
Shale and Lime	3100	3270	
Lime and Shale	3270	3399	
Shale and Lime	3399	3480	
Lime and Shale	3480	3588	
Lime	3588	3765	
Lime and Shale	3765	3897	
Shale	3897	3918	
Lime and Shale	3918	3965	
Lime	3965	4004	
Total Depth		4004	Set 5 1/2" casing at 3759 ft., cemented with 125 sacks



TESTING

Perforated with 8 shots at 1 ft. intervals from 3727' to 3734', light show of heavy residue oil, filled up 100 ft. in 1 1/2 hrs., with muddy, salty water. Perforated with 7 shots at 1 ft. intervals from 3735' to 3741', very little increase in fluid, muddy, salty water with light show of heavy oil. Perforated with 9 shots at 1 ft. intervals from 3733 1/2' to 3741 1/2', no increase in fluid, pulled swab three times with some increase in fluid but practically all water. Averaged 1 3/4 bbls. of fluid per hr. on 8 hr. bailing test, very salty water with very light show of oil. Dry and abandoned.

CERTIFICATE

I hereby certify that, to the best of my knowledge, the above is a true and correct log of the Montgomery Well No. 1, located in the NW 1/4 NE 1/4 NE 1/4 of Section 7-8S-23W, Graham County, Kansas.

W. R. Hunter  
Office Manager - Barnett Drilling Company

Subscribed and sworn to before me, a Notary Public in and for the County of Sedgewick, State of Kansas, this 8th day of September, 1947.

Adelaide Olivier  
Notary Public.

My commission expires May 12, 1951.

**PLUGGING**  
FILE SEC 7-8-23W  
BOOK PAGE 138 LINE 28