Kansas Corporation Commission Oil & Gas Conservation Division ORC

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License #_33344	API No. 15 - 133-26014-0000
Name: Quest Cherokee, LLC	County: Neosho
Address: P O Box 100 RECEIVED	swnw_sw_Sec. 4 Twp. 30 S. R. 18 🗸 East 🗌 West
City/State/Zin: Benedict, KS 66714	1560 feet from (S)/ N (circle one) Line of Section
Purchaser: Bluestem Pipeline, LLC JUN 1 4 2004	4920 feet from (E)/ W (circle one) Line of Section
Operator Contact Person: Doug Lamb KCC WICHITA	Footages Calculated from Nearest Outside Section Corner:
Phone: (_620) _698-2250	(circle one) NE SE) NW SW
Contractor: Name: James D. Lorenz	Lease Name: Crown Properties Well #: 4-1
License: 9313	Field Name: Cherokee Basin CBM
Wellsite Geologist: Mark Brecheisen	Producing Formation: Riverton
Designate Type of Completion:	Elevation: Ground: 1063' Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 1164' Plug Back Total Depth: 1151'
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 24 Feet
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeel
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 1151
Operator:	feet depth to_surfacew/_ 150sx cmt.
Well Name:	Drilling Fluid Management Plan WHW (2 - 28-67
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan WHW & -28-67 (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
02/12/04 02/13/04 02/27/04 Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date	Lease Name: License No.: Quarter Sec Twp S. R East West County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regular herein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements
Signature: Umylis Kraml	KCC Office Use ONLY
Title: Manager Date: 06/10/04	Letter of Confidentiality Received
11th	If Denied, Yes Date:
	Wireline Log Received
20 <u>04</u> .	Geologist Report Received
Notary Public gennyes by Houston & JENNIFER	R. HOUSTON UIC Distribution
Date Commission Expires: Quely 30, 3005 Notary Publi	c - State of Kansas

Side Two

Operator Name: Quest Cherokee, LLC				Lease Name: Crown Properties Well #: 4-1						
Sec. 4 Twp. 3			West		nty: Neos					
INSTRUCTIONS: SI tested, time tool oper temperature, fluid red Electric Wireline Log	n and closed, flowin covery, and flow rate	g and shut-in s if gas to su	pressures, v rface test, a	whether long with	shut-in pre	ssure reached	static level, hydi	rostatic pressure	s, bottoi	m hole
Drill Stem Tests Take		Yes	✓ No		√ L	og Formal	ion (Top), Depth	and Datum		Sample
Samples Sent to Ge		Yes	✓ No		Name Lenapah Lime			_{Тор} 426		Datum +637
Cores Taken	-	Yes	✓ No		1	nont Lime		452		+611
Electric Log Run		✓ Yes	No			nee Lime		570		+493
(Submit Copy)						ego Lime		642		+421
ist All E. Logs Run:					1	digris Lime		783.5		+279.5
Gamma Ray/	Neutron Log				i	sissippi Llme	ə	1115		52
		Report a	CASING		terrens.	ew Used	ction etc			
Purpose of String	Size Hole	Size 0	Casing	W	/eight	Setting	Type of	# Sacks		and Percent
Surface	Drilled 11"	Set (Ir 8-5/8"	1 O.D.)	24.75	s. / Ft. #	Depth 24'	Cement	Used 6sx	Α	Additives
Production	6-3/4"	4-1/2"		10.5#		1151	"A"	150sx		
			NO TIONAL	CENTEN	TINO / COI	IEEZE DECOD	<u> </u>			***************************************
Purpose:	Depth Top Bottom		ADDITIONAL CEMENTING / SQU pe of Cement #Sacks Used		Type and Percent Additives					
Protect Casing Plug Back TD Plug Off Zone										
Shots Per Foot		ION RECORD Footage of Eac			ре	1	acture, Shot, Ceme Amount and Kind of I		t	Depth
3	1106-1109	RECI	EIVED		250 Gal 15% Acid, 40 bbls water				1106-1109	
		- JUN-1	4 2004							
			VICHIT	A						1

TUBING RECORD	Size	Set At		Packe	r At	Liner Run	Yes ✓ N	lo	,	
Date of First, Resumer	rd Production, SWD or	Enhr. F	Producing Met	hod	Flowin	g Dump		, manual	r (Explain	1)
Estimated Production Per 24 Hours	Oil	Bbls.	Gas No Produc	Mcf Ction	Wat Well n	er ot fully complet	Bbls. ted vet	Gas-Oil Ratio		Gravity
Disposition of Gas	METHOD OF	COMPLETION	10 1 10uut	Juoi 1		Production Inte				
Vented Sold	Used on Lease		Open Hole	✓ Pe	erf. 🔲 l	Oually Comp.	Commingled			
(10.1,00)			Other (Speci	ту)	***************************************		MATERIAL COLUMN ACCUSANCE AND			



TICKET NUMBER

24229

211 W. 14TH STREET, CHANUTE, KS 66720

LOCATION	Chanute	

620-431-9210 OR 800-467-8676	
	4/-1.
	-/-/

FIELD TICKET

Crown Proposins	
DATE / CUSTOMER ACCT # WELL NAME QTR/QTR	SECTION TWP RGE COUNTY FORMATION
7/28/04 66/8 (3000000000000000000000000000000000000	## 303 18 £, 100
CHARGE TO QUEST Cherrotee LLC	OWNER
MAILING ADDRESS PO BOX 100	OPERATOR
CITY & STATE Bendect KS 67349	CONTRACTOR

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	UNIT PRICE	TOTAL AMOUNT
5401	1 well	PUMP CHARGE COMMENT PLANTS		50500
5609	9 40	PUMP CHARGE COMENT PLAYS Wash Time		108000
1// 6				,
11/8	\$2 Sacks	Prem Gela		360
1128	79 ±			7// 29
11/0	27 GOCKS	Gilsonite"		3/6
1107		Floscal		my C 50
3123	2 Socks	Diace /		7552
1111	284 #	Salt		7120
1215		KC han		7122 22 29 87 10
11111	1601 664	metso Beach		80,5
m 1/ = 25				
5408	,	Weekend Sur Charge		NIC
1123				7875
1123	7000 Gal	City water		13-5
ζ,		, DE	✓ len 1/ \len le/	
		BLENDING & HANDLING	CEIVED	
5407	20 mi	TON-MILES Delivery JUN	1 4 2004	1900
		STAND BY TIME		3=
Level So.		MILEAGE KCC	WICHITA	
5501	12 hrs	WATER TRANSPORTS		34000
55CB	10 kg	VACUUM TRUCKS		9000
		FRAC SAND		
1104	132	CEMENT		117700
1101	1)2	CEIVIENT	SALES TAX	112220
		1 1	SALES IAX	189.68
		3		
Ravin 2790		<u>:</u>	ESTIMATED TOTAL	
			L	

			A .		131
			*	5	
Ravin 2790			4	ESTIMATED TOTAL	
					6877.4
CUSTOMER or AGENT	TS SIGNATURE		CIS FOREMAN	1)ciayno	
			r	*	
CUSTOMER or AGENT	Γ (PLEASE PRINT)			DATE	
		,			102111

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NU	MBER 32266
LOCATION	Chanute
FOREMAN	Duryne

TREATMENT REPORT

				The second secon				
DATE	CUSTOMER #	WELL NAME	FORMATION]	TRUCK #	DRIVER	TRUCK #	DRIVER
9/28/64	6628	CPOWN PROM	'es'		128	CR 19		
SECTION	TOWNSHIP	RANGE	COUNTY	1	230	Al Lowel		
4/	30.5	18 E.	100	<u>.</u>	J 70	6,4		
CUSTOMER	. Bearing a series of a second and a series of the second and a second	Accounts to the second			400	Mac		
Wy UCS	in Charle	skee LL	· C		And the second s			
MAILING ADDF	RESS	201						
Pro	Alex ra	7		† · · · · · · · · · · · · · · · · · · ·				
CITY	and the same of th	1	The state of the s					
· brand	1 mg 2 mg/2			,	- 1 m 2 ·	1 / 7	48 - 245 A	<u> </u>
STATE	The state of the s	ZIP CODE			2 8/1 3	ार्यसम्बद्धाः सङ्ग्रहेशः हरः ।	test - was grown	Part of the second
ar'	The state of the s	Q6 73	44	*		TYPE OF T	REATMENT	
				, #10	[] SURFACE	PIPE	[] ACID BREA	KDOWN
TIME ARRIVED	ON LOCATION	12 de Pai	43		[-]PRODUCT	ION CASING	[] ACID STIM	JLATION
	WELL	DATA		•	[] SQUEEZE	CEMENT	[] ACID SPOT	TING [.]
HOLE SIZE	24	PACKER DEPT	H		[]PLUG & AI	BANDON	[]FRAC	<i>,</i>
TOTAL DEPTH	1146	PERFORATION	IS	:	[] PLUG BAC	K	[] FRAC + NIT	ROGEN
		SHOTS/FT		,	[] MISP. PUN	ИP	[]	
CASING SIZE	4/2	OPEN HOLE			[] OTHER		[]	,
CASING DEPTI	Η							7, 7
CASING WEIG	HT 9.5	TUBING SIZE	æ	45		PRESSURE I	IMITATIONS	
CASING COND	ITION	TUBING DEPTH	1				THEORETICAL INSTRUCTED	
		TUBING WEIGH	-IT		SURFACE PIPE			
		TUBING COND	ITION	1	ANNULUS LONG	STRING		
TREATMENT V	TA COMENT	1 Kums	- ,		TUBING			
Reprint the second section of the second section of the second section of the second section of the second section section second section second section section section section section section section section section sec	alectrica (part pa est alectrica del disconnecio especiales estas contra escata atoma (app			‡	Beautiful Company of the Company of		entropy and apply the first of their management of many and any any any any any and a	Lanco de la companya
INSTRUCTION	PRIOR TO JOB	RUOSA DE	210 /6 T	6190 E	Carlo Harris	en e la la la	e e Serve di	BON CO
	To Chan WI				2.77	KO Sacre		
, y 4	ma The	do 1119 Mis		30 20 21	,	ASC MESSI		
AUTHO	PRIZATION TO PE	ROCEÉD		TITLE		137		ATÉ
				,				**
			•			•		
TIME AM / PM	STAGE	BBL'S PUMPED	INJ RATE	PROPPANT	SAND / STAGE	PSI		
AIVITEIVI		POMPED		PPG		<u> </u>		
				1			BREAKDOWN I	
						\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	DISPLACEMEN	
			ECEIVE	b			MIX PRESSURI	
		K	EULIVE				MIN PRESSUR	E , y
			1 4 200	}	77-		ISIP	
***************************************		J	0 10/10	ΙΤΔ			15 MIN.	
		K	C WICH	11/7			MAX RATE	
					1		MIN RATE	

TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Custome all be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects THERE in workmanship and materials. NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.