

## Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 September 1999 Form Must Be Typed

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33344	API No. 15 - 133-26022-0000
Name: Quest Cherokee, LLC RECEIVED	County: Neosho
Address: P O Box 100  Repedict KS 66714  JUN 0 3 2004	NW_NE_SW_ Sec. 6 Twp. 29 S. R. 19 [V] East West
City/State/Zip: Benedict, KS 66714 JUN 0 3 2001	2200 feet from S/ N (circle one) Line of Section
Purchaser: Bluestem Pipeline, LLC KCC WICHITA	1700 feet from E / (circle one) Line of Section
Operator Contact Person: Doug Lamb	Footages Calculated from Nearest Outside Section Corner:
Phone: ( <u>620</u> ) <u>698-2250</u>	(circle one) NE SE NW (SW)
Contractor: Name: James D. Lorenz License: 9313	Lease Name: Clevenger, Mark Well #: 6-1 Field Name: Cherokee Basin CBM
Wellsite Geologist: Michael L. Ebers	Producing Formation: Not yet complete
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 988' Plug Back Total Depth: 973.85'
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 24.5 Feet
✓ .GasENHR SIGW	Multiple Stage Cementing Collar Used?   Yes VNo
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 973.85
Operator:	feet depth to Surface w/ 148 sx cmt,
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)  WHTU &-Z\$-07
. Deepening Re-perf Conv. to Enhr./SWD	
Plug Back Plug Back Total Depth	Chloride content ppm Fluid volume bbls  Dewatering method used
_ Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
02/02/04 02/03/04 02/06/04	Lease Name: License No.:
Spud Date or Recompletion Date  Date Reached TD Recompletion Date  Ozio5/04  Completion Date or Recompletion Date	Quarter   Sec.   Twp.   S. R.   East West     County:   Docket No.:
,	
Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regula herein are complete and correct to the best of my knowledge.	tte the oil and gas industry have been fully complied with and the statements
Decales of Land	
Signature: Vouglas (Tank	KCC Office Use ONLY
Title: Manager Date: 06/01/2004	Letter of Confidentiality Received
Subscribed and sworn to before me this 1st day of Qunu	If Denied, Yes [ ] Date:
20_04.	Wireline Log Received
	Geologist Report Received
Notary Public: Jennifer K. Housker Boltery Public Notary Public	R. HOUSTON UIC Distribution
Date Commission Expires: July 30, 2005 My Appt. Expires	- State of Kansas

Operator Name: Quest Cherokee, LLC			Lease	Lease Name: Clevenger, Mark			Well #: 6-1	
		✓ East	County	: Neosh	10			
tested, time tool ope temperature, fluid red	n and closed, flowing covery, and flow rate	and base of formations g and shut-in pressure s if gas to surface tes inal geological well si	es, whether sh it, along with fi	ut-in pre	ssure reached	static level, hyd	rostatic pressure	s, bottom hole
Drill Stem Tests Take		☐ Yes 🗸 No		<b>V</b> Lo	og Format	tion (Top), Depth	and Datum	Sample
Samples Sent to Ge	ological Survey	∏ Yes ☑ No		Name Lena	e pah Lime		Тор <b>264</b>	Datum +681
Cores Taken		☐ Yes 🗸 No	ı	Altamont Lime		296	+649	
Electric Log Run (Submit Copy)		✓ Yes No	No Pawnee Lir		nee Lime	ime 388		+557
List All E. Logs Run:					ego Lime		475 614	+470
		RECEIVE	D		egris Lime		614 946	+331 -1
		JUN 0 3 200		IVIISS	issippi		340	-1
		KCC WICASII		Ne linte	No sous P	ction, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	11"	8-5/8"	24.75		24.5	"A"	6sx	
Production	6-3/4"	4-1/2"	10.5		973.85	"A"	148sx	
Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	ADDITION Type of Cement	#Sacks		JEEZE RECOR		l Percent Additives	
					* * * * * * * * * * * * * * * * * * *		40 PORT 1   100 M 20 PORT 1   100 M 20	
Shots Per Foot	PERFORAT Specify	ION RECORD - Bridge Footage of Each Interval	Plugs Set/Type Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Dep				
None	Waiting on pipel	ine				AND STREET, ST.		
TUBING RECORD	Size	Set At	Packer A	۱t	Liner Run	∏Yes	lo	
Date of First, Resumer	d Production, SWD or I	Enhr. Producing	Method	Flowing	ı Dump	ping Gas	Lift Othe	er (Explain)
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wate	r	Bbls.	Gas-Oil Ratio	Gravity
Disposition of Gas	METHOD OF (	COMPLETION	L		Production Inte	erval		
Vented Sold	Used on Lease ubmit ACO-18.)	Open Ho		. 🗆 🗅	ually Comp.	Commingled		



# 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

# TICKET NUMBER 24191

LOCATION <u>CHANUTE</u>

### **FIELD TICKET**

DATE CUSTOMER ACCT # WELL NAME QTR/QTR 2 W 44 W 28 CLEVENBER #6-1	SECTION TWP RGE COUNTY FORMATION
CHARGE TO GUEST CHERUKEE LZC	OWNER
MAILING ADDRESS P.O. BOX 100	OPERATOR
CITY & STATE BENEDICT, KS 66714	CONTRACTOR

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	UNIT PRICE	TOTAL AMOUNT
5401	1. Well	PUMP CHARGE Coment Panp		egs 00
1110	5 K5	Lilsonite		27/00
1107	5K	CelloRlahre / Filo - Stal		56.63
1118	5K5	Premium Self Bentonite (ahead	)	3540
1105	15K5	Cottonseed herels.		1295
11118	15 Hel	Sodium Silvente		1502
12156	1 Hal	KCL		2200
F		'e :		
		72-		
1123	Jal	City Water ( BBL5)		5670
		· · · · · · · · · · · · · · · · · · ·		
	`			
		, , , , , , , , , , , , , , , , , , ,		
		4		
		BLENDING & HANDLING RECEIVE		
5407	19 mi	TON-MILES Minimum JUN 0 3 200	<b>l</b>	1900
	11/- 1/0	MILEAGE KCC WICH	IIIA	
5501	1/2 HR	WATER TRANSPORTS		10000
5502	HR	VACUUM TRUCKS		600-
		FRAC SAND	-	T.
117/-	3	CEMENT OWL		
1126	5K5	CEMENT OWC	SALES TAX	一切。
		CH Whate V.# -0.		136.12
		(out; 5" Delivorate; /4# Flo &	ears	
Ravin 2790			ESTIMATED TOTAL	27.67 30
	-		ESTIMATED TOTAL	5167.2

CUSTOMER or AGENTS SIGNATURE	CIS FOREMAN TODD A. TINDLE	
	s.	
CUSTOMER or AGENT (PLEASE PRINT)	DATE	

1188811

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUM	MBER 32749
LOCATION _	CHANGTE
FOREMAN_	TODO A. TINDLE

### TREATMENT REPORT

				1 1916au 1 W 1 1					
DATE	CUSTOMER#	WELL NAME	FORMATION		TRUCK #	DRIVER	TRUCK #	DRIVER	
2-16-04	6628	CLEVENGER			255	JOHN M.			
SECTION	TOWNSHIP	RANGE	COUNTY		206	HEEB			
6	295	19€	. NO	:	370	6+0866			
CUSTOMER			\	L	286	WILL			
Bucco C	VERTORIE LLC			,			1		
MAILING ADDF	RESS		V	4					
Ea. Eax	ne do								
P.O. EGE	NOT THE REAL PROPERTY OF THE PARTY OF THE PA			5					
BANKURT				1					
BENEOUT STATE		ZIP CODE		:					
KANSKO		66714		7		TYPE OF TI	REATMENT	7	
				, 1	[ ] SURFACE I	PIPE	[ ] ACID BREA	KDOWN	
TIME ARRIVED	ON LOCATION			9	[4]PRODUCTI	ON CASING	[ ] ACID STIMU	[ ] ACID STIMULATION	
	WELL	DATA		-	[ ] SQUEEZE	CEMENT	[ ] ACID SPOT	] ACID SPOTTING	
HOLE SIZE	14	PACKER DEPT	Н	1	[ ] PL¦UG & AB	SANDON	[ ] FRAC		
TOTAL DEPTH	982'	PERFORATION	PERFORATIONS		[ ] PLUG BACK		[ ] FRAC + NITROGEN		
		SHOTS/FT			[ ] MISP. PUM	P	[ ]		
CASING SIZE		OPEN HOLE		,	[ ]OTHER		[ ]		
CASING DEPT	н 973'			,	,				
CASING WEIG		TUBING SIZE		` `		PRESSURE I	LIMITATIONS		
CASING CONE	NOITION	TUBING DEPTI	1				THEORETICAL	INSTRUCTED	
www.nappenianomcolonomakolonolon-vice/Asiachalon	and a process of the contract	TUBING WEIG	НТ		SURFACE PIPE				
	e communicación por protectivo de podre de propositivo de la constitución de la constituc	TUBING COND	ITION		ANNULUS LONG	STRING			
TREATMENT \	/IA		·	1,	TUBING				
		_		3				,	
INSTRUCTION			/		jun 3 stel a				
SBL Fac	C. Run 7	EBL Du	w/50d	un Eil	ecote on of	at 5 860	Concert	4 .7	
Seture	Elish Ris	is ping	giling u	IKCL U	rates; Set	Float s	hoe Jud	12 - 61 12 -	
AUTHO	DRIZATION TO P	ROCEED	~	TITLÉ			TillDA	TE CE IT	
		Manage 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	· s.		-			
TIME	STAGE	BBL'S	INJ ŘATE	PROPPANT	SAND / STAGE	PSI	1		
AM / PM	OTAGE	PUMPED		PPG					
				£			BREAKDOWN I	PRESSURE	
							DISPLACEMEN	T	
				ä			MIX PRESSURI	Ē	
			RECEIVE	D			MIN PRESSUR		
No. and at the second s			KECEIVE				ISIP	), 2	
			ACC MIC	N4			15 MIN.		
			LA TAHE	ATH.			MAX RATE		
			KCC MIC	, , , ,			MIN RATE		

#### **TERMS**

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

#### SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Custome all be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

#### **WARRANTIES - LIMITATION OF LIABILITY**

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.