KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

September 1999 Form Must Be Typed

Form ACO-1

WELL COMPLETION FORM ORIGINAL **WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Operator: License #33344	API No. 15133-26035-0000
Name: Quest Cherokee, LLC	County: Neosho
Address: P O Box 100	CSENW_Sec36Twp30S. R17
City/State/Zip: Benedict, KS 66714	2000 feet from S / (Circle one) Line of Section
Purchaser: Bluestem Pipeline, LLC	2000 feet from E / (circle one) Line of Section
Operator Contact Person: Doug Lamb	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 698-2250	(circle one) NE SE (NW) SW
Contractor: Name: Well Refined Drilling Company, Inc.	Lease Name: Hicks, Jay D. Well #. 36-1
License: 33072	Field Name: Cherokee Basin CBM
Wellsite Geologist: Mark Brecheisen	Producing Formation: Not yet complete
Designate Type of Completion:	Elevation: Ground: 900 Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 1009' Plug Back Total Depth: 1008.88'
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 21.8'
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 1008.88
Operator:	feet depth to surface W/ 129 sx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	EVED method used
Commingled Docket No. REC	EIVED Location of fluid disposal if hauled offsite:
Dual Completion Docket No	
Other (SWD or Enhr.?) Docket No.	8 2004 Sperator Name:
02/16/04 02/17/04 02/27/04 KCC	N (Carle No.: License No.:
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter SecTwpS. R East West
Trecompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with t Kansas 67202, within 120 days of the spud date, recompletion, workover Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs a TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	r or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	e the oil and gas industry have been fully complied with and the statements
Signature: Nouglas & Ramh	KCC Office Use ONLY
Title: Manager Date: 06/15/04	Latter of Confidentiality Delaniced
and h	Letter of Confidentiality Received
Subscribed and sworn to before me this 16 day of Sunt	Wireline Log Received
20 04.	Geologist Report Received
Notary Public: Grander K. Louston JENNIFER	R. HOUSTON UIC Distribution
Date Commission Expires: Dubly 30, 805 My Appt. Expires	c - State of Kansas

Side Two

ORIGINAL

Operator Name:	iest Cherokee, Li		Lease Na	_{lme:} Hicks, Jay L).	Well #: <u>36-</u>	
Sec. 36 Twp.	30 S. R. 17	✓ East	County:	Neosho			
tested, time tool ope temperature, fluid re	en and closed, flowing covery, and flow rate	and base of formations og and shut-in pressure es if gas to surface test final geological well sit	s, whether shut- , along with final	in pressure reached	d static level, hyd	rostatic pressure	es, bottom hole
Drill Stem Tests Take		☐ Yes 📝 No		✓ Log Forma	ition (Top), Depth	and Datum	Sample
Samples Sent to Geological Survey				_{Name} Lenapah Lime		Тор 266	Datum +634
Cores Taken		☐ Yes 🗸 No				304	+596
Electric Log Run (Submit Copy)		✓ Yes No		Pawnee Lime		452	+448
				Oswego Lime		527	+373
List All E. Logs Run:	:		,	Verdigris Lime		638	+262
			Mississippi Lime		е	997	-97
			***	New Used	oction, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	24.75#	21.8'	"A"	4sx	
Production	6-3/4"	4-1/2"	10.5#	1008.88'	"A"	129sx	
		ADDITIONA	AL CEMENTING	/ SQUEEZE RECOR			
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks Use			Percent Additives	
Shots Per Foot	PERFORATI Specify	ION RECORD - Bridge PI Footage of Each Interval P	ugs Set/Type		acture, Shot, Ceme		
None	Waiting on Pipe				Amount and Kind of A	Materiai Used)	Depth
TONG	waiting off Fipe	me	R	ECEIVED	EIVED		
			9	RECEIVED JUN 1 8 2004 CC WICHI	TA		
, ANT TO SERVICE A S			K	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
TUBING RECORD	Size	Set At	Packer At	Liner Run	Yes N	0	<u> </u>
Date of First, Resumer	d Production, SWD or E	Enhr. Producing Mo	p	lowing Pump			r (Explain)
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf			Gas-Oil Ratio	Gravity
Disposition of Gas	METHOD OF C	COMPLETION		Production Inte	rval		
Vented Sold	Used on Lease	Open Hole		Dually Comp.	Commingled		



211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

ORIGINAL

TICKET NUMBER 24230

LOCATION Chaute

FIELD TICKET

		36-1	1		
	STOMER ACCT # WELL I	NAME OTR/QT	R SECTION TWP RGE	COUNTY	FORMATION
CHARGE TO	Just Charokee	. 160	OWNER		yf.
MAILING ADDRESS	Po Box 100	 	OPERATOR		
CITY & STATE	Benider	15	CONTRACTOR		•
ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTIO	ON OF SERVICES OR PRODUCT	UNIT PRICE	TOTAL AMOUNT
5401	1 well	PUMP CHARGE (Cement Penis		525 42

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	UNIT PRICE	TOTAL AMOUNT
5401	1 well	PUMP CHARGE Comen & Panis		525 42
	/ 00(//	TOWN OTHICE (CANEA PERALL)		
1118	2 Carr	From Gel		2 3 600
1///	2 SOCK 244 #	Selt		1100
11111	574	Metso Beads		7,95
1215	1 6-1	KCL		1000
3123	1 6a1	Dioce /		61200
1128	684	LOMON D		17700
1107	2 Sects	Floseo1		7550
1//0	23 SOCKS	Gilsonite		446.20
				4.17
S .4% modern	CON-			
1123	7000 Ga 1	City worked	PECEIVED 182004 VICHITA	7875
		JUN	, VED	
		Ko	18200.	
		,cc/	111-414	
the state and	,	BLENDING & HANDLING	1/CHIX	*
5407	20 mi	TON-MILES Delivery	"14	19000
		STAND BY TIME		
		MILEAGE		
550/	3.5 4,	WATER TRANSPORTS		28000
5502	3.5 4	VACUUM TRUCKS		26250
		FRAC SAND		
1104	1111		-	
1104	114	CEMENT Portland		969=
			SALES TAX	16475
vin 2790				
			ESTIMATED TOTAL	41159.25

	2	:		
	-			1
Ravin 2790				
			ESTIMATED TOTAL	4059.25
		\sim		
CUSTOMER or AGENTS SIGNATURE	CIS FOREMAN	Reayor	22	
	v ⁻			
		*		
CUSTOMER or AGENT (PLEASE PRINT)			DATE	
(7		DATE	
	*		1	1111 00
			1	1111
			*	- 1.7 1 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NU	MRER	32	267
LOCATION			apage *eat?
FOREMAN	_Oc	Sa 1111	<u></u>

TREATMENT REPORT

ORIGINAL

MAX RATE MIN RATE

		16-1		-		1		
DATE /	CUSTOMER #	WELL NAME	FORMATION] '	TRUCK #	DRIVER	TRUCK #	DRIVER
2/28/04	6628	J HKKS			128	Chu. 4		
SECTION	TOWNSHIP	RANGE	COUNTY	1	370	Casi 91		
36	36 5	17 5.	10	ž.	4200	O CONT		***************************************
CUSTOMER				!	230	Richard		
Alsec	+ Chan	skee Le	10	¥	401	Lorgy		
MAILING ADDR	ESS							
100 K	x 100			0				
CITY				1				
Reide	t. Lagran anfan			*,			and the second s	<u> </u>
STATE	C.	ZIP CODE						
43		673	49	1		TYPE OF T	REATMENT	
			7	:	[] SURFACE		[] ACID BREA	KDOWN
TIME ARRIVED	ON LOCATION	400 dn -	5 8001	7,7	1	ON CASING		
THE THE PARTY OF T	WELL		5 6 6	3	[] SQUEEZE		[] ACID SPOT	
HOLE SIZE 6		PACKER DEPTI		1			[]FRAC	,
TOTAL DEPTH	1006	PERFORATION		1	[] PLUG & ABANDON [] PLUG BACK		[] FRAC + NITROGEN	
TOTAL DEL TIT	7000	SHOTS/FT		· ·	[] MISP. PUM			HOGEN
CASING SIZE	Cof Light	OPEN HOLE		,	[] OTHER		r 1	
CASING DEPTH		OI EIVIIOEE		:	Lijomen	·	<u>L J</u>	MARKET PROPERTY AND ADMINISTRATION OF A PARTY OF THE PART
CASING WEIGH	Fo.	TUBING SIZE				DDESCUDE I	LIMITATIONS	
CASING CONDI	and the same of th	TUBING DEPTH		•		FRESSORE	THEORETICAL	INSTRUCTED
JASING COND		TUBING WEIGH		1	SURFACE PIPE		THEORETICAL	INSTRUCTEL
сті Лів Ітайнія сі Аўнастан і катіруная такіх высучую тумулаў, ц	The state of the s	TUBING CONDI		1		CTDING	And the state of t	-
TOE A TRACKIT VA	. فالراد المستعمل	<u> </u>	7	· .	ANNULUS LONG	STRING	The state of the s	
TREATMENT V	1A C ~ 1701	12 CUNIA	<u>/:</u>	J ,	TUBING	The state of the s		,
NETDUCTION	PRIOR TO JOB	lasis/ C	l An	armonikar j	2 2 25	2	a some get	
***	·	0			Pano 25	2/25 12001 G	vacción o	14
acks of	4	11	vast out	perings "	- year May	0 145 1	Sottong o	in the
	Pressure		05.19					
AUTHO	RIZATION TO PE	ROCEED	-	TITLE			DA	TE
Amond the months are a second and a second part of the second part of				,		•		
TIME	STAGE	BBL'S	INJ RATE	PROPPANT	SAND/STAGE	PSI		
AM / PM		PUMPED		PPG				
«Байлей» межден жана домента на селед комперсов колицен				1			BREAKDOWN I	PRESSURE
				1,		,	DISPLACEMEN	Т
				!			MIX PRESSURE	
			!	ŗ			MIN PRESSURI	-,
							ISIP	
				į			15 MIN.	

TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Custome all be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.