# KANSAS CORPORATION COMMISSION ORIGINAL Form ACO-1 OIL & GAS CONSERVATION DIVISION Form Must Be Typed

# **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Operator: License #_33344	API No. 15 - 133-26037-0000
Name: Quest Cherokee, LLC	County: Neosho
Address: P O Box 100	c _ n/2 _ nw Sec. 26 Twp. 30 S. R. 18
City/State/Zip: Benedict, KS 66714	510 feet from S /N (circle one) Line of Section
Purchaser: Bluestem Pipeline, LLC RECEIVED	1320 feet from E (W) (circle one) Line of Section
Operator Contact Person: Doug Lamb  Phone: (620 ) 698-2250  Contractor: Name: James D. Lorenz  KCC WICHITA	Footages Calculated from Nearest Outside Section Corner:  (circle one) NE SE NW SW  Lease Name: Good, John L. Well #: 26-1
License: 9313	Field Name: Cherokee Basin CBM
Wellsite Geologist: Michael L. Ebers	Producing Formation: Not yet complete
Designate Type of Completion:	Elevation: Ground: 947 Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 988' Plug Back Total Depth: 982'
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 23 Feet
Gas ENHR SIGW	
Dry Other (Core, WSW, Expl., Cathodic, etc)	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 982'
Operator:	feet depth to Surface W/ 105 sx cmt.
Well Name:	SX CITE.
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan  (Data must be collected from the Reserve Pit)  WHM 4-28-07
Deepening Re-perf Conv. to Enhr./SWD	(Bata mast be contained notified in the serve in ity
Plug Back Plug B	Chloride content ppm Fluid volume bbls
Commingled Docket No.	Dewatering method used
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No.	Operator Name:
	Lease Name: License No.:
02/23/04         02/24/04         02/27/04           Spud Date or         Date Reached TD         Completion Date or	Quarter SecTwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs of TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	or or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements
Signature: Donglas L'Loul	KCC Office Use ONLY
Title: Manager Date: 06/22/04	Letter of Confidentiality Received
and o	If Denied, Yes Date:
	Wireline Log Received
20 09.	Geologist Report Received
Notary Public: Jenny M. Housen JENNIFER  Notary Public  Notary Public	R. HOUSTON UIC Distribution
Date Commission Expires: My Appt. Expires	c - State of Kansas

#### Side Two

ORIGINAL

Operator Name: Qu	iest Cherokee, LL	_C	Lease	Name:	Good, John	L	Well #: 26-1	
Sec. 26 Twp.	30 S. R. 18	_ ✓ East ☐ Wes	st County	, Neos	ho			
tested, time tool ope temperature, fluid re	show important tops on and closed, flowin covery, and flow rate gs surveyed. Attach	ig and shut-in pressues if gas to surface to	ures, whether sh est, along with f	nut-in pr	essure reached	l static level, hydi	rostatic pressure	s, bottom hole
Drill Stem Tests Tak		☐ Yes 🗸 N	٧o	<b></b> ✓L	.og Forma	tion (Top), Depth	and Datum	Sample
Samples Sent to Ge	•	Yes V	No	Name Lenapah Lime			<sub>Тор</sub> 226	Datum + <b>721</b>
Cores Taken		☐ Yes 🗸 N	No	Altamont Lime			261	+686
Electric Log Run (Submit Copy)		✓ Yes 🔲 N	vo.	Paw	nee Lime		394	+553
List All E. Logs Run	:				ego Lime		465	+482
Dual Inductio Compensate	n Log d Density-Neu	tron Log		Verdigris Lime 606 Mississippi Lime 935			+341 +12	
			SING RECORD s set-conductor, su		ew Used	ction, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks	Type and Percent
Surface	11"	8-5/8"	24.75#	FL.	23'	"A"	Used 6sx	Additives
Production	6-3/4"	4-1/2"	10.5#		982'	"A"	105 sx	
ANNUAL CONTRACTOR OF THE PARTY								
Purpose:  —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Type of Cement	ONAL CEMENTII t #Sacks		JEEZE HECOH		Percent Additives	
Shots Per Foot	PERFORAT Specify	ION RECORD - Bridge Footage of Each Interv	e Plugs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth			
None	Waiting on pipe		1		1			
SALE SALE SALE SALE SALE SALE SALE SALE			CEIVED					
		JUN	2 5 2004					
		КСС	WICHITA	4				
TUBING RECORD	Size	Set At	Packer A	į	Liner Run	Yes N	0	
Date of First, Resumer	rd Production, SWD or f	Enhr. Producin	ġ Method	Flowin	g Pump		· · · · · · · · · · · · · · · · · · ·	r (Explain)
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wate	er I	Bbls.	Gas-Oil Ratio	Gravity
Disposition of Gas	METHOD OF (	COMPLETION			Production Inte	rval		
Vented Sold	Used on Lease ubmit ACO-18.)	Open i	Hole Perf.		Dually Comp.	Commingled _		



# 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUMBER

23217

LOCATION CHANGET

## **FIELD TICKET**

	ΓR/QTR ∫ S	SECTION	TWP 205	RGE	COUNTY	FORMATION
2.27.64 6628 J. GOOD #26-1		046	305	18E	NO	
CHARGETO QUEST CHEROKEE ILC	0	OWNER			-	+
MAILING ADDRESS P.G. BOX 100	0	OPERATOR			,	
CITY & STATE BENEDICT, KS 106714	С	CONTRACTO	)R	NEW Wayner		

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT UNIT PRICE	TOTAL AMOUNT
5401	1-WELL	PUMP CHARGE CEMENT PUMP	47250
3/23	43#	DIACEL FL +	7 7 99
1128	63#	LOWINE D'	25200
1110	21 5KS	GILSONITE	40750
1111	240 #	SALT	1002
IIIA	52#	METSO FEADS :	7029
1107	2 5KS	FIO-SEAL / CELLOFLAKE	7570
1118	2 SKS	PREMIUM GEL/BENTONITE	2267
1215	1 GAL	KCL	21.00
79.5			
1123	4620 GALS	CITY WATER ( 110 BBW)	5/98
		. '	
		* 11	
		BLENDING & HANDLING RECEIVED	25,023
- 11 · -			
5407	- 23mi	TON-MILES MINIMUM JUN 2 5 2004	1900
,	and the second second	STAND BY TIME	
	m. 1/m	MILEAGE KCC WICHITA	24 /17%
554	3/2 HR	WATER TRANSPORTS	980°
5502	31/2 HR	VACUUM TRUCKS	262 20
		FRAC SAND	
1	St. Mar. Com.	OFFICE AND	put M
1104	105 5KS	CEMENT CLASS"A" (122 SKS TOTAL)	89250
	1	SALES TAX	1512
		\iq	
Ravın 2790			
		ESTIMATED TOTAL	3778.9

CUSTOMER or AGENTS SIGNATURE	_CIS FOREMAN	TODO M	TINDAG	
CUSTOMER or AGENT (PLEASE PRINT)			DATE	

18911081

# CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NU	MBER _	32	772
LOCATION	_		
FOREMAN	7000	ATI	MOLE

MIN RATE

# TREATMENT REPORT

DATE	CUSTOMER#	WELL NAME	FORMATION		TRUCK #	DRIVER	TRUCK #	DRIVER		
2 27.04	6628	JGOOD			255	HERB				
SECTION	TOWNSHIP	RANGE	COUNTY	ų	103	WES				
26	305	186	NO		285	CHRIS				
CUSTOMER	Company on the second public largers have been placed to the control of the second public of			**	140	TIM				
QUEST 1	CHEROKEE	44C		ı						
	<u> 146 Rokêê</u> Ess									
<i>P.o. Box</i> CITY	160									
CITY	And the second									
BENEDIO	as against				Parameter and the second secon					
<i>BENEDIC</i> STATE		ZIP CODE								
KS	·	66714		,		TYPE OF T	REATMENT	4		
					[]SURFACE	PIPE	[ ] ACID BREA	KDOWN		
TIME ARRIVED	ON LOCATION			ń	[ 4PRODUCTI	ION CASING	[ ] ACID STIMU	JLATION		
I processor and a second	WELL	DATA		•	[ ] SQUEEZE	CEMENT	[ ] ACID SPOT	TING		
HOLE SIZE	634	PACKER DEPT	Н	,	[]PLUG & AE	BANDON	[]FRAC			
TOTAL DEPTH	988'	PERFORATION	IS		[]PLUG BAC	κ	[ ] FRAC + NIT	ROGEN		
		SHOTS/FT			[ ] MISP, PUM	IP	[ ]			
CASING SIZE	41/2	OPEN HOLE			[ ] OTHER [ ]					
CASING DEPTH	1 982'			۲.	Воспофия вста техня перативня и подать решений на подать в подать	terrefer november for his by a several a resource of consolina medical entities and confidence	umas stadionimini si Ampionimini ani Amadisi mangkaripan di Ambargan ani Ammandah schissi	And the state of t		
CASING WEIGI	-IT	TUBING SIZE				PRESSURE L	IMITATIONS			
CASING COND	ITION	TUBING DEPTH	+		THEORETICAL INST					
		TUBING WEIGH	-IT		SURFACE PIPE					
		TUBING COND	ITION		ANNULUS LONG	STRING				
TREATMENT V	IA			÷	TUBING					
7			X	-						
INSTRUCTION	PRIOR TO JOB	CIRCULATE	wi/FRESH	140,2	GEL AHEAD.	5 BBL 14	AF WATER;	CEMENT		
LAWTH EN	K TEK M	TY, FLUS	H PUMP.	Punit F	GEL AHEAD	WATER;	SET FIGA.	T SHEE,		
CEMIENT	LEAD INCE	125 T	94 INC	13.4		,				
AUTHO	RIZATION TO PE	ROCEED		TITLE	•		DA	ATE .		
			_	,						
	agentification in the contract of the contract									
TIME AM / PM	STAGE	BBL'S PUMPED	INJ RATE	PROPPANT PPG	SAND / STAGE	PSI		:		
	AMPLIANTE MATERIAL PROPERTY OF THE PROPERTY OF		RECE!				BREAKDOWN I	PRESSURE #		
	Marie Annie An	`	1				DISPLACEMEN	<del></del>		
	eterriforenmente etc.; e. inica i selemente di suma viciner de suma se più di subse spronj		JUN 25	2004			MIX PRESSURE			
		Martin Control of the	KCC WI	-UITA			MIN PRESSURI			
	And the state of t	***************************************	KPP AAI				ISIP	- T		
	Annual Annua						15 MIN.	***************************************		
	Philippe en der die begreicht deinem über mit groeu maansache een amman biliom			'			MAX RATE			

#### TERMS.

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

### SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Custome all be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

#### **WARRANTIES - LIMITATION OF LIABILITY**

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.