## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL 25710 API No. 15 - 205-<del>52710</del>-0000 Operator: License # 33344 Name: Quest Cherokee, LLC County: Wilson Address: P O Box 100 \_\_Twp.\_28\_\_S. R.\_17\_\_\_V East \_\_ West City/State/Zip: Benedict, KS 66714 700 feet from (S)/ N (circle one) Line of Section Purchaser:\_Bluestem Pipeline, LLC 700 RECEIVED \_\_\_ feet from (E)/ W (circle one) Line of Section Operator Contact Person: Doug Lamb Footages Calculated from Nearest Outside Section Corner: MAY 2 8 2004 Phone: (620 ) 698-2250 (SE (circle one) NE Lease Name: Carlson, David L. Contractor: Name: James D. Lorenz KCC WICHITA Field Name: Cherokee Basin CBM License: 9313 Wellsite Geologist: Michael L. Ebers Producing Formation: Not yet complete Elevation: Ground: 952 Designate Type of Completion: Kelly Bushing:\_\_ Total Depth: 1190' Plug Back Total Depth: 1182.01' \_\_\_\_\_Re-Entry \_\_\_\_ Workover Amount of Surface Pipe Set and Cemented at 25' \_\_\_\_\_ SWD \_\_\_\_\_ SIOW \_\_\_\_\_Temp. Abd. ✓\_ Gas \_\_\_\_ ENHR \_\_\_\_ SIGW Multiple Stage Cementing Collar Used? Yes V No Other (Core, WSW, Expl., Cathodic, etc) if yes, show depth set \_\_\_\_ If Alternate II completion, cement circulated from 1182.01' If Workover/Re-entry: Old Well Info as follows: feet depth to Surface Operator: Well Name: \_ **Drilling Fluid Management Plan** WHU 4-28-07 Original Comp. Date: Original Total Depth: \_ (Data must be collected from the Reserve Pit) Re-perf. \_\_\_ Conv. to Enhr./SWD \_ Deepening Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_ bbls Plug Back\_ Plug Back Total Depth Dewatering method used\_\_ \_\_\_\_ Commingled Docket No ... Location of fluid disposal if hauled offsite: \_\_\_\_ Dual Completion Docket No.\_\_\_ Operator Name: \_\_\_\_\_Other (SWD or Enhr.?) Docket No.\_\_\_\_ Lease Name: License No.: 02/01/04 02/02/04 02/04/04 Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date County: \_\_\_\_\_ Docket No.: \_\_\_\_

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUSTABE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

nerem are complete and correct to		
Signature: Douglas XX  Title: Manager	anh	KCC Office Use ONLY
Title: Manager	Date: 05/25/2004	Letter of Confidentiality Received
Subscribed and sworn to before me	this 25 <sup>th</sup> day of May	If Denied, Yes Date:
20.04.		Wireline Log Received
	1/ 1/20	Geologist Report Received
Notary Public: Jurnifus B Date Commission Expires: Jul	· Homestern	UIC Distribution
Date Commission Expires:	ly 30, 3005 a JENNIFE	R R HOUSTON
	// Notary Pub	ic - State of Kansas

My Appt. Expires Quality 2015

# **ORIGINAL**

Operator Name: Qu	est Cherokee, LL	.C		Lease	Name:	Carlson, Dav	id L.	Well #. 8-1	**************************************
Sec. 8 Twp. 2	28 S. R. 17	_	t West		y: Wilso		·		100 Mar 20 Mar 20 Mar 200 Mar
tested, time tool ope temperature, fluid re	thow important tops on and closed, flowin covery, and flow rate is surveyed. Attach	g and shu s if gas to	t-in pressures, surface test, a	whether s dong with	hut-in pro	essure reached	static level, hyd	rostatic pressure	s, bottom hole
Drill Stem Tests Take		Y	es 🗸 No	100 TO THE TOTAL OF THE TOTAL O	<b>√</b> L	og Formati	on (Top), Depth	and Datum	Sample
Samples Sent to Ge	ological Survey		es ☑No		Nam	<sub>ie</sub> apah Lime		<sup>Тор</sup> <b>519</b>	Datum <b>+433</b>
Cores Taken		Y	′es ✓ No		1	mont Lime		548	+404
Electric Log Run		Y	es No			nee Lime		658	+294
(Submit Copy)						ego Lime		722	+230
List All E. Logs Run:		:	RECEIV	ED		degris Lime		872	+80
Density-Neutron Dual Induction - Guard  MAY 2 8 2				004	3.13				-173
		K	CC WIC	HITA					
		D		RECORD		Manager 1		The state of the s	
Purpose of String	Size Hole		rt all strings set-c ze Casing	7	urrace, inti	ermediate, produc	tion, etc.  Type of	# Sacks	Type and Percer
Surface	Drilled 11"	8-5/8"	t (In O.D.)	Lbs. 24.75		Depth 25'	Cement	Used 6sx	Additives
Production	6-3/4"	4-1/2"		10.5		1182.01'	"A"	172sx	***************************************
									THE PARTY WEIGHT AND ASSESSMENT OF THE PARTY
		. L	ADDITIONAL	CEMENTI	 NG / SQL	JEEZE RECORD	)		
Purpose:  —— Perforate  —— Protect Casing  —— Plug Back TD  —— Plug Off Zone	Depth Top Bottom	Турє	of Cement	#Sacks				Percent Additives	
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record						l Depth		
None	Waiting on pipel	ine							
TUBING RECORD	Size	Set At	Printing and a local page and a	Packer A	\t	Liner Run	Yes N	0	
Date of First, Resumer	d Production, SWD or E	inhr.	Producing Meth	-	Flowing	J Pumpir	ng Gas L	ift Other	(Explain)
Estimated Production Per 24 Hours	Oil	Bbls.	Gas I	Mcf	Wate	r B	bls.	Gas-Oil Ratio	Gravity
Disposition of Gas	METHOD OF (	COMPLETIC	DN .			Production Inter	val		
Vented Sold	Used on Lease		Open Hole Other (Specif	Perf.		ually Comp.	Commingled		



CUSTOMER or AGENT (PLEASE PRINT)\_

## 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

# ORIGINAL

TICKET NUMBER

24185

LOCATION LHANUTE

### **FIELD TICKET**

DATE CUSTOMER ACCT # WELL NAME QTR/QTR 2.46-04 66-28 D.CAEISON #8-1	SECTION TWP RGE COUNTY FORMATION 8 285 176 WL
CHARGE TO QUEST CHEREKEE LLC	OWNER
MAILING ADDRESS P.O. BOX 100	OPERATOR
CITY & STATE BENEDICT, KS 66714	CONTRACTOR

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	UNIT PRICE	TOTAL AMOUNT
5401	1-WELL	PUMP CHARGE CEMENT PUMP		5250
1110	15 5Ks	GUSONITE		29/09
1107	1/25KS	CELLOFLAKE /AFLO-SEAL		5663
1118	3 sks	PREMIUM GEL/ BENTONITE		3540
1105	1 5K5	COTTONSEED HULLS		1295
1111B	15 GAC-	SUDIAM SILICATE	The state of the s	15000
1215 @	16AL	KCL		2200
4124	£	41/2 GuiDE SHOE	-	8359
		2		
1123	4200 GALS	CITY WATER (100 BBLS)		4725
		RECEN	/ED	, ·
		BLENDING & HANDLING MAY 28	MA AM	
5407	14 mi	TON-MILES MINKMUM	LUUT	1700
	,,,,,,	STAND BY TIME KCC WIC	CHITA	
		MILEAGE		
5501	1/2 HR 6 HR	WATER TRANSPORTS		1200
5502	6 HR	VACUUM TRUCKS (2-80VACS)		450
	,	FRAC SAND		
1126	162 516	CEMENT OWC		183060
	1	Ţ.	SALES TAX	157.90
		(OWC) 5 GILSONITE; 1/4# FLO-SEAL	2	4
Ravin 2790	J	,	ESTIMATED TOTAL	3971 23

CUSTOMER or AGENTS SIGNATURE	CIS FOREMAN TODD A. TINDLE

THSPRI

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NU	MBER.	32746	
LOCATION			_
FOREMAN	TODD	A. TINDLE	_

MAX RATE MIN RATE

### TREATMENT REPORT

# ORIGINAL

DATE	CUSTOMER#	WELL NAME	FORMATION		TRUCK #	DRIVER	TRUCK #	DRIVER
2-4-04	6628	#8-1 D. CARLEON			128	JOHN M.		
SECTION	TOWNSHIP	RANGE	COUNTY	i i	206	WES		
8	21.8.5	176	UL		140	Tim		
CUSTOMER	<del>godina (g. j. j. de 30. k. kor eg y en 2 symmetric ann Arman (ar en y en 30.555, co 20.566, ann ar 1964 e</del> n	Alle Activities by the Control of th		1	370	GEORGE		
QUEST	CHEROTEE L	10			286	WILL		
MAILING ADDF	RESS							
Pa. Box	100							
CITY								
BENEOIL	7							- 1
STATE	a year annuae no roch annuae annuae go ga an deir barreit an deirichte der Gebeure gebeure.	ZIP CODE						8
KANSA.	*	66714		,		TYPE OF T	REATMENT	
					[ ] SURFACE	PIPE	[ ] ACID BREA	KDOWN
TIME ARRIVED	ON LOCATION			] .	[ 4 PRODUCT	TION CASING	[ ] ACID STIMU	JLATION
American Communication and American Communication Communic	WELL	DATA		it	[ ] SQUEEZE	CEMENT	[ ] ACID SPOT	TING
HOLE SIZE	6-74	PACKER DEPT	Н	]	[ ]PLUG & A	BANDON	[]FRAC	
TOTAL DEPTH	1188'	PERFORATION	S		[ ] PLUG BA	CK	[ ] FRAC + NIT	ROGEN
		SHOTS/FT		**	[ ] MISP, PU	MP	[ ]	
CASING SIZE	41/2	OPEN HOLE			[ ]OTHER		[ ]	
CASING DEPTI	н //81					,		
CASING WEIG	HT	TUBING SIZE		1	PRESSURE LIMITATIONS			
CASING COND	ITION	TUBING DEPTH	1				THEORETICAL	INSTRUCTED
	OCIETI HANNING STOWN ON THE CHARLES STOWN ON THE CONTROL OF THE CO	TUBING WEIGH	HT	]	SURFACE PIPE			
		TUBING COND	ITION		ANNULUS LONG	G STRING		
TREATMENT V	'IA				TUBING			
			,		,			Ale
INSTRUCTION	PRIOR TO JOB 2	CIRCULATE	WIFEESH	HE X	IN 3 GCC W/	COTTONSEED	HULLS; 5 B.	EL PAD,
				-		CEMENT UN		W.
						IDE; LEAD		
	PRIZATION TO PE	•		TITLE	,			ATE .
				*				*
Pro-				77				
TIME AM / PM	STAGE	BBL'S PUMPED	INJ RATE	PROPPANT PPG	SAND/STAGE	PSI		
	entirely of inflations this activity may report by the activation of the species and to pro-	-		1			BREAKDOWN I	PRESSURE
			, , , , , , , , , , , , , , , , , , ,		-		DISPLACEMEN	
							MIX PRESSURI	
		RECE	IVEN	<b>_</b>			MIN PRESSURI	
		****	VIVI	<b>1</b>			ISIP	
		MAY 2	8 <b>2004</b>	<b></b>			45 MAINI	

KCC WICHITA

### **TERMS**

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

### SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Custome all be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

### **WARRANTIES - LIMITATION OF LIABILITY**

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.