

ORIGINAL

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

CONFIDENTIAL

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 31819  
Name: Cholla Production, LLC  
Address: 1641 California St., #300  
City/State/Zip: Denver, CO 80202  
Purchaser: \_\_\_\_\_  
Operator Contact Person: Emily Hundley-Goff  
Phone: (303) 623-4565  
Contractor: Name: Cheyenne Drilling, LP  
License: 33375  
Wellsite Geologist: William Goff

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_

12/15/05      12/28/05      12/28/05  
Spud Date or      Date Reached TD      Completion Date or  
Recompletion Date                Recompletion Date

API No. 15 - 171-20608-0000  
County: Scott  
SE NE SW Sec. 14 Twp. 19 S. R. 34  East  West  
1700 feet from (S) N (circle one) Line of Section  
2300 feet from E / (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW (SW)  
Lease Name: Rye Well #: 1-14  
Field Name: N/A

Producing Formation: \_\_\_\_\_  
Elevation: Ground: 3034 Kelly Bushing: 3045  
Total Depth: 4946' LTD Plug Back Total Depth: NA  
Amount of Surface Pipe Set and Cemented at 341 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan ALT II PFA within  
(Data must be collected from the Reserve Pit) 6-2-07  
Chloride content 23,000 ppm Fluid volume 500 bbls  
Dewatering method used evaporation and reclamation

Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No. \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R.  East  West  
County: \_\_\_\_\_ Docket No.: MAR 20 2006

KCC WICHITA

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Emily Hundley Goff  
Title: Owner/Manager Date: February 8, 2005  
Subscribed and sworn to before me this 8th day of February,  
2006.  
Notary Public: Lee R. Martin  
Date Commission Expires: 2-18-08

LEE R. MARTIN  
NOTARY PUBLIC  
STATE OF COLORADO

KCC Office Use ONLY  
 Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
CONFIDENTIAL  
MAR 9 2006  
KCC

Operator Name: Cholla Production, LLC Lease Name: Rye Well #: 1-14  
 Sec. 14 Twp. 19 S. R. 34  East  West County: Scott

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures. whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Heebner	3938 -893
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Lansing	3985 -940
List All E. Logs Run:		Marmaton	4448 -1403
		Morrow Shale	4744 -1699
		Mississippian	4864 -1819

DIL; CNL/SSD; MEL; BCS

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12 1/4"	8 5/8"	23	341	common	225	3% CC + 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run
					<input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.			Producing Method		
			<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas  Vented  Sold  Used on Lease *(if vented, Submit ACC-18.)*

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

RECEIVED  
MAR 20 2006  
KCC WICHITA

**CONFIDENTIAL**  
MAR 14 2006  
**KCC**

# ALLIED CEMENTING CO., INC. 22212

Federal Tax I.D.# ~~46-872-8600~~

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

CONFIDENTIAL

SERVICE POINT: OK Hwy KS

MAR 14 2006

Rye WF

DATE <u>12-16-05</u>	SEC. <u>14</u>	TWP. <u>19</u>	RANGE <u>34w</u>	CALLED OUT <u>1:30 AM KCC</u>	ON LOCATION <u>3:45 AM</u>	JOB START <u>7:00 AM</u>	JOB FINISH <u>8:45 AM</u>
LEASE <u>Rye</u>	WELL # <u>1-14</u>		LOCATION <u>Scott City 9w 5s 1E</u>			COUNTY <u>Scott</u>	STATE <u>KS</u>
OLD OR NEW (Circle one) <u>NEW</u>			<u>1128-562</u>				

CONTRACTOR Cheyenne #1  
 TYPE OF JOB Surface  
 HOLE SIZE \_\_\_\_\_ T.D. 347'  
 CASING SIZE 8 5/8 DEPTH 341'  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT 41'  
 CEMENT LEFT IN CSG. 41'  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 19 Bbls

OWNER Same  
 CEMENT  
 AMOUNT ORDERED 225 com 392cc  
290cc

COMMON	<u>225</u>	@	<u>10<sup>00</sup></u>	<u>2250<sup>00</sup></u>
POZMIX		@		
GEL	<u>4</u>	@	<u>14<sup>00</sup></u>	<u>56<sup>00</sup></u>
CHLORIDE	<u>8</u>	@	<u>38<sup>00</sup></u>	<u>304<sup>00</sup></u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>237</u>	@	<u>1<sup>60</sup></u>	<u>379<sup>20</sup></u>
MILEAGE	<u>.0645K</u>			<u>853<sup>20</sup></u>
TOTAL				<u>3842<sup>40</sup></u>

**EQUIPMENT**

PUMP TRUCK CEMENTER Fuzzy  
 # 102 HELPER Walt  
 BULK TRUCK  
 # 218 DRIVER Lonnie  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

cement did circulate  
Plug down @ 8:30 AM  
Thanks Fuzzy & crew

**SERVICE**

DEPTH OF JOB	<u>341'</u>		
PUMP TRUCK CHARGE			<u>670<sup>00</sup></u>
EXTRA FOOTAGE	<u>41</u>	@	<u>.55</u> <u>22<sup>55</sup></u>
MILEAGE	<u>60</u>	@	<u>5.00</u> <u>300<sup>00</sup></u>
MANIFOLD		@	
		@	
		@	
TOTAL			<u>992<sup>55</sup></u>

CHARGE TO: Cholla Production LLC  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

RECEIVED  
 MAR 20 2006  
 KCC WICHITA

**PLUG & FLOAT EQUIPMENT**

1 - Tex Path G. Shoe	@	<u>265<sup>00</sup></u>
1 - Backplate	@	<u>45<sup>00</sup></u>
1 - Cent	@	<u>55<sup>00</sup></u>
1 - 8 5/8 plug	@	<u>55<sup>00</sup></u>
TOTAL		<u>470<sup>00</sup></u>

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE [Signature]

PRINTED NAME \_\_\_\_\_

CONFIDENTIAL

MAR 14 2006

# KCC ALLIED CEMENTING CO., INC.

22189

Federal Tax I.D. # ~~03072060~~

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley

DATE <u>12-28-05</u>	SEC. <u>14</u>	TWP. <u>19S</u>	RANGE <u>34W</u>	CALLED OUT	ON LOCATION <u>11:45 PM</u>	JOB START <u>3:00 AM</u>	JOB FINISH <u>5:45 AM</u>
LEASE <u>Rye</u>	WELL # <u>1-14</u>	LOCATION <u>Scott City 9W-5S-2E</u>	COUNTY <u>Scott</u>	STATE <u>Kan</u>			
OLD OR NEW (Circle one)				<u>STE</u>			

CONTRACTOR Cheyenne Drly Co #1

TYPE OF JOB PTA

HOLE SIZE 7 7/8 T.D. 4936

CASING SIZE DEPTH

TUBING SIZE DEPTH

DRILL PIPE 4 1/2 XH DEPTH 2280'

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT

OWNER Same

CEMENT

AMOUNT ORDERED 265 SKS 60/40 per  
6% Gel, 1/4# Flo-Seal

COMMON	<u>159 SKS @ 10.00</u>	<u>1,590.00</u>
POZMIX	<u>106 SKS @ 4.70</u>	<u>498.20</u>
GEL	<u>14 SKS @ 14.00</u>	<u>196.00</u>
CHLORIDE	@	
ASC	@	
<u>Flo-Seal 66#</u>	<u>@ 1.70</u>	<u>112.20</u>
	@	
	@	
	@	
	@	
	@	
	@	
HANDLING	<u>281 SKS @ 1.60</u>	<u>449.60</u>
MILEAGE	<u>64 per sk/mile</u>	<u>1,011.60</u>
TOTAL		<u>3857.60</u>

### EQUIPMENT

PUMP TRUCK CEMENTER Walt

# 102 HELPER Harry

BULK TRUCK

# 377 DRIVER J.R.

BULK TRUCK

# DRIVER

### REMARKS:

- 50 SKS @ 2280'
  - 80 SKS @ 1320'
  - 50 SKS @ 710'
  - 40 SKS @ 360'
  - 20 SKS @ 60'
  - 10 SKS in Milk
  - 15 SKS in R.H.
- Thank You

CHARGE TO: Cholla Production, LLC

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

### SERVICE

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE 1750.00

EXTRA FOOTAGE @ \_\_\_\_\_

MILEAGE 60 miles @ 5.00 300.00

MANIFOLD @ \_\_\_\_\_

RECEIVED @ \_\_\_\_\_

MAR 20 2006 @ \_\_\_\_\_

KCC WICHITA @ \_\_\_\_\_

TOTAL 4,050.00

### PLUG & FLOAT EQUIPMENT

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_