#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

#### CONFIDENTIAL

### WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 4767	API No. 15 - 065-23029-00-00
Name: Ritchie Exploration, Inc.	County: Graham
Address: P.O. Box 783188 APR 2 0 2005	S/2 - N/2 - NE - Sec. 4 Twp. 6S S. R. 23 East V West
City/State/Zip: Wichita, KS 67278-3188 CONFIDENTIA	900 feet from Solvicle one) Line of Section
Purchaser:	1200 feet from E / W (circle one) Line of Section
Operator Contact Person: Craig Caulk RECEIVED	Footages Calculated from Nearest Outside Section Corner:
316 \ 691-9500	(circle one NE SE NW SW
Contractor: Name: Murfin Drilling Co., Inc. APR 2 1 2005	Lease Name: Farm & Ranch 4A Well #: 1
License: 30606 KCC WICHITA	Field Name:
Wellsite Geologist: Jeff Christian	Producing Formation:
Designate Type of Completion:	Elevation: Ground: 2411' Kelly Bushing: 2416'
New Well Re-Entry Workover	Total Depth: 4400' Plug Back Total Depth:
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 293 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? Yes √No
✓ Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth to w/sx cmt.
<b>'</b>	•
Well Name:Original Total Depth:	Drilling Fluid Management Plan  (Data must be collected from the Reserve Pit)  417 II fet with  6-8-04
, ,	
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 2,100 ppm Fluid volume 520 bbls
Plug BackPlug Back Total Depth	Dewatering method used evaporation
Commingled Docket No.	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name:
Other (SWD or Enhr.?) Docket No.	Lease Name: License No.:
1/31/05 2/8/05 2/8/05 Date Reached TD Completion Date or	Quarter Sec TwpS. R
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
· ·	Docket No.,
INSTRUCTIONS: An original and two copies of this form shall be filed with t Kansas 67202, within 120 days of the spud date, recompletion, workover Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs a TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-ind geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regulat herein are complete and correct to the best of my knowledge.	e the oil and gas industry have been fully complied with and the statements
Signature galle qualify	KCC Office Use ONLY
Coologist /	
Title: Geologist Date: 4 10 5	Letter of Confidentiality Received
Subscribed and sworn to before me this day of	If Denied, Yes Date:
20.05.	Wireline Log Received
1 h & A (b)	Geologist Report Received
Notary Public: 5/4/07	UIC Distribution
Date Commission Expires.	
DEBRA K. PHILLIPS Notary Public; State of Kansas	

My Appt. Expires 5/4/07

## ORIGINAL

## CONFIDENTIAL

Side Two

Operator Name: Ritc	hie Exploration,	Inc.		Leas	e Name:	arm & Ran	ch 4A	Well #:		
Sec. 4 Twp. 68			t 🗸 West		ty: Graha					······································
INSTRUCTIONS: Sh tested, time tool open temperature, fluid rec Electric Wireline Logs	and closed, flowing overy, and flow rate	g and shut es if gas to	t-in pressures, surface test, a	whether s along with	shut-in pre	ssure reached	d static level, hydr	ostatic pressur	es, botto	m hole
Drill Stem Tests Taker		<b></b> ✓ Y	es No			og Forma	tion (Top), Depth	and Datum	[✓]	Sample
Nai Samples Sent to Geological Survey ✓ Yes ☐ No			Nam	е		Тор	I	Datum		
Cores Taken Electric Log Run (Submit Copy)		Y ✓ Y		SEE ATTACHED			ATTACHED		-	
List All E. Logs Run:				KL						
Radiation Gua	ırd Loa			APR 2	0 2005					
CONFIDENTIAL										
		D		RECORD	<b>L</b>				1	
Purpose of String	Size Hole	Siz	ze Casing	We	eight	ermediate, produ Setting	Type of	# Sacks		and Percent
	Drilled	1	t (In O.D.)		s. / Ft.	Depth	Cement	Used		dditives
Surface	12-1/4	8-5/8	described to the second se	28#	ellus is Mais sumairum stre	293	common	200	3%cc,	2% gel
					~~~					
			ADDITIONAL	L CEMENT	TING / SQL	JEEZE RECOR	ID			* *
Purpose:Perforate	Depth Top Bottom	Туре	e of Cement	ement #Sacks Used		Type and Percent Additives				
Protect Casing Plug Back TD Plug Off Zone										
Shots Per Foot			RD - Bridge Plu Each Interval Pe		е		acture, Shot, Cemer Amount and Kind of N		rd :	Depth
								1 2	Ţ	<del>orania de la constanta de la </del>
		F	RECEIVI	ED	P. Prop. In and to History of				:	
		Δ	PR 2 1 20	M5			**************************************		i i	
							######################################			
		K(	CC MICI	HIA				<del></del>	-	
TUBING RECORD	Size	Set At		Packer	At	Liner Run	Yes No	· · · · · · · · · · · · · · · · · · ·		
Date of First, Resumero	I Production, SWD or 8	Enhr.	Producing Me	thod		p				
					Flowing		- 1		er (Explain	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio		Gravity
Disposition of Gas	METHOD OF (	COMPLETIC	N.	<u> </u>		Production Inte	erval	<u>.</u>	i !	
Vented Sold	Used on Lease		Open Hole	Per	rf C	ually Comp.	Commingled _	1	1	



KCC APR 2 0 2005 CONFIDENTIAL

#1 Farm & Ranch 4A 900' FNL & 1200' FEL Section 4-6S-23W Graham County, Kansas API# 15-065-23029-00-00 Elevation: 2,411' GL, 2,416' KB

		Ref.
		Well
2047'	+369	-9
2078'	+338	<b>-</b> 9
3372'	-956	-2
3567'	-1151	flat
3591'	-1175	+1
3608'	-1192	flat
3640'	-1224	-2
3655'	-1239	flat
3710'	-1294	-2
3753'	-1337	-2
3762'	-1346	-3
3772'	-1356	-1
3796'	-1380	-2
3846'	-1530	-16
4400'	-1594	
	2078' 3372' 3567' 3591' 3608' 3640' 3655' 3710' 3753' 3762' 3772' 3796' 3846'	2078' +338 3372' -956 3567' -1151 3591' -1175 3608' -1192 3640' -1224 3655' -1239 3710' -1294 3753' -1337 3762' -1346 3772' -1356 3796' -1380 3846' -1530

RECEIVED

APR 2 1 2005

KCC WICHITA

(316) 691-9500

Fax (316) 691-9550

rei@ritchie-exp.com

# CLEIED CEMENTING CO., INC. 19056 ORIGINAL

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	SERV	VICE POINT: Og Kl	e t.e	
		32 // 4	7	KCC
DATE 5 23 23 W	CALLED OUT ON LOCATION	6.50 114		APR 2 0 2005
LEASE 4 H WELL# LOCATION HILL &	ity 12N2W2N	COUNTY Graham	STATE	
OLD OR NEW (Circle one)	W+3 FA			CONFIDENTIAL
CONTRACTOR Murfim Orla Ria 3	OWNER SEME			a grave.
CONTRACTOR Murfin Orla Rig 3 TYPE OF JOB	OWNER SEME			
HOLE SIZE 71/8 T.D. 4000'	CEMENT			
CASING SIZE DEPTH	AMOUNT ORDERED LOS POZ	10: 601 6	A EL Co.	
TUBING SIZE DEPTH DRILL PIPE DEPTH 37 24'	20012 60140 106	60 GU 14	17056	
TOOL DEPTH				-
PRES. MAX MINIMUM	COMMON 1295K5	_@ <u>9.55</u>		
MEAS. LINE SHOE JOINT	POZMIX 865ks	_@ <u>4,50</u>		
CEMENT LEFT IN CSG. PERFS.	GEL <u>[[sics</u> ] CHLORIDE	_@ <i>13.00</i> @	143.00	
DISPLACEMENT	ASC			•
EQUIPMENT				•
	Flo Seal 544	_@ <i>[,60</i>	86.40	
PUMP TRUCK CEMENTER Dean	RECEIVED	@	,	-
#373-28/HELPER /HOWEN/ BULK TRUCK	5 195 195 195 195 195 195 195 195 195 19			•
# 218 DRIVER Larry	APR 2 1 2005	@		
BULK TRUCK	ICC MICHITA	@ @	<del></del>	
# DRIVER	HANDLING 226 5KG		339.00	<u>.</u>
	MILEAGE 10654		1093.84	•
REMARKS:		TOTAL	328 L 19	-
157 Muy 3924 w/ 25365				
Id Plus 2060 w/255k3 3rd Plus 1271 w/100 5k3	SERVI	ICE		
4th Plia 343' W/ 403ks	DEPTH OF JOB 39	7716		•
5th Plus 40' Josks	PUMP TRUCK CHARGE		750.00	•
153kg in Rat Itale	EXTRA FOOTAGE	@	men a	-
	MILEAGE SS Miles	@ <i>_4/,51</i> ) @	396,00	
	MANIFOED	@		
		@		•
CHARGE TO: Rithir Ry ploration Inc	\$			
STREET		TOTAL	1146,00	 <del>-</del>
CITYSTATEZIP				
	PLUG & FLOA	T EQUIPMENT	Γ	
	of State Plans	* 6	2500	-
	876 pry Hole Plug	F_@	33:00	-
To Allied Cementing Co., Inc.		@		
You are hereby requested to rent cementing equipment		@		-
and furnish cementer and helper to assist owner or		@		. '
contractor to do work as is listed. The above work was		ТОТАТ	35.00	
done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND		10111		-
CONDITIONS" listed on the reverse side.	TAX	5		
	TOTAL CHARGE			-
	DISCOUNT	IF PAID	IN 30 DAYS	}
SIGNATURE X 2011 A SIL				
SIGNATURE & STOTE A STOTE OF THE STOTE OF TH				

PRINTED NAME

## CONFIDENTIAL ORIGINAL ALLIED CEMENTING CO., INC. 19145 ORIGINAL

REMIT TO	P.O. BOX 31
	RUSSELL, KANSAS 67665

SERVICE POINT:

PRINTED NAME

TOODERS, IN INCOME.		Cial C	APR 2 U 2003
DATE 1-31-05 SECY TWP. RANGE 23 W	ALLED OUT ON LOCATION	JOB START	JOB FINISH 11:30 PMCONFIDENTIAL
FARM & RANCH WELL# #1 LOCATION H: N.	24y 12N-2W	COUNTY	STATE
OLD OR VEW Circle one) 2 W - W +			
	2 1 10		
CONTRACTOR MURCIN #3	OWNER SAME		
TYPE OF JOB SUPPLACE			
HOLE SIZE 12"4 JTD. 293	CEMENT	0-46	- O 100
CASING SIZE 85/8-28 DEPTH 293'	AMOUNT ORDERED 20	01	241
TUBING SIZE DEPTH DRILL PIPE DEPTH	1000 1005		The state of the s
TOOL DEPTH		55	00
PRES. MAX MINIMUM	COMMONZOO	_@ <u> </u>	1910
MEAS. LINE SHOE JOINT	POZMIX	-@ <del></del>	
CEMENT LEFT IN CSG. 15'	GEL 7 CHLORIDE 7	@ <del>131</del>	25300
PERFS. DISPLACEMENT 17.3	ASC	_@ <u></u> 	2000
EQUIPMENT	RECEIVED	@	
EQUITMENT	NECEIVED	@	
PUMP TRUCK CEMENTER FUZZY	APR 2 1 2005	@	- Programma and company and co
# 107 HELPER WAIT	7111/ 2 1 2003	@	
BULK TRUCK	KCC WICHITA	_ @ 	
# 218 DRIVER LATTY	2 4 CO WAS COLUMN STATE	_	W/AMALANALIA AMARANA A
BULK TRUCK		@	
# DRIVER	HANDLING 3 ()	_@	316-10
	MILEAGE 105545K		1021.00
REMARKS:		TOTAL	35,52,18
Cement 85/8 css with 200 sks			•
Com 390 cc 290501	SERVI	CE	
Displace plus to within 15' of	DEPTH OF JOB 293	/	
Stalusaris did circulate	PUMP TRUCK CHARGE		635
Plus down @ 11:15pm	EXTRA FOOTAGE	@ 50	
	MILEAGE SS	@ 4-	396-
Thanks-Fuzzy	MANIFOLD	@	
		_ @ 	•
CHARGE TO: R. I chive Explosation In			ల్లా
CHARGE TO: K. Tente Lyponation 4 D		ТОТАТ	1021
STREET		TOTAL	
CITYSTATEZIP	DT 710 0 DT 0 10		
•	PLUG & FLOAT	I EQUIPMEN	N.I.
	1. 85/8 Dluc		00
	Trans biot	@ 	33—
To Allied Computing Co. Inc.			
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment			
and furnish cementer and helper to assist owner or		@	A Made and a superior
contractor to do work as is listed. The above work was			
done to satisfaction and supervision of owner agent or		TOTAL	
contractor. I have read & understand the "TERMS AND	TA V	(CO)	
CONDITIONS" listed on the reverse side.	TAX		
	TOTAL CHARGE	)	
	DISCOUNT	IF PAI	D IN 30 DAYS
SIGNATURE Keith Van LUT	Manufacture of the second of t		