

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 33344	API No. 15 - 099-23404-0000
Name: Quest Cherokee, LLC	County: Labette
Address: P O Box 100	NE_SW_NE_Ne_Sec. 2 Twp. 31 S. R. 18 V East West
City/State/Zip: Benedict, KS 66714	800 feet from S / (circle one) Line of Section
Purchaser: Bluestem Pipeline, LLC	700 feet from E/ W (circle one) Line of Section
Operator Contact Person: Doug Lamb	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 698-2250	(circle one) (NE) SE NW SW
Contractor: Name: Well Refined Drilling Company, Inc	Lease Name: Scott, William G. Well #: 2-1
License: 33072	Field Name: Cherokee Basin CBM
Wellsite Geologist: Mark Brecheisen	Producing Formation: Not yet complete
Designate Type of Completion:	Elevation: Ground: 945' Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 1002' Plug Back Total Depth: 997'
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 21.4' Feet
•	·
Dry Other (Core, WSW, Expl., Cathodic, etc)	with the Stage Cementing Collar Used?
	2004Alternate II completion, cement circulated from 997
Operators	fact doubt to Surface
Operator: KCC WIC	HITA sx cmt.
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan WHW 6-28-07
Deepening Re-perf Conv. to Enhr./SWD	(Data must be collected from the Reserve Pit)
Plug Back Plug Back Total Depth	Chloride content ppm Fluid volume bbls
Commingled Docket No.	Dewatering method used
	Location of fluid disposal if hauled offsite:
	Operator Name:
Other (SWD or Enhr.?) Docket No.	Lease Name: License No.;
02/17/04	Quarter Sec TwpS. R East West
Spud Date or Pate Reached TD Completion Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
	Docker No.
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	or or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regula herein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements
Signature: Nouglas X Kamb	KCC Office Use ONLY
Title: Manager Date: 06/15/04	Letter of Confidentiality Received
Subscribed and sworn to before me this 15 ¹¹ / ₂ day of Okune	If Denied, Yes Date:
	Wireline Log Received
20 <u>04</u> .	Geologist Report Received
Notary Public: Genny Kotary Public Notary Public	R. HOUSTON UIC Distribution
Date Commission Expires: Duly 3, 2005 My Appt. Expires	24230 300=



Side Two



Purpose of String	formations n pressures urface test, cal well site No No No No No CASING	penetrated. [s, whether shu , along with fir	Verdig Missis	cores. Reposure reaches). Attach es Forma esh Lime go Lime gris Lime essippi Lim	d static level, hydxtra sheet if more ation (Top), Depth	rostatic pressure space is needed	s, bottom hole	
rested, time tool open and closed, flowing and shut-intemperature, fluid recovery, and flow rates if gas to sufficient to the sum of	r pressures urface test, cal well site No No No No CASING	G RECORD st-conductor, sur	Verdig Missis	sure reache s). Attach e s). Forma eah Lime ont Lime ge Lime gris Lime ssippi Lim Used mediate, produ	d static level, hydxtra sheet if more ation (Top), Depth	and Datum Top 241 275 414.5 477.5 622	Datum +704 +530.5 +323	
Gamples Sent to Geological Survey Cores Taken Electric Log Run (Submit Copy) List All E. Logs Run: Purpose of String Production Size Hole Drilled Set (II Surface 12-1/4" 8-5/8" Production 6-3/4" Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Shots Per Foot Perforate Specify Footage of Eact None Waiting on Pipeline	CASING	t-conductor, sur Weigl Lbs. / I	Name Lenap Altamo Pawne Oswe Verdi Missis New face, intern	eah Lime ont LIme ee Lime go Lime gris Lime asippi Lim	e uction, etc.	Top 241 275 414.5 477.5 622	Datum +704 +670 +530.5 +467.5	
Samples Sent to Geological Survey Cores Taken Electric Log Run (Submit Copy) List All E. Logs Run: Purpose of String Production Size Hole Drilled Set (II Surface 12-1/4" 8-5/8" Production 6-3/4" 4-1/2" Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Perforate Plug Off Zone Perforation RECORD Specify Footage of Eact None Waiting on Pipeline	CASING Casing Series	t-conductor, sur Weigl Lbs. / I	Lenap Altamo Pawne Oswe Verdi Missis New face, intern	ont LIme ee Lime go Lime gris Lime ssippi Lim Used mediate, produ	uction, etc.	241 275 414.5 477.5 622	+704 +670 +530.5 +467.5 +323	
Cores Taken Electric Log Run (Submit Copy) List All E. Logs Run: Purpose of String Size Hole Drilled Set (II Surface 12-1/4" Production Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Plug Off Zone Depth Top Bottom Type of PERFORATION RECORD Specify Footage of Eact None Waiting on Pipeline	CASING Casing Series	t-conductor, sur Weigl Lbs. / I	Altamo Pawne Oswe Verdi Missis New face, intern	ont LIme ee Lime go Lime gris Lime ssippi Lim Used mediate, produ	uction, etc.	275 414.5 477.5 622	+670 +530.5 +467.5 +323	
Electric Log Run (Submit Copy) List All E. Logs Run: Purpose of String Size Hole Drilled Set (II Surface 12-1/4" 8-5/8" Production 6-3/4" 4-1/2" Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone PerFORATION RECORD Specify Footage of Eact None Waiting on Pipeline	CASING all strings set	t-conductor, sur Weigl Lbs. / I	Pawne Oswe Verdi Missis New face, intern	ee Lime go Lime gris Lime ssippi Lim Used uediate, produ	uction, etc.	414.5 477.5 622	+530.5 +467.5 +323	
Purpose of String Size Hole Size Got (III Surface 12-1/4" 8-5/8" Production 6-3/4" 4-1/2" Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Shots Per Foot PerFORATION RECORD Specify Footage of Each	all strings set	t-conductor, sur Weigl Lbs. / I	Osweç Verdiç Missis New face, intern	go Lime gris Lime ssippi Lim Used nediate, produ	uction, etc.	477.5 622	+467.5 +323	
Purpose of String Size Hole Drilled Size (In Surface 12-1/4" 8-5/8" Production 6-3/4" 4-1/2" Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone PerFORATION RECORD Specify Footage of Eact None Report 2 Size Hole Size (In Size (In Specify Footage of Eact (In Specify	all strings set	t-conductor, sur Weigl Lbs. / I	Verdiç Missis New face, intern	gris Lime ssippi Lim	uction, etc.	622	+323	
Purpose of String Size Hole Drilled Size (In Surface 12-1/4" 8-5/8" Production 6-3/4" 4-1/2" Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Shots Per Foot PERFORATION RECORD Specify Footage of Each	all strings set	t-conductor, sur Weigl Lbs. / I	Missis New face, intern	SSIPPI LIM	uction, etc.	961		
Purpose of String Size Hole Drilled Size (In Surface 12-1/4" 8-5/8" Production 6-3/4" 4-1/2" Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Depth Top Bottom Type of Perforate Protect Casing Plug Back TD Shots Per Foot Perforate Protect Casing Plug Off Zone Perforate Protect Casing Plug Back TD Plug Off Zone None Perforation Record Specify Footage of Each None Waiting on Pipeline	all strings set	t-conductor, sur Weigl Lbs. / I	face, intern	nediate, produ				
Surface 12-1/4" 8-5/8" Production 6-3/4" 4-1/2" Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Shots Per Foot PERFORATION RECORD Specify Footage of Each	n O.D.)	***************************************	Ft.	Seming	Type of	# Sacks	Type and Perc	
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Shots Per Foot Waiting on Pipeline Production 6-3/4" 4-1/2" Depth Top Bottom Type of PERFORATION RECORD Specify Footage of Each			_	Depth	Cement	Used	Additives	
Purpose: — Perforate — Protect Casing — Plug Back TD — Plug Off Zone Shots Per Foot Waiting on Pipeline	8-5/8"		2	21.4'	"A"	4sx		
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Shots Per Foot None Depth Top Bottom PREFORATION RECORD Specify Footage of Each Waiting on Pipeline		10.5#	S	997'	"A"	126sx		
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Shots Per Foot None Depth Top Bottom Type of Perforate Perforate Perforate Perforate Perforation RECORD Specify Footage of Each Waiting on Pipeline	A 77 (77) (78)							
None Waiting on Pipeline	f Cement	#Sacks L		EZE RECOF		Percent Additives		
None Waiting on Pipeline	PERFORATION RECORD - Bridge Plugs Set/Type				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth			
	on more an	enorated			Amount and Kind of h	material Used)	Dep	
TUBING RECORD Size Set At	,							
TUBING RECORD Size Set At								
		Packer At		Liner Run	Yes N	0		
Date of First, Resumerd Production, SWD or Enhr.		ethod	Flowing	Pum	1	processes	(Explain)	
Estimated Production Oil Bbls. Per 24 Hours	Producing Me		Water		Bbls.	Gas-Oil Ratio	Gravi	
Disposition of Gas METHOD OF COMPLETION	Producing Me	Mcf			erval		The state of the s	
Vented Sold Used on Lease (If vented, Submit ACO-18.)	Gas	Mcf	F	Production Inte				



211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

ORIGINAL TICKET NUMBER 24212

LOCATION	LYANUTE

FIELD TICKET

DATE CUSTOMER ACCT # WELL NAME QTR/QTR 3-8-04 6628 W. SCOTT #Z-1	SECTION TWP RGE COUNTY FORMATION 2 215 /26 43						
CHARGE TO QUEST CHEROKEE ILC	OWNER						
MAILING ADDRESS P.O BOX 100	OPERATOR						
CITY & STATE BENEDICT, KANSAS 66714	CONTRACTOR						

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	UNIT PRICE	TOTAL AMOUNT
5401	1-WELL	PUMP CHARGE CEMENT PUMP		417750
1110	13 sks	GILSONITE		1/9,20
1107	1 sk	CELLOFLAKE / FLO-SEAL		37.75
1118	2 5KS	PREMIUM GEL/BENTONITE (AHEAD)		72 120
1111B	15 GAL	SODIUM SILICATE		1500
12.15	16AL	KCL .		22.00
		b		- Ad-
		;	A. H. A.	
1123	3780 GALS	CITYWATER (90 BBLS)		4753
~.		·		*
		S .		
		RECEI	VFD	1
		BLENDING & HANDLING		
5407	30m1	TON-MILES (MINIMUM) JUN 18	2004	1900
-		STAND BY TIME	ALUTA	: { / { ;
		STAND BY TIME KCC WI	CHHA	1
5501	5/2HR	WATER TRANSPORTS		44020
5502	5/214R	VACUUM TRUCKS		41:50
		FRAC SAND		1111
1126	17/ 3000 / 2//			
IILW	126 to 5K5	CEMENT OWC (133 SKS TOTAL)		1423.至
			SALES TAX	126.4
		(OWC; 5# GILSONITE, 1/4 FLO-SEAL)		,
n 2790				
		İ	ESTIMATED TOTAL	3593.29

CUSTOMER or AGENTS SIGNATURE	CIS FOREMAN TODD A.	11 Dela
CUSTOMER or AGENT (PLEASE PRINT)		_DATE

** CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

		<i>P P</i>	asseg many	38 松陰
TICKET NU	MBER	32	11	
LOCATION	CHA.	HUTE		
FOREMAN	75.00	AT	NDL	مثث

TREATMENT REPORT

ORIGINAL

				*			ONIO	4 4 4 4 4
DATE	CUSTOMER #	WELL NAME	FORMATION		TRUCK #	DRIVER	TRUCK #	DRIVER
3-8 64	6628	WELOTT			254	7040		
SECTION	TOWNSHIP	RANGE	COUNTY	1	206	CHEIS		
£25	218	185	LB		140	Tim		
CUSTOMER					285	TRAVIS		
QUEST /	CHEROKEE LL	Freeze						
MAILING ADDF	RESS			-1				
PO. BOX	120		1					
CITY				,				
PO. BOX CITY BENEDIC STATE	7							
		ZIP CODE]				
KANSAS		66714		_		TYPE OF T	REATMENT	
					[] SURFACE	PIPE	[] ACID BREA	KDOWN
TIME ARRIVED	ON LOCATION]	[# PRODUCT	ION CASING	[] ACID STIMI	ULATION
\cdot\square	WELL	DATA		r	[] SQUEEZE	CEMENT	[] ACID SPOT	TING
HOLE SIZE 4	5 74	PACKER DEPT	Н	,	[]PLUG & AI	BANDON	[]FRAC	
TOTAL DEPTH	1002'	PERFORATION	S		[] PLUG BAC	к	[] FRAC + NIT	ROGEN
		SHOTS/FT			[] MISP. PUN	ИP	[]	
CASING SIZE	41/2	OPEN HOLE] '	[]OTHER		[]	
CASING DEPT	H 972			,		7	and the control of the large of	
CASING WEIG	НТ	TUBING SIZE		10		PRESSURE L	IMITATIONS	4.
CASING COND	ITION	TUBING DEPTH	1		i		THEORETICAL	INSTRUCTED
	MERSON ACTOR REPORT TO STATE OF THE STATE OF	TUBING WEIGH	łT		SURFACE PIPE			
		TUBING COND			ANNULUS LONG	STRING		
TREATMENT V	ΊΑ		. dr		TUBING			
1								
INSTRUCTION	PRIOR TO JOB	ELIK CHENTE	. سيار بر بر موسيط .	The continu	K. 2 240	L MARCHA	9,5782,	PHD Kh
E 1374 .	41.150000	1 SILICATE	Elala.	57.5222	100841	Burp Pur	np Redd	
120755	1 37 710	MIHOE	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	TUAD	12.5	11/2 12 12 C	2 13.8	•
AUTHO	RIZATION TO PR	ROCEED		TITLE	count of	SH POWN	3 701-101	TÉ A SWE
	and the state of t			1		-		
TIME	OTAGE	BBL'S		LDDODDAUE				
AM / PM	STAGE	PUMPED	INJ RATE	PROPPANT PPG	SAND / STAGE	PSI		
	er jere Silvek kerin, ar sa					A COLUMN TO THE REAL PROPERTY OF THE PERTY O	BREAKDOWN F	DDECCLIDE
						and the state of t	DISPLACEMEN	
							MIX PRESSURE	
	Plantif any dropped and read arts oby Julius, any proposed and the purpose again						MIN PRESSURE	·
	ered Prince the income there are more except type, more than my manage, again			,			ISIP	- , ,
				,			15 MIN.	***************************************
	and the second s		······································			*,	MAX RATE	· · · · · · · · · · · · · · · · · · ·
	Million de Parrie de la Control de Control d			7			MIN RATE	
							Tours of the	

TERMS.

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Custome all be responsible for and second against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.