

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License #33344	API No. 15 - 099-23406-0000
Name: Quest Cherokee, LLC KEUEIVED	County: Labette
Address: P O Box 100	c _ ne - sw Sec. 10 Twp. 31 S. R. 18
City/Ctata/7in, Delleulu, NO 00/ 14	1980 feet from S/N (circle one) Line of Section
Purchaser: Bluestem Pipeline, LLC KCC WICHITA	1980 feet from E / (Circle one) Line of Section
Operator Contact Person: Doug Lamb	Footages Calculated from Nearest Outside Section Corner:
Phone: (<u>620</u>) <u>698-2250</u>	(circle one) NE SE NW (SW)
Contractor: Name: Well Refined Drilling Company, Inc.	Lease Name: Hansen, Dorothy D. Well #: 10-1
License: 33072	Field Name: Cherokee Basin CBM
Wellsite Geologist: Mark Brecheisen	Producing Formation: Not yet complete
Designate Type of Completion:	Elevation: Ground: 915' Kelly Bushing: .
✓ New Well Re-Entry Workover	Total Depth: 1002' Plug Back Total Depth: 995'
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 21.4 Feet
✓ Gas ENHR SIGW	
Dry Other (Core, WSW, Expl., Cathodic, etc)	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 995'
Operator:	feet depth to surface w/ 130 sx cmt.
Well Name:	sx cmt.
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan WHV 6 - 28-07
Deepening Re-perf Conv. to Enhr./SWD	(Data must be collected from the Reserve Pit)
Plug Back Plug Back Total Depth	Chloride content ppm Fluid volume bbls
Commingled Docket No.	Dewatering method used
- · · · · · · · · · · · · · · · · · · ·	Location of fluid disposal if hauled offsite:
	Operator Name:
Other (SWD or Enhr.?) Docket No.	Lease Name: License No.:
02/14/04 02/16/04 02/25/04 Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.: East West
	Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regula herein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements
Signature: Noughs A Lash	KCC Office Use ONLY
ritle: Manager Date: 06/10/04	Letter of Confidentiality Received
Subscribed and sworn to before me this 10th day of Quine	If Denied, Yes Date:
20 04.	Wireline Log Received
O : O II	Geologist Report Received
Notary Public: Jenny Bo Houston JENNIFER	R. HOUSTON UIC Distribution
Date Commission Expires: July 30, 2005 My Appt. Expires	- State of Kenses

Operator Name: Quest Cherokee, LLC				Leas	Lease Name: Hansen, Dorothy D. Well #: 10-1				
Sec. 10 Twp. 3		✓ East	t West	Count	ty: Labe	te			
INSTRUCTIONS: SI tested, time tool ope temperature, fluid red Electric Wireline Log	n and closed, flowin covery, and flow rate	g and shut es if gas to	t-in pressures surface test,	, whether s along with	shut-in pro	essure reached	I static level, hyd	rostatic pressure	es, bottom hole
Drill Stem Tests Take		Y	es ✓ No		√ L	og Forma	tion (Top), Depth	and Datum	Sample
Samples Sent to Ge	ological Survey	□ Y	es ✓ No		Name Lenapah Lime			Top 222	Datum +693 +660
Cores Taken		ПΥ	es ✓ No			Altamont Lime		255	
Electric Log Run		✓ Y	10000000			nee Lime		401	+514
(Submit Copy)						ego Lime		477	+438
List All E. Logs Run:					1	digris Lime		612	+303
					1	sissippi Llm	е	950	-35
		Repo		G RECORD	hear const	ew Used	action, etc.		
Purpose of String	Size Hole	Si	ze Casing	W	eight	Setting	Type of Cement	# Sacks	Type and Percent
Surface	12-1/4"	8-5/8"	et (In O.D.)	24.75	s. / Ft. #	Depth 21.4'	"A"	Used 4sx	Additives
Production	6-3/4"	4-1/2"	!	9.5#		995'	"A"	130sx	
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Туре	ADDITIONA e of Cement		TING / SQ ks Used	UEEZE RECOF		d Percent Additives	
Shots Per Foot			RD - Bridge Pl Each Interval P		e		racture, Shot, Ceme Amount and Kind of		d Depth
None	Waiting on pipe	line			REC	EIVED			
					JUN	1 4 2004			
		***************************************	; ;		KCC	WICHIT	Α		
TUBING RECORD	Size	Set At	<u> </u>	Packer	r At	Liner Run	Yes 1	No	
Date of First, Resume	rd Production, SWD or	Enhr.	Producing M	ethod	Flowin	ng Pum			ər <i>(Explain)</i>
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wai	er	Bbls.	Gas-Oil Ratio	Gravity
Disposition of Gas	METHOD OF	COMPLETI	ON			Production Int	erval		
Vented Sold	Used on Lease ubmit ACO-18.)		Open Hol		erf.	Dually Comp.	Commingled		



211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUMBER 24224

LOCATION CHANUTE

FIELD TICKET

DATE CUSTOMER ACCT # WELL NAME QTR/QTR	SECTION TWP RGE COUNTY FORMATION
25-04 WW28 HANSON 10-1	10 315 186 LB
CHARGE TO GUEST CHEROKEE LLC	OWNER
MAILING ADDRESS P.O. BOX 100	OPERATOR
GITY'S STATE BENEDICT KS 66714	CONTRACTOR

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	UNIT PRICE	TOTAL AMOUNT
5401	1-WELL	PUMP CHARGE LEMENT PUMP		505 00
3703	# 166#	DIACEL FL (LL=)		594.20
1128	1	LOMARD (LL#)		210400
1110	215Ks	GILSONITE "		40740
1111	5 9-10HS	GRANULATED SALT (250#)		6332
WILLIA		METSO (57#)		74 95
1107	25Ks	FLO-SEAL ICELEOFLAKE		7/50
1118	2 5K5	PREMIUM GEL/ BENTONITE		12360
12159	1 GAL	KCL		0000
		1		- St. 27
	**	;		
1123	5460GALS	CITY WATER (130 BBLS)		6/43
				1. 7
22		-		
		R	ECEIVED	
1,0°	-,	BLENDING & HANDLING	JN 142084	1
5407	36 mi			19000
	- 	STAND BY TIME	C WICHITA	170
	## · · · · · · · · · · · · · · · · · ·	MILEAGE		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
5501	3/2 HR	WATER TRANSPORTS		2800
5502	3/2HR	VACUUM TRUCKS		2800
	, , , , ,	FRAC SAND	1 .	53, - 12
1		.*		
1104	110 SKS	CEMENT CLASS "A" (130 SKS TOTAL)		92500
		1018	SALES TAX	16378
				100,00
2790			ESTIMATED TOTAL	39426
5°			-OTHER DED TOTAL	777

CUSTOMER or AGENTS SIGNATURE	_CIS FOREMAN	H. TINGE	
CUSTOMER or AGENT (PLEASE PRINT)		DATE	y-4-1

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUI	MBER _	32	7	6	1	
LOCATION	CHA	NUT	6			
FOREMAN_	TODL	A.	7)	W.	76	

MAX RATE MIN RATE

TREATMENT REPORT

DATE	CUSTOMER #	WELL NAME	FORMATION	<i>i</i>	TRUCK #	DRIVER	TRUCK #	DRIVER	
2 25.04		HANSON			255	HERB			
SECTION	TOWNSHIP	RANGE	COUNTY	1	103	UJES			
10	315	18E	LB		161	LACEY			
CUSTOMER				1	295	CHES			
QUEST	CHEROKEE.	LLC		:					
MAILING ADDR	ESS			1 :	,				
P.O. BOX	100			`			at the state of th		
P.O. BOX CITY BENEGIC STATE	онуу онуучуу таар айгума Алеуссой оны у эсгэр, ба өрүлөр эме у усыса автаг	***************************************		1					
BENEDIC	- Jan				The second secon	to the second se			
STATE	ed inground could be 3 to 0 this transmission (specifically account of the great be for	ZIP ÇODE		1 .					
K5		6671	4			TYPE OF T	REATMENT		
					[]SURFACE	PIPE	[] ACID BREA	KDOWN	
TIME ARRIVED	ON LOCATION			1	1 ' '	ON CASING			
And the second s	WELL			I		CEMENT			
HOLE SIZE	63/4	PACKER DEPT	Н		PLUG & AE		[]FRAC		
TOTAL DEPTH	1004	PERFORATION	S		[] PLUG BAC	K	[] FRAC + NITROGEN		
		SHOTS/FT		1	[] MISP. PUM		[]		
CASING SIZE	4/2	OPEN HOLE		1	OTHER		[]		
CASING DEPTH					Keessen January on the second				
CASING WEIGH						PRESSURE	LIMITATIONS		
CASING COND	ITION	TUBING DEPTH				And the second s	THEORETICAL	INSTRUCTED	
	оческом мен постра и высок бит чини сонеции рекессионения вод сонем рекесс	TUBING WEIGHT			SURFACE PIPE				
«Син (Унов) и под под до 1996 г. на въздания на селения под от дого до 1996 г. на под от дого дого дого дого п	and the state of t	TUBING CONDI	TION	-	ANNULUS LONG	STRING			
TREATMENT V	IA	And the transport of th		- ;	TUBING				
	Мідубін орді містор частинує інстиніство посторно до правидоння туро			· ·	And a second sec	The state of the s			
INSTRUCTION	PRIOR TO JOB	Challer ar i	· with FEE	SH HZ	2 20 8 612 V	M442 - 3	カラスードはぼうごと	Land Carry Const.	
BUCK TRU	CK Englisty.	FILISH PU	miss Agri	0 2116	Win Rules		FROT SHO	Charles Charles	
CECTERT	LEAN INCE !	2.5 Fan	10163 13 3	1	The William) - 4-	The second section is the second	No. 3	
	RIZATION TO PF		Section 1	TITLE		· · · · · · · · · · · · · · · · · · ·	DΔ	TE .	
W.				4			5,		
TIME	STAGE	BBL'S	INJ RATE	PROPPANT	SAND / STAGE	PSI			
AM / PM		PUMPED		PPG [*]					
	are the property of the second of the property of the second of the seco			1		· · · · · · · · · · · · · · · · · · ·	BREAKDOWN F		
	And the state of t						DISPLACEMEN'		
				<u> </u>			MIX PRESSURE	- - -	
	Andrews on the state of the sta			SECTIV	ED		MIN PRESSURE		
·			The state of the s	RECEIV	-006		ISIP		
				14	ZUU"t		15 MIN.		

TERMS.

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COW\$.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Custome all be responsible for and secure ows against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS'S liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.