ORIGINAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

22244

Operator: License # 33344	API No. 15 - 099-23407-0000
Name: Quest Cherokee, LLC	County: Labette
Address: P O Box 100	s/2 _ne _se _Sec. 6 _ Twp. 31 _S. R. 18 _ / East _ Wes
City/State/Zip: Benedict, KS 66714	1600 feet from S / N (circle one) Line of Section
Purchaser: Bluestem Pipeline, LLC KANSAS CORPORATION COMMISSION	700 feet from (circle one) Line of Section
Operator Contact Person: Doug Lamb	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 698-2250 JUN 2 1 2004	(circle one) NE (SE) NW SW
Contractor: Name: James D. Lorenz License: 9313	Lease Name: Lee, Roger J. Well #: 6-1 Field Name: Cherokee Basin CBM
Wellsite Geologist: Michael L. Ebers	Producing Formation: Not yet complete
Designate Type of Completion:	Elevation: Ground: 1015 Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 1114' Plug Back Total Depth: 1008'
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 25'
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No.
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFee
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 1008
Operator:	feet depth to surface w/ 112 sx cmt.
Well Name:	SX CITIL.
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan WHM 6-28-07
Deepening Re-perf Conv. to Enhr./SWD	(Data must be collected from the Reserve Pit)
Plug Back Plug Back Total Depth	Chloride content ppm Fluid volume bbls
Commingled Docket No.	Dewatering method used
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No.	Operator Name:
,	Lease Name: License No.:
02/20/04	Quarter Sec Twp S. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.: East West
	Docket No.,
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover information of side two of this form will be held confidential for a period of 12 months. One copy of all wireline logs and TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-10 geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulate nerein are complete and correct to the best of my knowledge.	the oil and gas industry have been fully complied with and the statements
Signature: Nough Kranl	KCC Office Use ONLY
Title: Manager Date: 06/18/04	Letter of Confidentiality Received
Subscribed and sworn to before me this 18th day of Okine	If Denied, Yes Date:
All districts the tills to day of the	Wireline Log Received
. 711	Geologist Report Received
lotary Public: Dennyles K. Houston	UIC Distribution
Date Commission Expires: Dulla 30, 2005 (A ISMAILER	
La demilier	R. HOUSTON

Side Two

Operator Name: Quest Cherokee, LLC				Leas	se Name	Lee, Roger	J.	Well #: 6-1		
Sec. 6 Twp.	31 S. R. 18	✓ East	West		nty: Lab			77 77		
temperature, fluid r	Show important tops ben and closed, flowing recovery, and flow rating ogs surveyed. Attach	tes if gas to su	rpressures Irface test.	s, wnetner : along with	eniit_in r	raccura ragahi	ad ototia laval tar.	and a common and a second		
Drill Stem Tests Tal		Yes	√ No		V	Log Form	ation (Top), Depti	h and Datum	Sample	
Samples Sent to G	eological Survey	☐ Yes	✓ No		Na	_{me} napah Lime		Тор	Datum	
Cores Taken		Yes	√ No			amont Lime		343 384	+672 +631	
Electric Log Run (Submit Copy)		✓ Yes	No		1	vnee Lime		536	+479	
List All E. Logs Rur	1.				Osı	wego Lime		608	+407	
					Vei	digris Lime		731	+284	
Compensate Dual Induction	d Density Neu on Log	itron Log			Mis	sissippi Lim	e	1071	-56	
		Report al		RECORD		lew Used termediate, produ	uction, etc.			
Purpose of String	Size Hole Drilled	Size C Set (In			Weight Setting Lbs. / Ft. Depth		Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	11"	8-5/8"		24.75#		25'	"A"	6sx	Additives	
Production	6-3/4"	4-1/2"		10.5#		1008'	"A"	112sx		
		Δ.	DDITIONAL	CENTENT	NO / OO					
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Type of C	1	#Sacks		UEEZE RECOP		Percent Additives		
Shots Per Foot	PERFORAT Specify	ION RECORD -	Bridge Plug	gs Set/Type		Acid, Fr	acture, Shot, Ceme	nt Squeeze Record		
none	Waiting on Pipe	Footage of Each		RECE	:IV/Ef	(7	Amount and Kind of N	Material Used)	Depth	
			ž. d	JUN 2		l .				
					1011	1 1 8 W				
TUBING RECORD	Size	Set At	-	Packer A	t	Liner Run	Yes No	.		
Date of First, Resumere	d Production, SWD or E	nhr. Pro	ducing Meth	nod	Flowing	l Dumpi	h	-	(Explain)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas I	Mcf	Wate			Gas-Oil Ratio	Gravity	
Disposition of Gas	METHOD OF C	OMPLETION				Production Inter	val			
Vented Sold (If vented, Sul	Used on Lease bmit ACO-18.)		Open Hole Other <i>(Specif</i>	Perf.	D	ually Comp.	Commingled _	The state of the s		



CUSTOMER or AGENT (PLEASE PRINT)_

211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUMBER 24223

LOCATION CHANNTE

FIELD TICKET

DATE CUSTOMER ACCT # WELL NAME QTR/QTR 2 26-64 66-28 LEE #6-1	SECTION TWP RGE COUNTY FORMATION 6 315 186 48
CHARGE TO QUEST CHEROKEE LLC *	OWNER
MAILING ADDRESS P.O. BOX 100	OPERATOR
CITY & STATE BENEDICT KS 46714	CONTRACTOR

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	UNIT PRICE	TOTAL AMOUNT
5401	1-10626	PUMP CHARGE CEMENT PUMP		525 2
3/ 23	66 =	DIACEL FL		59400
1128	66 #	LOMARD		26400
1110	22 SKS	GILSONITE :		436,80
1111	250#	SALT		6220
1111A	55 #	METSO BEADS		74/25
1107	25KS	FLO-SEAL/CELLOFLAKE		フィミク
1118	2.5KS	PREMIUM GEL /BENTURITE		2362
1215	1GAL	KCL	·	1500
				110
		y*-		· ·
		6		
1123	5040 GAL	CITY WATER (120 BBIS)		5629
	NANOTON TO THE PARTY OF THE PAR	3		
				,
			W4400	
		BLENDING & HANDLING, REC	EIVED	
5407	52mi			1900
		STAND BY TIME JUN	2 1 2004	
		MILEAGE	WICHITA	
5501	1/2 HR	WATER TRANSPORTS KCC	VVIOI	1200
5502	11/2 HR	VACUUM TRUCKS		11250
		FRAC SAND		
	,	* *		
1104	112 5KS	CEMENT CLASS "A" (136 SKS TOTAL	()	95200
			SALES TAX	65.62
		i- 1		
Ravin 2790				
ICIVIII 2790		•	ESTIMATED TOTAL	310143

CUSTOMER or AGENTS SIGNATURE	_CIS FOREMAN	TODO A. Thuse

DATE



		2			C	Q
TICKET NU	MBER.	1	Texas	ř	Sec.	<u>~</u>
LOCATION	CHAI	WINT	E			
FOREMAN	TODO	H.	7	i sul	DL	€

MIN RATE

TREATMENT REPORT

DATE	CUSTOMER #	WELL NAME	FORMATION	41	TRUCK #	DRIVER	TRUCK #	DRIVER	
2-26-64	1.6.28	LEE 4.1]	255	HERIS			
SECTION	TOWNSHIP	RANGE	COUNTY		163	WES	'		
6	315	186	48	1,	F & 5	CHRIS			
CUSTOMER	and age of granted the foliation constrained an engineering the state of the confidence of the confidence of the				140	TIM			
QUEST	<i>CHEREKEE</i> RESS	466							
MAILING ADDF	RESS			, , , , , , , , , , , , , , , , , , ,					
P.O. 50.	X 100			.					
P.O. 150.	and the second								
BENEDIC STATE	T							,	
STATE	ocean action and the complete of the complete	ZIP CODE							
KANSAS		66714				TYPE OF T	REATMENT		
					[] SURFACE	PIPE	[] ACID BREA	KDOWN	
TIME ARRIVED	ON LOCATION				[TPRODUCT	ION CASING	[] ACID STIMU	JLATION	
	WELL	DATA		1 T 18	[] SQUEEZE	CEMENT	[] ACID SPOT	TING	
HOLE SIZE	HOLE SIZE 4 1/4 PACKER DEPTH				[] PLUG & AE	BANDON	[] FRAC		
TOTAL DEPTH	1018'	PERFORATION	IS :	1 2	[]PLUG BAC	K	[] FRAC + NITROGEN		
		SHOTS/FT			[] MISP. PUMP []			1	
CASING SIZE	4/12	OPEN HOLE			[] OTHER []				
CASING DEPT	н <i>/008</i> ′								
CASING WEIG	НТ	TUBING SIZE				PRESSURE	LIMITATIONS		
CASING CONE	OITION	TUBING DEPTI	-		THEORETIC			INSTRUCTED	
	erandonista de distribución de la proposación de la proposación de la proposación de la proposación de la prop	TUBING WEIGI	НТ	_	SURFACE PIPE				
		TUBING COND	ITION		ANNULUS LONG	STRING		an parameter (see an april on the language of	
TREATMENT V	/IA			J :	TUBING				
INSTRUCTION	PRIOR TO JOB	CIRCULATE	< W/FRES	SH HELL	ON 2666 K	THEND SE	BEL PAD; CE	EME AT	
UNTIL EL	UK TRUCKS	WAPTY F	ZUSH PU	12113: 1PO	IMP PLUG	WI KCL L	WATER; SE	< T	
FLORT SHO	E: L'EMÉN	T LEADE	9 12.5	TAILE	13.4		APMINIA AMAN AMANA		
	DRÍZATION TO PE			TITLE	•			TE	
		·.	_				***	A A STATE OF THE S	
711/6		T BBUIO	T	LDDODDANT	Tarres (assessed				
TIME AM / PM	STAGE	BBL'S PUMPED	INJ RATE	PROPPANT PPG	SAND/STAGE	PSI		•	
				3			BREAKDOWN I	PRESSURE	
				,			DISPLACEMEN	т 🖟 🛴 🤲	
		RECEIVE		5			MIX PRESSURI		
				-			MIN PRESSUR	E	
	4	UN 2 1 2004	†				ISIP	7 / 13	
	K	CC WICH	ТА	1			15 MIN.		
		1	1 * * V				MAX RATE		

TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer all be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.