

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
September 1999
Form Must Be Typed
Shiloh

KCC

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 32977 / 33583	API No. 15 - 15-205-26333-00-00					
Name: Dorado Gas Resources, LLC/Admiral Bay Inc	County: Wilson					
Address: 14550 E Easter Ave., Ste. 1000	SW_NE_SE_NE_Sec. 3 Twp. 27 S. R. 27 East West					
City/Out-1/7: Centennial, CO 80112	1885 feet from S N (circle one) Line of Section					
Purchaser: Seminole Energy Operator Contact Person: Janet Johnson	400 feet from E W (circle one) Line of Section					
Operator Contact Person: Janet Johnson	Footages Calculated from Nearest Outside Section Corner:					
Operator Contact Person: Janet Johnson Phone: (303) 350-1255 Contractor: Name: McGown License: 5786	(circle one) NE SE NW (SW)					
Phone: (303) 350-1255 Contractor: Name: McGown	Lease Name: Herder Well #: 8-3					
License: 5786	Field Name: Humboldt-Chanute					
	Producing Formation: Riverton					
Designate Type of Completion:	Elevation: Ground: 992 Kelly Bushing:					
New Well Re-Entry Workover 8	Total Depth: 1237 Plug Back Total Depth:					
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented atFeet					
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used?					
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet					
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from					
Operator:	feet depth tow/sx cmt.					
Well Name:						
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) ALT II WHM 6-6-07					
Deepening Re-perf Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls					
Plug Back Plug Back Total Depth	Dewatering method used					
Commingled Docket No.						
Dual Completion Docket No	Location of fluid disposal if hauled offsite:					
Other (SWD or Enhr.?) Docket No	Operator Name:					
	Lease Name: License No.:					
02/27/06 02/28/06 03/03/06 Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West					
Recompletion Date Recompletion Date	County: Docket No.:					
Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.						
All requirements of the statutes, rules and regulations promulgated to regula herein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements					
Signature: Jan J. Johnson	KCC Office Use ONLY					
Title: Jane Johnson Date: 03/20/06	Letter of Confidentiality Received					
Subscribed and sworn to before me this A day of Makes	If Denied, Yes Date:					
FRAM. TV	Wireline Log Received					
20.06 VA 1 1 65 0TAA	Geologist Report Received					
Notary Public: Lilia M Jugar	UIC Distribution CONFIDENTIAL					
Date Commission Expires: 5-22-08	MAD 2 1 200K					
·	: A					

ORIGINAL

Operator Name: Dota	o Gas Resources	s, LLC/Admira	I Bay Inc	Lease	e Name: _	Teruer		Well #: _ 			
Sec. 3 Twp. 2	S. R. 1817				y: Wilsor						
INSTRUCTIONS: She tested, time tool open temperature, fluid reco Electric Wireline Logs	and closed, flowin	g and shut-in es if gas to sur	pressures, face test, a	whether s along with	hut-in pre	ssure reached	static level, hydr	ostatic pressu	res, bottom	n hole	
Drill Stem Tests Taken (Attach Additional Sheets)			☐ Yes 🗸 No			og Formati	on (Top), Depth	and Datum	□s	Sample	
Samples Sent to Geological Survey Cores Taken Electric Log Run (Submit Copy) List All E. Logs Run:		☐ Yes 🗸 No		Nam		1e		Тор	D	Datum	
		☐ Yes ✓ No			Mound City Shale			381			
		☐ Yes ✓ No			Pawr			624			
					Squii			750 879			
					Mineral Coal MISSISSIPPIAN			879 1135			
Compensated N Dual Induction F		у			MISS	DISSIFFIAN		1100			
		Report al		RECORD	howavani	ew Used	tion, etc.				
Purpose of String	Size Hole	Size C	asing	We	eight	Setting	Type of	# Sacks		and Percent	
Surface	12.25	8-5/8	Set (In O.D.) 8-5/8		. / Ft.	Depth 20	Class A	Used 5	Additives None		
Production	6.25	4-1/2		10.5		1237		185.5 2% gel			
Determinents of the constraints and the constraints are constraints to the constraints of the constraints			<u> </u>						<u> </u>	-	
		A	DDITIONA	L CEMENT	ING / SQ	JEEZE RECORI)			The second secon	
Purpose: Perforate Protect Casing Plug Back TD	Depth Top Bottom	Type of Cement		#Sacks Used			Type and	Percent Additive	S		
Plug Off Zone											
	PERFORAT	ION RECORD	- Bridge Ph	ins Set/Tune		Acid Fra	cture, Shot, Cemer	at Squeeze Beco	ard	***************************************	
Shots Per Foot		FORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				(Amount and Kind of Material Used) Depth					
* interest of the state of the			1			4.4.4			and the state of t		

	y may managaman na m										
TUBING RECORD	Size	Set At		Packer	At	Liner Run	Yes No)	,		
Date of First, Resumerd Waiting on pi	•	Enhr. P	roducing Me	thod	Flowin	g Pumpi	ng Gas L	ift Oth	ner (Explain)		
Estimated Production Per 24 Hours	Oil	Bbis.	Gas 20	Mcf	Wat	er , E	lbls.	Gas-Oil Ratio		Gravity	
Disposition of Gas	METHOD OF COMPLETION					Production Interval					
Vented Sold	Used on Lease		Open Hole	Per	f. 🗀 I	Dually Comp.	Commingled				
(If vented, Sub	Laurent	<u> </u>	Other (Sne		LJ *	, остр.	comminged .	TO PERSONAL PER MANAGEMENT COME MANAGEMENT COME COME COME COME COME COME COME COME		****	

L S Well Service, L.L.C.# 33374 543 22000 ROAD CHERRYVALE, KANSAS 67335-8515 620-328-4433 OFFICE

CONFIDENTIAL MAR 2 1 2006

TICKET NUMBER 2006 -LOCATION <u>LU: 150n Co</u>, KS FOREMAN JD

KCC

CEMENT TREATMENT REPORT Annual Volumn in Pipe Hole # 8-2 Linear Ft/Bl 40.5 6 3/4" 4 1/2" COUNTY SECTION TOWNSHIP RANGE 46 6 1/2" 4 1/2" 6 1/4" 2 1/2" 33.5 CUSTOMER 53.5 5 1/4" 2 1/2" 47 MAILING ADDRESS 5 1/4" 5 1/2" 2 1/2" 41 Tubing-Linear Ft./Bl. CITY 8 5/8" 15 11" ZIP CODE 80 // 2 10" 7" 24 4 1/2" 10.5 lb. 63.1 170 TIME ARRIVED ON LOCATION 2 1/2" 250 **WELL DATA** TYPE OF TREATMENT HOLE SIZE TOTAL DEPTH () SURFACE PIPE PRODUCTION CASING 185/25x OWC () SQUEEZE CEMENT 41/2 4 CASING SIZE () PLUG AND ABANDON CASING DEPTH () PLUG BACK PACKER DEPTH () MISP. PUMP WIRE LINE READING BEFOI RECEIVED () WASH DOWN KANSAS CORPORATION COMMISSION WIRE LINE READING AFTER () OTHER MAR 2 2 2006 **INSTRUCTIONS PRIOR TO JOB** CONSERVATION DIVISION WICHITA, KS **AUTHORIZATION TO PROCEED** TITLE DATE HOOKED ONTO "CASING. ESTABLISHED CIRCULATION WITH BARRELS OF WATER. MINTO CITTUN AHEAD, THEN BLENDED SACKS OF CEMENT, THEN DROPPED RUBBER PLUG, THEN PUMPED. BARRELS OF WATER. (Y LANDED PLUG ON BOTTOM AT___ () SHUT IN PRESSURE_ () LOST CIRCULATION (SIGNATURE) (X) GOOD CEMENT RETURNS () TOPPED OFF WELL WITH SACKS

(SET FLOAT SHOE - SHUT IN