

WELL LOG BUREAU - KANSAS GEOLOGICAL SOCIETY  
412 Union National Bldg., Wichita, Kansas


15-163-03822-00-20

GEO. VANCE ET AL  
Moos No. 1.

SEC. 6 T. 9 R. 17 W  
CE 1/2 SE SE

Total Depth. 3406'  
Comm. 11-5-41 Comp. 3-25-42  
Shot or Treated.  
Contractor. Crow, Drlg. Co.  
Issued. 7-25-42

County. Rocks



CASING:  
8" 92' - 125' at cir.  
5" 3391' - 125'  
4 1/2"

Elevation. Pot.  
Production. Est. 200 BO, 18% Wtr

Figures Indicate Bottom of Formations.

clay & sand	35
shale	100
shale & shells	425
sand	464
shale & sand	495
sand	585
shale & shells	685
sand & shale	760
shale & shells	826
shale	855
sand	990
shale & sand	1154
shale	1174
sand	1185
shale	1228
red rock	1280
anhydrite	1320
shale red & shells	1470
shale & shells	1655
shale & salt	1692
shale & shells	1769
shale & strks anhydrite	1839
anhydrite	1870
lime	1898
lime & shale	2066
lime	2123
shale	2138
limo	2234
shale & lime	2310
limo	2385
lime & shale	2549
shale	2591
shale & limo	2674
shale & limo strks	2737
shale & limo	2867
shale	2892
limo brkn	2912
lime	3085
lime & shale	3114
lime	3214
limo sft	3217
cored	3225
lime	3241
lime & shale	3280
lime	3346
shale & lime	3383
shale Simpson	3390
dolomite	3395
lime Arbuckle	3406
Total Depth.	

JWP 2945  
top perf. 2925

Rock to 2920  
5 rock

5/28/52

RECEIVED  
STATE CORPORATION COMMISSION  
MAY 23 1952  
CONSERVATION DIVISION  
Wichita, Kansas

PLUGGING  
FILE SEC 6 T 9 R 17 W  
BOOK PAGE 19 LINE 5