

WELL PLUGGING RECORD

OR


FORMATION PLUGGING RECORD

Strike out upper line when reporting plugging of formations.

STATE OF KANSAS STATE CORPORATION COMMISSION

Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division State Corporation Commission, 800 Bitting Building Wichita, Kansas

NORTH



Locate well correctly on above Section Plat



Sedgwick County. Sec. 19 Twp. 27 Rge. 3 (E) (W) Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines 587' NL 826' WL NE 1/4 NE NW NE Lease Owner Frank Berger Lease Name SOUKUP Well No. I. Office Address 225 S. Hillside Character of Well (Completed as Oil, Gas or Dry Hole) Oil Date, well completed 12-2-31 Application for plugging filed 4-11-39 Application for plugging approved 4-11-39 Plugging Commenced 5-4-39 Plugging Completed 6-21-39 Reason for abandonment of well or producing formation Not producing commercial quantity of Oil If a producing well is abandoned, date of last production Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well F. D. Carter Producing formation Oil sand Depth to top 3260' Bottom 3262' Total Depth of Well 3269' Feet Show depth and thickness of all water, oil and gas formations. OIL, GAS OR WATER RECORDS CASING RECORD

Table with 7 columns: Formation, Content, From, To, Size, Put In, Pulled Out. Row 1: Oil Sand, Oil, 3260', 3262', 5 3/16", 3245', 2855' 5".

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Mud from bottom to 2840', 10 sacks cement, run at 2840', Filled with mud from cement at 2840' to 160', Set wooden plug at 160' Put 10' rock on plug Run 12 sacks cement on rock and filled with mud to bottom of cellar Run 3 sacks cement on bottom of cellar & filled to surface.



(If additional description is necessary use BACK of this sheet)

Correspondence regarding this well should be addressed to Frank Berger Address 225 S. Hillside Wichita Kansas.

STATE OF _____, COUNTY OF _____, SS. _____ (employee of owner) or _____ of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Lawrence Matthews 210 N. Vine St. Eldorado Ka. (Address)

SUBSCRIBED AND SWORN TO before me this 8 day of July 1939 My commission expires 10-13-1942 Notary Public.

WELL LOG BUREAU - KANSAS GEOLOGICAL SOCIETY

UNION NATIONAL BANK BLDG WICHITA KANSAS.

Location SW NE NW NE

DEEPENING RECORD

Sec. 19 T. 27 R. 2E

587' NL 326' WL NE/4

Casing Record

County- Sedgwick.

10" Farm- Soukup No. 1
 20" 8" 2600 Company- Seigel Brothers.
 15" 65/8" 2960 Contr.-
 12" 53/16" 3245 Comm.- 9/3/30 Comp.- 12-2-31 .
 Total Depth 3269. Shot Quarts Between
 Correspondence Regarding This Well Should Be Referred to




Figures Indicate Bottom of Formations.
 Date Issued. 1-10-32.

Elevation
 Initial Production 600 bbls.

Formation	Depth	Formation	Depth
shale	35	shale	1660
shale	45	lime	1665
sand hrd	50	shale	1695
shale	60	lime	1700
lime	70	shale	1760
shale	80	lime	1765
shale & shells	135	shale	1775
lime	140	lime	1795
shale	145	shy shale	1815
lime	150	shy lime	1835
shale	175	lime	1945
lime	185	shale	1965
shale	200	lime	1970
lime, shells & shale	250	shale	1990
shale	260	lime	2000
lime	275	shale	2170
shale & shells	350	lime	2175
red rock	360	shale	2180
shale	370	lime	2235
lime	380	shale	2330
shale	470	lime	2345
lime	505	shale	2416
shale	540	lime	2421
lime	550	shale	2426
shale	560	lime	2431
lime	605	shale	2503
shale	610	lime	2607
red rock	620		
lime	625	lime	2680
shale	640	shale	2740
red rock	655	lime	2755
shale	690	shale	2775
red rock	700	lime	2785
lime	715	shale	2800
shale	725	lime	2815
lime	730	shale	2825
shale & shells	737	lime	2840
lime	745	red rock	2845
shale	835	shale	2930
lime	845	red rock	2940
shale	855	various colored	
lime	880	shale	2965
shale	970	various colored	
lime	975	shale & little chat	2975
shale	1062	chat	2978
lime	1067		
shale	1195	Oil 2975-78'	
lime 6 BW 1195'	1225	chat Hole full oil	2987
shale	1235	lime grey	3000
lime	1257	lime grey hard	3003
shale	1330	lime white	3035
lime	1335	lime wh sharp	3077
shale	1425	lime light hard	3143
lime	1475	lime light hdsft	3155
shale	1490	slate green	3176
shy lime	1525	lime light	3211
shale	1550	shale blk	3245
lime	1600	shale grey	3260
shale	1640	sand oil	3262
lime	1650	sand brown	3269 T.D.

PLUGGING
 FILE SEC-19 T-27 R-2E
 BOOK PAGE-57 LINE-32

Current



TO
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 Bitting Building
Wichita, Kansas



File 57-32
587' from No. Line
Location 826' from W. Line-NE $\frac{1}{4}$
Sec. 19 Twp. 27 Rge. 2E

I have today completed supervision of plugging of:

Well No. 1 Lease SOUKUP
Operator FRANK BERGER Address 225 So. Hillside, Wichita, Kansas
Field Eastborough County Sedgwick
Total Depth 3269 Feet.

(Describe briefly the manner in which well was plugged)
Heavy mud from 3269' to 2840'. 5" pipe set at 3245' and ripped at 2840'. 405' of cemented 5" pipe left in hole. Hole bridged at 2840' with wood plug and rock and 10 sacks of cement put on bridge with dump bailer. 6" pipe set at 2960 and ripped at 2836'. 124' of 6" pipe left in hole. Heavy mud from top of cement at approximately 2815' to 140' from top. 8" pipe set at 2600' and ripped at 2400'. 200' of 8" left in hole. Hole bridged at 140' with wood plug and rock and 12 sacks of cement put in with Dump Bailer. 15 $\frac{1}{2}$ " pipe pulled and hole filled with heavy mud from 140' to bottom of Cellar and capped with 5 sacks of cement. Cellar filled with soil.

"OIL WELL"

Expense incurred as follows:

Date	May 5, 1939	1/4	Mileage	28
Date	May 13, 1939	*Day 1/4	Mileage	34
Date	May 18, 1939	1/4	Mileage	28
Date	June 9, 1939	*Day 1/4	Mileage	40
Date	June 13, 1939	1/4	Mileage	15
Date	June 16, 1939	*Day 1/4	Mileage	24
Date	June 17, 1939	1/4	Mileage	25
Hotel, meals, etc: \$				

⑦

*Show as 1/4, 2/4, 3/4, or 4/4.

F. D. Carter
Conservation Agent
F. D. Carter

P. O. Wichita, Kansas Date June 23, 1939.

EXPENSE INCURRED AS FOLLOWS:

June 19, 1939	1/4 day	Mileage	25
June 20, 1939	1/4 day		25
June 21, 1939	1/4 day		30
June 23, 1939	1/4 day		12

PLUGGING
FILED SEC. 19 T. 27 R. 2 E
BOOK PAGE 57 LINE 32