

15-173-00876-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD
OR
FORMATION PLUGGING RECORD

12/17/36
1936


Strike out upper line when reporting plugging off formations.

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission,
800 Bittling Building
Wichita, Kansas

Sedgwick County. Sec. 19 Twp. 27 Rge. 2 (E) (W)

Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines **NE NE SE**
Lease Owner **Fisher & Lauck**
Lease Name **Trustee** Well No. **11**
Office Address **516 Fourth Nat'l Bank Bldg. Wichita**
Character of Well (Completed as Oil, Gas or Dry Hole) **abandoned**
Date, well completed **Dec. 13, 1934** 193
Application for plugging filed **Dec. 15, 1936** 193
Application for plugging approved 193
Plugging Commenced **Nov. 7, 1936** 193
Plugging Completed 193
Reason for abandonment of well or producing formation
turned to water
If a producing well is abandoned, date of last production **about Nov. 6th** 193
Was permission obtained from the Conservation Division or its agents before plugging was commenced?
yes

NORTH



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well
Producing formation **chat** Depth to top **2946** Bottom **2958** Total Depth of Well **2958** Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS


CASING RECORD

| Formation | Content | From | To | Size | Put In | Pulled Out |
|-----------|--------------|------|----|------|--------|------------|
| | log attached | | | | | |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

mud from 2958 to 2850
mud from ~~2958~~ 1830 to 1680

15 1/2" plug set at 80'
12 sax cement
1 1/2 yd sand filled to surface



(If additional description is necessary use BACK of this sheet)

Correspondence regarding this well should be addressed to **Fisher & Lauck**
Address **516 Fourth National Bank Bldg. Wichita, Kans.**

STATE OF **Kansas**, COUNTY OF **Sedgwick**, ss.
Joe Moran (employee of owner) ~~XXXXXXXXXXXX~~ of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) *Joe Moran*
516 Fourth Nat'l Bank Bldg.
(Address) **Wichita**

SUBSCRIBED AND SWORN to before me this **15** day of **December**, 19 **36**.

My commission expires **Sept. 14, 1939**.

Elizabeth Ray
Notary Public.

15-173-00871-00-00

TRUSTEE #11

Contractor: D. R. Lauck
 Owner: Fisher & Lauck
 Wichita, Kans.

76 ft. west of center
 of NE NE SE 19-27-2E.
 Sedgwick County, Kansas.

CASING RECORD.

15 1/2" set at 63'
 10" set at 1830
 8 1/4" set at 2946 cemented

Commenced Nov. 9, 1934
 Completed Dec. 13, 1934

| FORMATION | DEPTH | FORMATION | DEPTH |
|----------------|-------------------|----------------|-------|
| Clay | 35 | shale & shells | 1310 |
| blue shale | 125 35 | lime | 1415 |
| Lime | 125 | shale | 1440 |
| shale blue | 130 | lime | 1460 |
| lime | 145 | shale | 1492 |
| shale | 150 | lime | 1540 |
| lime | 155 | shale | 1584 |
| lime | 165 | lime | 1586 |
| lime | 165 | lime | 1591 |
| shale | 175 | shale | 1591 |
| lime | 185 | lime | 1629 |
| shale | 205 | lime | 1629 |
| lime | 220 | shale | 1640 |
| shale | 260 | lime | 1648 |
| broken lime | 270 | shale | 1648 |
| lime | 350 | lime | 1654 |
| shale | 360 | lime | 1663 |
| lime | 375 | lime | 1663 |
| lime | 375 | shale | 1670 |
| shale & shells | 385 | lime | 1675 |
| broken lime | 400 | shale | 1681 |
| shale | 505 | lime | 1681 |
| lime | 530 | lime | 1692 |
| shale-dark | 530 | lime | 1740 |
| lime | 540 | shale-light | 1750 |
| blue shale | 540 | lime | 1760 |
| red rock | 555 | shale | 1765 |
| lime | 602 | lime | 1770 |
| shale | 605 | lime | 1770 |
| lime | 605 | lime | 1783 |
| shale | 612 | shale | 1783 |
| lime | 612 | lime | 1786 |
| shale | 625 | lime | 1786 |
| lime | 625 | blue shale | 1792 |
| blue shale | 635 | lime | 1792 |
| red rock | 640 | lime | 1798 |
| lime | 640 | set 10"- 1830 | |
| shale | 645 | shale | 1880 |
| lime | 650 | lime | 1883 |
| shale | 705 | black shale | 1883 |
| lime | 715 | shells & shale | 1920 |
| blue shale | 715 | shale blue | 1927 |
| lime | 755 | lime | 1927 |
| shale | 768 | shale blue | 1985 |
| lime | 785 | lime | 2002 |
| shale | 790 | shale blue | 2006 |
| lime | 790 | shale -brown | 2006 |
| shale&shells | 800 | lime | 2025 |
| shale | 800 | lime | 2160 |
| lime | 820 | lime | 2160 |
| black shale | 830 | shale | 2163 |
| lime | 830 | lime | 2163 |
| shale & shells | 840 | lime | 2167 |
| shale | 845 | shale | 2167 |
| lime | 890 | lime | 2210 |
| shale & shells | 890 | lime | 2210 |
| shale | 908 | lime | 2245 |
| lime | 914 | lime | 2245 |
| shale | 926 | lime | 2250 |
| lime | 926 | lime | 2250 |
| lime | 960 | lime | 2320 |
| dark shale | 970 | lime | 2320 |
| lime | 995 | lime | 2335 |
| shale | 1000 | shale & shells | 2335 |
| lime | 1000 | K. C. Lime | 2495 |
| lime | 1050 | shale black | 2495 |
| shale | 1055 | lime | 2634 |
| lime | 1120 | lime | 2634 |
| lime | 1127 | lime | 2635 |
| shale | 1127 | lime | 2635 |
| shale & shells | 1150 | blue shale | 2665 |
| lime | 1190 | lime | 2665 |
| shale | 1195 | lime | 2670 |
| lime | 1220 | shale | 2670 |
| shale | 1220 | lime | 2676 |
| lime | 1245 | lime | 2726 |
| shale | 1245 | lime | 2726 |
| lime | 1265 | shale black | 2726 |
| shale | 1280 | lime | 2732 |
| lime | 1285 | lime | 2732 |
| shale | 1285 | lime | 2746 |
| lime | 1292 | lime | 2746 |
| shale | 1305 | shale | 2750 |
| lime | 1305 | shale | 2750 |
| | | lime | 2755 |
| | | shale | 2755 |
| | | lime | 2773 |
| | | shale | 2773 |
| | | lime | 2790 |
| | | lime | 2790 |
| | | lime | 2810 |
| | | lime | 2810 |
| | | shale black | 2823 |
| | | lime | 2823 |
| | | lime | 2833 |
| | | red rock | 2833 |
| | | lime | 2838 |
| | | lime | 2838 |
| | | lime | 2841 |
| | | lime | 2841 |
| | | blue shale | 2853 |
| | | lime | 2853 |
| | | lime | 2867 |

PLUGGING
 TIME SET 19 27 2E
 PAGE 68 LINE 30

15-173-00871-00-00

| | | |
|----------------|------|------|
| Lime | 2867 | 2875 |
| shale | 2875 | 2880 |
| lime | 2880 | 2890 |
| shale & shells | 2890 | 2907 |
| shale blue | 2907 | 2928 |
| red rock | 2928 | 2932 |
| shale | 2932 | 2939 |
| lime | 2939 | 2940 |
| shale W.C. | 2940 | 2946 |
| chat | 2946 | 2948 |
| chat | 2948 | 2950 |
| chat | TD | 2958 |

PLUGGING
FILE SEC 19 T 27 R 2 E
BOOK PAGE 68 LINE 30

PLUGGING INSPECTION REPORT

15-173-00871-00-00

Form CP-3
Rev. 6-4-68

KANSAS

STATE CORPORATION COMMISSION

CONSERVATION DIVISION AGENT'S REPORT

J. Lewis Brock
Administrator
P. O. Box 17027
Wichita, Kansas 67217

Operator's Full Name The Law Company

Complete Address 313 South Market, Wichita, Kansas 67202

Lease Name Farm - Trustee Well No. 11

Location NE NE SE Sec. 19 Twp. 27 Rge. 2E (E) (W)

County Sedgwick Total Depth _____

Abandoned Oil Well Gas Well _____ Input Well _____ SWD Well _____ D & A _____

Other well as hereafter indicated Plugging Inspection

Plugging Contractor _____

Address _____ License No. _____

Operation Completed: Hour _____ Day 6 Month 12 Year 1973

The above well was plugged as follows:

Hole opened. No conductor pipe. Dug 8' x 8' cellar to 32'.

No gas, oil or salt water leaks. Filled cellar to 26' with

cement and filled with soil to surface.

I hereby certify that the above well was plugged as herein stated.

Signed *Frank Bragg*
Well Plugging Supervisor