STATE OF KANSAS STATE CORPORATION COMMISSION

15-173-00800-00-01 Form CP-4

Give All Commation Completely Make Reveired Affidavit Mail or Deliver Report to: Conservation Division

WELL PLUGGING RECORD

State Corporation Commission 211 No. Broadway Wichita, Kansas	Sedgwi	ick	0	1/1	- 26 -	2 377777
NORTH		NE/CNW#SW#"	or footsga fr	on lines NV	NW NW	e.2 (E) XXX
Paragraph and representation of the control of the	Lease Owner.	<u>Wichita</u>	Iron &	Metals (orn In	
	Lease Name_	ROSE H	AMANT		- /	Well No. 4
	Office Address	Box 130	21, Wic	hita, Ka	nsas	Personal TV Code A TV I resumment and a comment
The state of the s	Character of V	Well (completed	as Oil, Gas	or Dry Hole) _	0i1	
	1	npleted		2-31 7 10 67		1929
		r plugging filed_		4-19-67		₁₉ 67
		r plugging appro		<u>4-19</u>	majorne, literaria, constituita de la constituita della constituit	<u> 1967</u>
	1	menced		5-18 5-26		19.67
		oleted				1967
	neason for aba	andonment of we	u or producii	ng formation	non-com	iercial
	If a producing	well is abandon	ad Jasa - f 1	7	A : 1	
	Was permissic	n obtained from	ed, date of 1	ast production.	April	fore plugging was com-
Locate well correctly on above Section Plat	menced?	Ve	S Conserver	vation Division	or its agents be	tore plugging was com-
ame of Conservation Agent who super	rvised plugging of th	ie well Pa	111 Tur	pin		
oducing formation Simpson	n :	Depth to top 31	54 Botton	m 3156	Total Depth of	F Wall 3165 F
ow depth and thickness of all water,	oil and gas formatio	ons.		Orderson produced and a second	- rotar Deptir O	wen_ <u>Jroj</u> reet
OII CAS OF WATER DECORD	-					
OIL, GAS OR WATER RECORD	3					CASING RECORD
FORMATION	CONTENT	FROM	то	SIZE	PUT IN	PULLED OUT
				$12\frac{1}{2}$	91	
				8-5/8	2846	
				7"	2439	649'
	-					
	AND THE PROPERTY OF THE PROPER		ļ			
et plug at 200', ro E cement from 190' ement from 30' to b	ck bridge, 160', mudde ase of cel	from 200 ed from 1 lar.	' to 19 60' to	0', bail 30' and	ed out o	il, ran 20 sa acks of
				- 41	1/3/63	
				0-	"12 for-	- ANN
				- WAR TON		
				Wine	MON .	
					TION DIVISION Kansas	è
	- Martine state of the state of				- William Chi	
ne of Plugging Contractor G			-			
ress Box 156, E1	lenn & Smit linwood, Ka	description is necess In Pipe Pu Insas	ary, use BACK ITTing	of this sheet)		
TE OF Kansas Wichita Iron & Meta	linwood, Ka , cou	NTY OF	Sedgw	ick	., Ss. er or operator)	of the above described
TE OF Kansas Wichita Iron & Meta	coup., COU	NTY OF(er	Sedgw:	ick wner) or (own	., ss. er or operator) o	of the above-described
TE OF Kansas Wichita Iron & Meta	coup., COU	NTY OF(er	Sedgw:	ick wner) or (own	., ss. er or operator) o s herein contain IRON & M	of the above-described ed and the log of the ETALS CORD
TE OF Kansas Wichita Iron & Meta	COUPAIS Corp., ws: That I have known the same are true and	NTY OF(er	Sedgw: nployee of o	ick wner) or (own	, ss. er or operator) of sherein contain IRON & M	of the above-described ed and the log of the ETALS CORP., I
TE OF Kansas Wichita Iron & Meta	COUPAIS Corp., ws: That I have known the same are true and	NTY OF(er	Sedgw: nployee of o	ick wner) or (own nts, and matter WICHITA	s herein contain LRON & M	ed and the log of the ETALS CORP.,I
TE OF Kansas Wichita Iron & Meta	COUPAIS Corp., ws: That I have known the same are true and	NTY OF(er	Sedgw: nployee of o	ick wner) or (own nts, and matter WICHTTA	IRON & MOX 13021,	of the above-described ed and the log of the ETALS CORP.,I Wichita, Kan
TE OF Kansas Wichita Iron & Meta	COULAIS Corp., COULAIS Corp., See That I have known the same are true and	NTY OF(en	Sedgw: mployee of o nots, statement lp me God. Ray St	ick wner) or (own nts, and matter WICHTTA	IRON & M OX 13021, Address)	ed and the log of the ETALS CORP.,I Wichita, Kan
TE OF Kansas Wichita Iron & Meta being first duly sworn on oath, say e-described well as filed and that the	COULAIS Corp., COULAIS Corp., See That I have known the same are true and	NTY OF(er	Sedgw: nployee of o	ick wner) or (own nts, and matter WICHTTA	IRON & MOX 13021,	ed and the log of the ETALS CORP.,I Wichita, Kan
ATE OF Kansas Wichita Iron & Meta I, being first duly sworn on oath, say ve-described well as filed and that the	, COULAIS Corp., ys: That I have known the same are true and () me this 9th	NTY OF(en	Sedgw: mployee of o nots, statement lp me God. Ray St	ick wner) or (own nts, and matter WICHTTA	IRON & M OX 13021, Address)	ed and the log of the ETALS CORP.,I Wichita, Kan

WELL RECORD

WELL NO.

LEASE

Rose Hamant

COMPANY Gypsy 011 Company

AUTH. K-1274

DATE—Drilling Began

11-5-29

Well Completed 12-31-29

First Production 12-18-29

SHOT-Date one

With

Quarts-From

To

/

SAND RECORD Simp

Simpson Dolomite - 3154' to 3156-1/2'.


TOTAL DEPTH - 3156-1/2'.

INITIAL PRODUCTION* S. 450.00 barrels.

CA	Θ	G	\mathbb{R}	C	OR	

Size	Wt.		1	Class	Make		Run	Sacks Cement	Pounds Cal. Chio:	Pulled		Left In
12-1/2	50		o	ЗH	Lapweld		91'	125	125	0		91'
8-1/4	: 32	I	b	SH	DBX		846	2044	250#	0		2846'
			I					<u>ಜ</u> ಾರ				
6-5/8	24	10		n &se	Seamles		2939			0	Ï	29391.
						And the second second					ı	
5-3/16	Li	16	1	set a	t 3154'.		engt	of li	ner -	2431.	I	

S— 14 T— 26S R— 2E



(*) Best Day; "F", Flowing Naturally; "L", Air-Gas Lift; "S", Swabbing; "F", Pumping.

Elevation - 1377'.

ACIDIZED: PRODUCTION:

10/24/35 with 1000 gallons of 50% acid solution Before, 16 cil, 73 water (8/11) - After, 60 cil, NR water (11/5)

REPAIR CASING LEAK: CASING: PRODUCTION: 3-2-44 to 3-30-44 AFE #3694 6-5/8" Found leak at 2248' - cemented w/141 sacks Before: "P" Water only After: "P" 21 oil 630 water 4-10-44

March 3, 1944

Set bridge on top of liner at 2911. Dumped 3 sacks cement on top of bridge above liner. Halliburton pumped test plug, found first leak at 2248. Plug stopped at 2278. Action of plug while pumping same down indicates a number of small leaks in casing from 2248 to 2278'. Attempted to cement casing leak with 250 sacks by Halliburton. After approximately 141 sacks of cement were pumped in, plug stopped at 1729' with 700# pressure; 500' cement left in casing. Bailed hole dry to top of cement at 1729'. Drilled out cement to 2278' and pushed plug to 2878'. Further testing revealed casing not leaking. Drilled out bottom hole plug to top of liner at 2911. Cleaned out and bailed to 3165' TD. Put well to pumping.

Clay .	81
Lime	185
Shale and shell	240
Lime, broken	275
Shale	345
Lime	850
Shala	1075
Bkn lime and shale	1175
Sand and shale	1295
Shale	12,50
3km lime	1575
Shale & lime shells	1590
Sandy lime	1630
Sandy shale	1785
Shale	1825
Shale and lime shells	2070
Sandy lime	2105
Lime	2150
Bkn lime	2270
Sticky shale	2310
Shale & Lime shells	2350
Shale	2450
Shale & lime shells	Z 490
Sand and lime	2520
Lime and chalk	2550
Shale	2690
Slate	2720
Lime and shale	2846
Shale and red rock	2856
Chat	2935
Chert	2980
Gray lime	3075
Gray lime	3108
Shale black	31.54
Simpson Dolomite	3156-1/2' TD.

2

Caroly in the fight

144

R

ा, अर्थ, अ<u>भिन्निक सिन्द्रक</u>

West wind stains

The Headlewille

1559

अम्बर्भा न्युक्र

Walte.

" Gallet William of geles

The specific of the second of the second

24 A KA 15 (17 (6/6) 1977.

ESTRATAL DATIONAL CONTRACTOR

THE WE THEN THE

10 (C)												
	1,34.		(C4) 1	Sandras Comment of Sandras Comments of Sandras	ريش	Securities.	(ARCY)	التنالي				
ا الله الله الله الله الله الله الله ال	in the second		income a second		Le not interest and	in the state of th	La Constituent		Shir!			
A STATE OF THE STA	n	in Second	Augn	and a state of the	Jakon Seeles	7 7 7 7		personal in a mount opening	Manufacture and			
Sich with the second confidence of the second	11		S. Same	Annual Confederation and Confe	Mark	him and and a second	Well assessed contact of billions of the second of the sec	Francisco de proposition de la constanting				
Could the Line		113	Lucies in which the	i dilining		Militaria Series () - 1414	No.	Security of the second security of the second secon	5332°			
1 300 0 2 1 1 1 1 1 1 1 1 1 1 1)	Programmed scand	Francis en	Seminarione rendered who are also as your	Parameter and a second person	Series - pr. m.g. s. ma	A CANAL STATE OF THE STATE OF		Marine			
Control of the contro	a media	production.	Programme Company	See Address .	Al Stot 3rd	ET REAL PROPERTY.	Entering the second	trained rate and a series				
1	d german sound		dad u., bur, see		Mindowson k //workley- will	Marie Constitution of the second	gramm many many as a sensity	interior de la company de la c	Egin transferring special company			
A) III	ा स्थान के त्रिक्ष के विकास के											

Spage for a spile of

TEMPO COTE OF VODENCE PARMANES

application with

TRADEL CONTROL ONLY CONTROL OF CASES CONTROL CASES CONTROL CASES CONTROL CASES CONTROL CASES CAS

TENTROLES TENTROLES (SECURIOS DE DESCRIPCIO DE DESCRIPCIO DE LA COMPRESA DEL COMPRESA DE LA COMPRESA DE LA COMPRESA DEL COMPRESA DE LA COMPRESA DEL COMPRESA DEL COMPRESA DE LA COMPRESA DEL COMPRESA DEL COMPRESA DE LA COMPRESA DE LA COMPRESA DEL COMPRESA DE

biggeretar . 1-3/141.

and denotes on more of the control o

RECEIVED
STATE CORPORATION COMMISSION

APR 20 1967

CONSERVATION DIVISION Wichita, Kansas

17 18 18 en version of the second / 11 12 314 الميا J. 14. 44, J The said CHAT. 111 15 and the state of the second wille. 1 deleg A Branch · 1/40 ्राक्ष्यः । १८५४ - स्टाइटेस् चर्मा with. - 152 140160 in man ANTHON ATT SER -7-60 1.32.11 Angles Committee 35/1451 4110) 11.70 ستورية DEVICE) "it" while Sylventering There were 44230 The first of the state of the s - (a) \$10). 23010 Present Like enterente en la servició de la establicación d 10/1- 4 - 10/ 10/2/20 3000 The state of the s 31-10 (O) Silvery. -23-47onie w ceste oślewace 1 Exelox. in the space with white The Party . In the 12. 4:120 بالمريونية The state of the s 01180 1612 Spin No. The same of the same The section of the section of the

非衛

 \Diamond

1