

STATE OF KANSAS  
STATE CORPORATION COMMISSION


Form CP-4

R

WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
212 No. Market  
Wichita, Kansas

Sedgwick County, Sec. 3 Twp. 26S Rge. 2E (E) X (W) XX  
Location as "NE/CNW/SW" or footage from lines Approx. SE SW NW  
Lease Owner Harry Riggs  
Lease Name Alva A. Feik Well No. 1-A  
Office Address Box 1000, Plainview, Texas 79072  
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole  
Date well completed 2-16 19 70  
Application for plugging filed 2-16 19 70  
Application for plugging approved 2-16 19 70  
Plugging commenced 2-16 19 70  
Plugging completed 2-16 19 70  
Reason for abandonment of well or producing formation Dry Hole



Locate well correctly on above Section Plat

If a producing well is abandoned, date of last production 19  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Ted Dewey  
Producing formation Depth to top Bottom Total Depth of Well 2928 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8 5/8"	140'	Cement ed

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Mud to 180', plug, 20 sacks cement  
Mud to 40', 1/2 sack hulls, plug, 10 sacks cement  
2 sacks cement in rat hole.

RECEIVED  
STATE CORPORATION COMMISSION  
2-25-70  
FEB 25 1970  
CONSERVATION DIVISION  
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)


Name of Plugging Contractor White & Ellis Drilling, Inc. License #209  
Address Box 448, El Dorado, Kansas

STATE OF KANSAS, COUNTY OF BUTLER, ss. Ernest Sifford contractor  
(employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Ernest Sifford  
Box 448, El Dorado, Kansas  
(Address)

Subscribed and sworn to before me this 20th day of February, 1970

My commission expires June 22, 1971  
Florence O. Johnson  
Notary Public.



CASING RECORD:

8 5/8"

140' Cemented  
w/100 sacks

Total Depth

2928'

KELLY BUSHING MEASUREMENT 5' ABOVE GROUND LEVEL.

<u>FORMATION</u>	<u>DEPTH</u>
Sand & Sandy Shale	0-60
Anhydrite	270
Lime & Shale Stks	635
Shale & Lime Stks	2015
Lime & Shale Stks	2370
Shale	2454
Lime	2869
Lime & Shale	2916
Chert	2928

TOPS

Anhydrite	60
Kansas City	2454
Mississippi Chert	2916

9

Location: Approx. SE SW NW  
 Section: 3-26S-2E  
 Sedgwick County, Kansas  
 Farm: Alva Feik 1-A  
 Well Owner: Harry Riggs  
 Contractor: WHITE & ELLIS  
 DRILLING, INC.  
 Commenced: 2-12-70  
 Completed: 2-16-70

D & A

Plugged and Abandoned

STATE OF KANSAS  
 DEPARTMENT OF REVENUE  
 DIVISION OF OIL AND GAS  
 OIL AND GAS REPORTING  
 REPORT NO. 11-11-70  
 11-11-70

STENCILED  
FEB 13 1960

RECEIVED  
STATE CORPORATION COMMISSION  
FEB 25 1970  
CONSERVATION DIVISION  
Wichita, Kansas  
WELL LOG

ORIGINAL

COMPANY: Joseph E. Nerman and  
Coeshart-Canaday Drilling Co.  
WELL NO: Well #1  
DATE: 1-16-60  
DATE: 1-23-60  
CONTRACTOR: Coeshart-Canaday Drilling Co.  
CASINGS: 118' of 8 5/8" 28W surface casing was run 100' above cement.  
2952' (95 ftc.) 2" 3-55 set 3' off bottom with 100' of the cement.

LOCATION: S2 of Sec 3-24S-22  
E. Coeshart Co., Kans.  
ELEVATION: 1377 K. D.

33 BO PD

FIGURES INDICATE BOTTOM OF FORMATION

300'	Shale and Lime	2955'	Lime - Shale
700'	Lime - Shale	2960'	Shale - Lime
715'	Shale - Shells	2970'	Lime
1221'	Shale - Lime	2980'	Lime - Shale
1301'	Lime	2947'	Misc. T. B.
1400'	Shale		

Tops Scout  
KC 2445  
BKC 2623  
Burg 2902  
Miss 2918

-1525

I, Gerald W. Coeshart, Director of Coeshart-Canaday Drilling Company do hereby certify the above well log to be correct to the best of my knowledge.

Gerald W. Coeshart

Ascribed and sworn to before me, a notary public in and for Sedgewick County, Kansas, this 27th day of January, 1960.

My Commission expires 9-15-62.

Ralph E. Arbogast  
Ralph E. Arbogast