For KCC Use: 3-1-08 Effective Date:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Evenanted Spud Date:		2007		
Expected Spud Date:	month day	year	Spot Description: 2150 ESL 2370 SE.NE NE SW Sec. 23 Twp. 10) S. R. <u>15</u> ∏E ⊠W
	9292 ′			N / X S Line of Section
OPERATOR: License# Name: SCHECK OIL OPE				E / X W Line of Section
Name: SCHECK OIL OFE Address 1: 225 MAIN			is SECTION: Regular Irregular?	<u> </u>
Address 7:			(Note: Locate well on the Section Plan	on reverse side)
City: RUSSELL	State: KS Zip: 6766	5 +	County: OSBORNE /	on reverse side,
Contact Person: TIM SCH	ECK			Well #: 8 -
hone:			Field Name: RUGGELS POOL-	
CONTRACTOR: License#	33724 ′		Is this a Prorated / Spaced Field?	Yes X No
lame: WARREN DRILLING	,uc		Target Formation(s): ARBUCKLE	
	May Class. Troop	quipment:	Nearest Lease or unit boundary line (in footage):	2150 FSL 1
Well Drilled For:			Ground Surface Elevation: 1837 1847	feet MSL
Oil ' Enh I		lud Rotary	Water well within one-quarter mile:	Yes X No
Gas Stora		ir Rotary able	Public water supply well within one mile:	Yes 🔀 No
Seismic ; #		aue	Depth to bottom of fresh water: 180	
Other:	or HolesOther		Depth to bottom of usable water: 580	
			Surface Pipe by Alternate:	A 11 -
If OWWO: old well	information as follows:		Length of Surface Pipe Planned to be set: 240 -	AIE III
Operator:			Length of Conductor Pipe (if any): NONE	
- p			Projected Total Depth: 3600 '	
	ate: Original Total D	epth:	Formation at Total Depth: ARBUCKLE	
			Water Source for Drilling Operations:	
Directional, Deviated or Ho		Yes No	Well Farm Pond Other:	<u> </u>
f Yes, true vertical depth: _			DIATO December 1	
			DWR Permit #:	
Dettom Lists Logation:		O(E .	(Note: Apply for Permit with E	
Bottom Hole Location: KCC DKT #: The undersigned hereby	affirms that the drilling, completi	AFF on and eventual plug		OWR (□) Yes (□ No
The undersigned hereby It is agreed that the follor 1. Notify the appropr 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Apmust be complete	affirms that the drilling, completing wing minimum requirements will listed district office <i>prior</i> to spudding oved notice of intent to drill <i>shall</i> bunt of surface pipe as specified isolidated materials plus a minimurable, an agreement between the object of the solidated will be notified before II COMPLETION, production pippendix "B" - Eastern Kansas surfict within 30 days of the spud dates	AFF on and eventual plug be met: ng of well; If be posted on each below shall be set to um of 20 feet into the eperator and the distrete well is either plugge to shall be cemented face casing order #1; e or the well shall be	(Note: Apply for Permit with Description of the Comply with K.S.A. 55 et. seq. of this well will comply with K.S.A. 55 et. seq. of this well will comply with K.S.A. 55 et. seq. of this well will comply with K.S.A. 55 et. seq. of this well will comply with K.S.A. 55 et. seq. of this well will comply with K.S.A. 55 et. seq. of this well will comply with K.S.A. 55 et. seq. of this well will comply with K.S.A. 55 et. seq. of this well will comply with K.S.A. 55 et. seq. of this well will comply with K.S.A. 55 et. seq. of this well will comply with K.S.A. 55 et. seq. of the well will comply with K.S.A. 55 et. seq. of this well will be will comply with K.S.A. 55 et. seq. of this well will be w	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing
The undersigned hereby It is agreed that the follow Notify the appropr A copy of the appr The minimum and through all uncons If the well is dry he The appropriate do If an ALTERNATE Or pursuant to Apmust be completed.	affirms that the drilling, completing minimum requirements will listed district office <i>prior</i> to spudding over notice of intent to drill <i>shall</i> built of surface pipe as specified isolidated materials plus a minimurable, an agreement between the object office will be notified before II COMPLETION, production pippendix "B" - Eastern Kansas surfict within 30 days of the spud date statements made herein are true	AFF on and eventual plug be met: ng of well; I be posted on each below shall be set to um of 20 feet into the perator and the distr e well is either plugge be shall be cemented ace casing order #1; or the well shall be and correct to the be	(Note: Apply for Permit with Description of this well will comply with K.S.A. 55 et. seq. of this well will be with K.S.A. 55 et. seq. of this well will be will be with K.S.A. 55 et. seq. of this well will be will be with K.S.A. 55 et. seq. of this well will be with K.S.A. 55 et. seq. of this well will be will be with K.S.A. 55 et. seq. of this well will be will be will be will	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing
The undersigned hereby It is agreed that the follor 1. Notify the appropr 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Apmust be complete	affirms that the drilling, completing wing minimum requirements will listed district office <i>prior</i> to spudding oved notice of intent to drill <i>shall</i> bunt of surface pipe as specified isolidated materials plus a minimurable, an agreement between the object of the solidated will be notified before II COMPLETION, production pippendix "B" - Eastern Kansas surfict within 30 days of the spud dates	AFF on and eventual plug be met: ng of well; I be posted on each below shall be set to um of 20 feet into the perator and the distr e well is either plugge be shall be cemented ace casing order #1; or the well shall be and correct to the be	(Note: Apply for Permit with Description of the Complex of the Com	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing.
The undersigned hereby It is agreed that the follow 1. Notify the appropr 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Appropriate to	affirms that the drilling, completing minimum requirements will listed district office <i>prior</i> to spudding over notice of intent to drill <i>shall</i> built of surface pipe as specified isolidated materials plus a minimurable, an agreement between the object office will be notified before II COMPLETION, production pippendix "B" - Eastern Kansas surfict within 30 days of the spud date statements made herein are true	AFF on and eventual plug be met: ng of well; I be posted on each below shall be set to um of 20 feet into the perator and the distr e well is either plugge be shall be cemented ace casing order #1; or the well shall be and correct to the be	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface anderlying formation. rict office on plug length and placement is necessared or production casing is cemented in; if from below any usable water to surface within 120 33,891-C, which applies to the KCC District 3 area, plugged. In all cases, NOTIFY district office prious of the model of the complex of the case of the c	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing.
The undersigned hereby it is agreed that the follow 1. Notify the appropr 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry hours of the appropriate do 1. The appropriate do 1. If an ALTERNATE Or pursuant to Appropriate to the expensive the complete of the expensive that the second is a second in the expensive that the second in the expensive that the second is a second in the expensive that the second in	affirms that the drilling, completiving minimum requirements will listed district office <i>prior</i> to spuddictoved notice of intent to drill <i>shall</i> bunt of surface pipe as specified solidated materials plus a minimuole, an agreement between the obstrict office will be notified before II COMPLETION, production pippendix "B" - Eastern Kansas surfut within 30 days of the spud date statements made herein are true	AFF on and eventual plug be met: ng of well; I be posted on each below shall be set to um of 20 feet into the perator and the distr e well is either plugge be shall be cemented ace casing order #1; or the well shall be and correct to the be	(Note: Apply for Permit with Description of the Complex of the Com	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing. ESIDENT
The undersigned hereby t is agreed that the follow 1. Notify the appropr 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry hours of the appropriate d 6. If an ALTERNATE Or pursuant to Appropriate to the eneby certify that the second 11/15/07 For KCC Use ONLY API # 15 - 14/1 - 2	affirms that the drilling, completiving minimum requirements will listed district office <i>prior</i> to spuddictive of notice of intent to drill <i>shall</i> bunt of surface pipe as specified solidated materials plus a minimulate, an agreement between the object office will be notified before II COMPLETION, production pipendix "B" - Eastern Kansas surful within 30 days of the spud date statements made herein are true Signature of Operator or A	AFF on and eventual plug be met: ing of well; if be posted on each below shall be set to im of 20 feet into the perator and the distre e well is either pluggive shall be cemented face casing order #1; e or the well shall be and correct to the be	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface anderlying formation. rict office on plug length and placement is necessared or production casing is cemented in; if from below any usable water to surface within 120 33,891-C, which applies to the KCC District 3 area, plugged. In all cases, NOTIFY district office prious of my knowledge and belief. Title: PRE **Title: PRE *	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing. SIDENT to Drill; spud date;
The undersigned hereby t is agreed that the follow 1. Notify the appropr 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Apmust be complete thereby certify that the state of the complete of t	affirms that the drilling, completiving minimum requirements will listed district office <i>prior</i> to spudding over notice of intent to drill <i>shall</i> out of surface pipe as specified solidated materials plus a minimulate, an agreement between the obstrict office will be notified before II COMPLETION, production pippendix "B" - Eastern Kansas surful district office will be not five statements made herein are true. Signature of Operator or ADDINETION.	AFF on and eventual plug be met: ng of well; If be posted on each below shall be set to im of 20 feet into the perator and the distre e well is either pluggree shall be cemented face casing order #1: e or the well shall be and correct to the be Agent:	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessared or production casing is cemented in; d from below any usable water to surface within 120 asses, NOTIFY district office prio est of my knowledge and belief. Title: PRE Remember to: File Drill Pit Application (form CDP-1) with Inten File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field print Notify appropriate district office 48 hours prior to	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing r to any cementing. ESIDENT to Dritl; spud date; oration orders; workover or re-entry;
The undersigned hereby It is agreed that the follow 1. Notify the appropr 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Appropriate description of the expension of the expensio	affirms that the drilling, completiving minimum requirements will listed district office <i>prior</i> to spuddictoved notice of intent to drill <i>shall</i> bunt of surface pipe as specified solidated materials plus a minimulate, an agreement between the object of its completion of the statement of the spuddate	AFF on and eventual plug be met: ing of well; if be posted on each below shall be set to im of 20 feet into the perator and the distre e well is either pluggive shall be cemented face casing order #1; e or the well shall be and correct to the be	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessared or production casing is cemented in; drom below any usable water to surface within 120 asses, NOTIFY district office priores of my knowledge and belief. Title: PRE Remember to: File Drill Pit Application (form CDP-1) with Intensity Epile Completion Form ACO-1 within 120 days of File acreage attribution plat according to field print Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing to any cementing. ESIDENT to Dritl; spud date; oration orders; workover or re-entry; completed (within 60 days);
The undersigned hereby t is agreed that the follow 1. Notify the appropr 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Appropriate to the complete hereby certify that the second certification certifica	affirms that the drilling, completiving minimum requirements will listed district office <i>prior</i> to spudding over notice of intent to drill <i>shall</i> out of surface pipe as specified solidated materials plus a minimulate, an agreement between the obstrict office will be notified before II COMPLETION, production pippendix "B" - Eastern Kansas surful district office will be not five statements made herein are true. Signature of Operator or ADDINETION.	AFF on and eventual plug be met: ng of well; If be posted on each below shall be set to im of 20 feet into the perator and the distre e well is either pluggree shall be cemented face casing order #1: e or the well shall be and correct to the be Agent:	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface and underlying formation. rict office on plug length and placement is necessared or production casing is cemented in; drom below any usable water to surface within 120 days of the surface of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intenental Pie Completion Form ACO-1 within 120 days of the File acreage attribution plat according to field property in the submit plugging report (CP-4) after plugging is contain written approval before disposing or injection.	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing r to any cementing. ESIDENT to Dritl; spud date; oration orders; workover or re-entry; completed (within 60 days); sting salt water.
The undersigned hereby It is agreed that the follow 1. Notify the appropriate Appropriate of the follow 1. Notify the appropriate of the appropria	affirms that the drilling, completi wing minimum requirements will listed district office <i>prlor</i> to spuddictoved notice of intent to drill <i>shall</i> point of surface pipe as specified solidated materials plus a minimuole, an agreement between the object of istrict office will be notified before III COMPLETION, production pipe pendix "B" - Eastern Kansas surfict within 30 days of the spud date statements made herein are true. Signature of Operator or ADDIC 10 pp. 10 p	AFF on and eventual plug be met: Ing of well; If be posted on each below shall be set to um of 20 feet into the perator and the distrementation of 20 feet into the perator and the distrement of the shall be comented and correct to the beand correct to the beand correct. Agent: Agent: I I I I	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessared or production casing is cemented in; drom below any usable water to surface within 120 asses, NOTIFY district office priores of my knowledge and belief. Title: PRE Remember to: File Drill Pit Application (form CDP-1) with Intensity Epile Completion Form ACO-1 within 120 days of File acreage attribution plat according to field print Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing r to any cementing. ESIDENT to Dritt; spud date; oration orders; workover or re-entry; completed (within 60 days); sting salt water. ation date) please
The undersigned hereby t is agreed that the follow 1. Notify the appropriate Appropriate of the follow 1. Notify the appropriate of the interest of the intere	affirms that the drilling, completing wing minimum requirements will listed district office <i>prior</i> to spudding oved notice of intent to drill <i>shall</i> bount of surface pipe as specified listrict office will be notified before the object of the spudding of the spudding production pipe pendix "B" - Eastern Kansas surfact within 30 days of the spuddate statements made herein are true. Signature of Operator or ANNE ferequired 700 ferequired	AFF on and eventual plug be met: Ing of well; If be posted on each below shall be set to um of 20 feet into the perator and the distrementation of 20 feet into the perator and the distrement of the shall be comented and correct to the beand correct to the beand correct. Agent: Agent: I I I I	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessared or production casing is cemented in; drom below any usable water to surface within 120 days of the completion form ACO-1 within 120 days of File acreage attribution plat according to field probability appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is a Obtain written approval before disposing or inject the kind of the property of the completion form ACO-1 within 120 days of the completion for	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing r to any cementing. ESIDENT to Drill; spud date; oration orders; ownkover or re-entry; completed (within 60 days); sting salt water. ation date) please ellow.
The undersigned hereby It is agreed that the follow 1. Notify the appropriate Appropriate of the follow 1. Notify the appropriate of the appropria	affirms that the drilling, completing wing minimum requirements will light district office <i>prlor</i> to spudding to vote of intent to drill <i>shall</i> to the surface pipe as specified to solidated materials plus a minimurable, an agreement between the object of istrict office will be notified before III COMPLETION, production pipe pendix "B" - Eastern Kansas surfact within 30 days of the spud date statements made herein are true. Signature of Operator or ADDINE 16 required 200 feres: 2-2508 for drilling not started within 12 months	AFF on and eventual plug be met: Ing of well; If be posted on each below shall be set to um of 20 feet into the perator and the distrementation of 20 feet into the perator and the distrement of the shall be comented and correct to the beand correct to the beand correct. Agent: Agent: I I I I	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface and ending formation. into office on plug length and placement is necessared or production casing is cemented in; from below any usable water to surface within 120 33,891-C, which applies to the KCC District 3 area, plugged. In all cases, NOTIFY district office priousest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intenember to: File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field proportion in the completion of the comp	pipe shall be set y prior to plugging; DAYS of spud date. alternate II cementing r to any cementing. ESIDENT to Drill; spud date; oration orders; ownkover or re-entry; completed (within 60 days); sting salt water. ation date) please ellow.

NOV 1 9 2007

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 141-20385-0000	
Operator: SCHECK OIL OPERATION	Location of Well: County: OSBORNE
Lease: RUGGELS A	2,150 feet from N / X S Line of Section
Well Number: 8	2,370 feet from E / W Line of Section
Field: RUGGELS POOL	Sec. 23 Twp. 10 S. R. 15 E X W
Number of Acres attributable to well: 10 QTR/QTR/QTR/QTR of acreage: NE sw	Is Section: Regular or Irregular
	If Section is tregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- RECEIVED
 ORPORATION COMMISSION 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil) CG-8 for gas wells).

NOV 1 9 2007

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: SCHECK OIL OPERATION			License Number: 9292		
Operator Address: 225 MAIN		RUSSELL KS 67665			
Contact Person: TIM SCHECK		Phone Number: 785-483-1292			
Lease Name & Well No.: RUGGELS A	A 8	Pit Location (QQQQ):			
Type of Pit: Emergency Pit	Pit is: Proposed If Existing, date of the capacity: 5,000 Area? Yes Artificial Liner? Yes Length (feed) om ground level to decome	(bbls) No No Pet) 100 Peepest point:	NE SW Sec. 23 Twp. 10 R. 15 East West 2,150 Feet from North / South Line of Section 2,370 Feet from East / West Line of Section OSBORNE County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? BENTONITE DRILLING MUD Width (feet) N/A: Steel Pits 5 (feet) No Pit		
Distance to nearest water well within one-mile 3596 feet Depth of water well Emergency, Settling and Burn Pits ONLY:	31_feet	Source of informeasu	over and Haul-Off Pits ONLY:		
Producing Formation: Number of producing wells on lease:	, , , , , , , , , , , , , , , , , , , ,		Type of material utilized in drilling/workover: BENTONITE,CHEMICAL MUD Number of working pits to be utilized: 3		
Barrels of fluid produced daily:			Abandonment procedure: PIT TO DRY; BACK FILL		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date. RECEIVED			
I hereby certify that the above state	ments are true and o	correct to the besi			
		Timots	NOV 1 9 2007 Solution of Applicant or Agent NOV 1 9 2007 CONSERVATION DIVISION WICHTA KS		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 11/19/07 Permit Num	ber:	Perm	it Date: 11/19/07 Lease Inspection: Yes \No		