RECEIVED KANSAS CORPORATION COMMISSION

For KCC Use:	2 2 20
Effective Date:	3-2-08
District #	<u>3</u>
SCA2 TVon	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

FEB 2 6 2008

Form C-1 October 2007 Form must be Typed

Form must be Signed

Exposted Soud Date: March 3, 2008	Cont Description.			
Expected Spud Date: Maich 3, 2006 month day year	Spot Description:			
33344 🗸	SENESec30 Twp29 S. R20 \(\infty \)E \(\sup \)W			
OPERATOR: License#	1,980 feet from X N / S Line of Section feet from X E / W Line of Section			
Name: Quest Cherokee, LLC	ts SECTION: Regular Irregular?			
Address 1: 210 W. Park Ave., Suite 2750	Is SECTION: Megular Inregular?			
Address 2:	(Note: Locate well on the Section Plat on reverse side)			
Contact Person: Richard Marlin	County: Neosho			
Phone: 405-702-7480	Lease Name: Grosdidier, Gregory N. Well #: 30-1			
	Field Name: Cherokee Basin CBM			
CONTRACTOR: License# 33837 or another Licensed by KCC	Is this a Prorated / Spaced Field?			
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals			
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 660			
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 909 feet MSL			
Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:			
Disposal Wildcat Cable	Public water supply well within one mile:			
Seismic ;# of Holes Other	Depth to bottom of fresh water: 100			
X Other: Coalbed Methane	Depth to bottom of usable water:			
	Surface Pipe by Alternate: I I II			
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25			
Operator:	Length of Conductor Pipe (if any):			
Well Name:	Projected Total Depth: 1500			
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals			
/	Water Source for Drilling Operations:			
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Air			
If Yes, true vertical depth:	DWR Permit #:			
Bottom Hole Location:	(Note: Apply for Permit with DWR			
KCC DKT #:	Will Cores be taken?			
	If Yes, proposed zone:			
A EI	TID AVIT			
The undersigned hereby affirms that the drilling, completion and eventual plu	FIDAVIT laging of this well will comply with K.S.A. 55 et. seg.			
It is agreed that the following minimum requirements will be met:	353			
at is agreed that the londwing minimum requirements will be thet.				
Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the appropriate district of intent to drill a half he posted on each	a drilling rige			
2. A copy of the approved notice of intent to drill shall be posted on each				
• • • • • • • • • • • • • • • • • • • •	by circulating cement to the top; in all cases surface pipe shall be set			
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dis 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging ;			
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugger 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in;			
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date.			
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" 	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; yed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing			
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.			
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.			
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements are true and correct to the beautiful and the statements are true and correct to the beautiful and the statements are true and correct to the beautiful and the statements are true and correct to the beautiful and the statements are true and correct to the beautiful and the statement and the statement are true and the statement are true and correct to the beautiful and the statement are true and the statement are true and the statement are true and the statement are t	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.			
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be 	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; jud or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. west of my knowledge and belief. Title: Vice President			
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the distinct of the appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the boate: February 25, 2008 Signature of Operator or Agent:	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice President Remember to:			
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the distinct of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the base. February 25, 2008 Signature of Operator or Agent: For KCC Use ONLY	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;			
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bate. February 25, 2008 Signature of Operator or Agent: API # 15 - 133 - 27426-0000 	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. lest of my knowledge and belief. Vice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:			
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the but be completed. February 25, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27426-0000 Conductor pipe required Feet	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;			
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the distance of 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bate: February 25, 2008	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; sed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice President Vice President			
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the distance of 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bate. February 25, 2008	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;			
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the distance of the surface will be notified before well is either plugs of the appropriate district office will be notified before well is either plugs of the appropriate district office will be notified before well is either plugs of the appropriate district office will be notified before well is either plugs of the appropriate of the surface casing order from the surface casing order from the surface of the	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Peter of my knowledge and belief. Wice President Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please			
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the distance of the specified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the base of the spud state of the spud	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Vice President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please			
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the distance of the surface will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bate. February 25, 2008	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Peter of my knowledge and belief. Wice President Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please			

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

FEB 2 6 2008


CONSERVATION DIVISION
If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 13 3-27426-0000	
Operator: Quest Cherokee, LLC	Location of Well: County: Neosho
Lease: Grosdidier, Gregory N.	1,980 feet from N / S Line of Section
Well Number: 30-1	660 feet from E E / W Line of Section
Field: Cherokee Basin CBM	Sec. 30 Twp. 29 S. R. 20 🔀 E 🔲 W
Number of Acres attributable to well: SE _ NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show lootage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

APPLICATION FOR SURFACE PIT

FEB 2 6 2008

		omit in Duplicat		CONSERVATION DIVISION	
Operator Name: Quest Cherokee, LLC	>		License Number: 33344 HITA, KS		
Operator Address: 210 W. Park Ave., Suite 2750 Oklahoma City OK 73102					
Contact Person: Richard Marlin			Phone Number:	405-702-7480	
Lease Name & Well No.: Grosdidier, Gregory N. 30-1			Pit Location (QQ	QQ):	
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing		Sec. 30 Twp. 29 R. 20 East West		
Settling Pit Drilling Pit	If Existing, date of	If Existing, date constructed:		et from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:	Dit canacity:		et from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	300	• •		County	
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentra	ation:mg/l	
		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?			
Is the bottom below ground level? Yes No	Artificial Liner?	No	Air Drilling Well	'	
Pit dimensions (all but working pits):	30 Length (fe	10	Width (feet)	N/A: Steel Pits	
	rom ground level to de		10		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Well is being air drilled.		Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Well is being air drilled with operations lasting approx. 3 days			
			Depth to shallowest fresh waterfeet.		
NA feet Depth of water wellfeet		measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY: Drill		Drilling, Work	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Air Drilled			
Number of producing wells on lease: N		Number of working pits to be utilized:1			
Barrels of fluid produced daily: Abandonm		Abandonment	pandonment procedure: Air Dry, Back fill and cover.		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
February 25, 2008 Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 2/26/c8 Permit Num	nber:	Perm	it Date: 2/26	<u>∕o</u> 8 Lease Inspection: Yes ≺No	