# For KCC Use: Effective Date:

### KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commencing well

	Spot Description:
OPERATOR: License# 33365  OPERATOR: License#	SW _ SE _ Sec 16 _ Twp 32 _ S R 13 _ \ \overline{\text{E}} \overline{\text{E}} \overline{\text{W}} \\
Name: Layne Energy Operating, LLC	Is SECTION: Regular Irregular?
Address 1: 1900 Shawnee Mission Parkway Address 2:	is SECTION: Megular I irregular?
City: Mission Woods State: KS Zip: 66205 + 2001	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Timothy H. Wright	County: Chautauqua
Phone: 913-748-3960	Lease Name: Gwatney Well #: 15-16 Field Name: Cherokee Basin Coal
CONTRACTOR: License# 33606	
Name: Thornton Air	Is this a Prorated / Spaced Field?
Name,	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 617'
Oil Denh Rec Infield Mud Rotary	Ground Surface Elevation: 923 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:  Yes X No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150'  Depth to bottom of usable water: 225'
Other:	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:  None
	Length of Conductor Pipe (if any): None
Operator:	Projected Total Depth: 1650'
Well Name:	Formation at Total Depth: Mississippian
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?
	If Ves, proposed zone:
	HECEN /
	NANSAR COMPANIES
AFF	DAVIT COMMISSION
	DAVIT COMPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 6 2008
The undersigned hereby affirms that the drilling, completion and eventual plug	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 6 2008  CONSERVATION DIVIDION.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 6 2008  CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	ging of this well will comply with K.S.A. 55 et. seq. FEB 2 6 2008  CONSERVATION DIVISION WICHTA, KS or circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	ging of this well will comply with K.S.A. 55 et. seq. FEB 2 6 2008  CONSERVATION DIVISION WICHTA, K8  or circulating cement to the top; in all cases surface pipe shall be set underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.	ging of this well will comply with K.S.A. 55 et. seq. FEB 2 6 2008  CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	pavit ging of this well will comply with K.S.A. 55 et. seq. FEB 2 6 2008  CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distripation of the appropriate district office will be notified before well is either plugges.  5. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	pavit ging of this well will comply with K.S.A. 55 et. seq.  FEB 2 6 2008  CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation. In office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	pavit ging of this well will comply with K.S.A. 55 et. seq.  FEB 2 6 2008  CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation. In office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distripation of the appropriate district office will be notified before well is either plugges.  5. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	paying of this well will comply with K.S.A. 55 et. seq. FEB 2 6 2008  CONSERVATION DIVISION WICHITA, KS  or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  or office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements.	ging of this well will comply with K.S.A. 55 et. seq. FEB 2 6 2008  CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved in the approved in the standard plug as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the standard in the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented.	paying of this well will comply with K.S.A. 55 et. seq. FEB 2 6 2008  CONSERVATION DIVISION WICHITA, KS  or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  or office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second and amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the second and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. It hereby certify that the statements made herein are true and correct to the best poate:  2/25/88  Signature of Operator or Agent:	pavit ging of this well will comply with K.S.A. 55 et. seq.  FEB 2 6 2008  CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Agent  Title:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved and the state of the approved notice of the spud and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.  I hereby certify that the statements made herein are true and correct to the best part of the completed within approach of the spud date.  Signature of Operator or Agent.	pavit ging of this well will comply with K.S.A. 55 et. seq.  FEB 2 6 2008  CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office with a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the best of the complete of the statements of the operator of Agent:  2/25/o's  Signature of Operator or Agent:	ging of this well will comply with K.S.A. 55 et. seq.  FEB 2 6 2008  CONSERVATION DIVISION WICHITA, K8 or circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Agent  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of soud date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.  I hereby certify that the statements made herein are true and correct to the best page of the spud state.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 019 - 20885-0000	ging of this well will comply with K.S.A. 55 et. seq. FEB 2 6 2008  CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. It hereby certify that the statements made herein are true and correct to the best of the statements. Signature of Operator or Agent:    For KCC Use ONLY	ging of this well will comply with K.S.A. 55 et. seq. FEB 2 6 2008  CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.  I hereby certify that the statements made herein are true and correct to the best Date:  2/25/68  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 019 - 26885 - 0000  Conductor pipe required	ging of this well will comply with K.S.A. 55 et. seq. FEB 2 6 2008  CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Agent  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved and unconsolidated materials plus a minimum of 20 feet into the appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the well shall be provided and the statements made herein are true and correct to the best approved by:    Signature of Operator or Agent:   Image: Provided Approved by:   Approved	ging of this well will comply with K.S.A. 55 et. seq. FEB 2 6 2008  CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Agent  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approva! before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved and the approved intent of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed and the statements made herein are true and correct to the best part of the approved by:    Signature of Operator or Agent:	ging of this well will comply with K.S.A. 55 et. seq. FEB 2 6 2008  CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Agent  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved and unconsolidated materials plus a minimum of 20 feet into the appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the well shall be provided and the statements made herein are true and correct to the best approved by:    Signature of Operator or Agent:   Image: Provided Approved by:   Approved	ging of this well will comply with K.S.A. 55 et. seq. FEB 2 6 2008  CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation. Set office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief.  Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved and the approved intent of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed and the statements made herein are true and correct to the best part of the approved by:    Signature of Operator or Agent:	printing comply with K.S.A. 55 et. seq. FEB 2 6 2008  CONSERVATION DIVISION WICHITA, KS or circulating cement to the top; in all cases surface pipe shall be set underlying formation.  It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - <u>019-26885-000</u>	
Operator: Layne Energy Operating, LLC	Location of Well: County: Chautauqua
Lease: Gwatney	684 feet from N / X S Line of Section
Well Number: 15-16	1,953 feet from X E / W Line of Section
Field: Cherokee Basin Coal	Sec. <u>16 Twp. 32 S. R. 13</u> E W
Number of Acres attributable to well: SW _ SE	Is Section: 🔀 Regular or 🔲 Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

	:	:	;	1		:	:
ŀ	:	:	:			:	:
	:	:	:			:	:
†	:	:	:	;	:	:	:
				l			
	•					-	
	:	:	:	;	:	:	:
	:	:	:			•	:
	:	:	:	]		:	:
	******						
	:	•	:			•	:
	:	:	:			:	
1	:		:		:		:
	:	:	:		;	:	:
	*******		********	• • • • • • • • • • • • • • • • • • • •	*******		
1		:			•	;	
1	:	:	:	:	:	:	: .
1	:	:	:	1		;	:
i	:	:	:			:	:
ļ		;	•			•	•
	· :	:	:			:	;
						<u>.</u>	•
					1	:	:
						*	
• • • • • • • • • • • • • • • • • • • •					*******		
••••					••••		
••••	*******				******		
•••••					******		
•••••					••••		
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			1953	
					0-	1953	
					o	1953	
					Ţ	1953	
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Ţ	1953	
					Ţ	1953	
				<b>6</b> 84'	Ţ	1953	,

RECEIVED KANSAS CORPORATION COMMISSION

FEB 2 6 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached; (C0-7 for oil wells: CG-8 for gas wells).

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC			License Number: 33365			
Operator Address: 1900 Shawnee Mission Parkway			Mission Woods KS 66205			
Contact Person: Timothy H. Wright			Phone Number: 913-748-3960			
Lease Name & Well No.: Gwatney 15-16			Pit Location (QQQQ):			
Type of Pit:	Pit is:		SWSE			
Emergency Pit Burn Pit	Proposed Existing		Sec. 16 Twp. 32 R. 13 East West			
Settling Pit X Drilling Pit	If Existing, date constructed:					
☐ Workover Pit ☐ Haul-Off Pit			1,953 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Chautauqua County			
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration: mg/l			
is the photoated in a constitue croand video	/Gar [	7	(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	Na	How is the pit lined if a plastic liner is not used?			
Yes No	Yes X		self-sealing			
Pit dimensions (all but working pits):	Length (fe	eet)20	Width (feet) N/A: Steel Pits			
Depth fr	om ground level to de		3 (feet) No Pit			
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, in	edures for periodic maintenance and determining RECEIVED notation any special monitorial association COMMISSION			
			MOSCON			
			FFR 2.6.2000			
			FEB 2 6 2008			
			FEB 2 6 2008  CONSERVATION DIVISION WICHITA, KS			
Distance to nearest water well within one-mile	e of pit	Depth to shallo	CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet.			
Distance to nearest water well within one-mile	•		CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet. rmation:			
2000	•	Source of informeasu	CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet. rmation:			
nonefeet Depth of water well	•	Source of informeasu	CONSERVATION DIVISION WICHITA, KS  west fresh waterfeet. rmation: uredwell ownerelectric logKDWR			
none feet Depth of water well  Emergency, Settling and Burn Pits ONLY:	feet	Source of information measurements  Drilling, Work  Type of material	CONSERVATION DIVISION WICHITA, KS  Invest fresh water			
none feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:	feet	Source of information measurements  Drilling, Work  Type of material  Number of work	CONSERVATION DIVISION WICHITA, KS  Invest fresh water			
none feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:	feet	Drilling, Work  Type of materia  Number of wor  Abandonment	conservation division Wichita, ks  west fresh waterfeet. mation: uredwell ownerelectric logKDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: fresh water mud  rking pits to be utilized:2			
none feet Depth of water well	spilled fluids to	Source of information measurement.  Drilling, Work Type of material Number of work Abandonment Drill pits must	conservation division Wichita, ks  west fresh waterfeet. Intedwell ownerelectric logKDWR  over and Haul-Off Pits ONLY:  all utilized in drilling/workover: fresh water mud  rking pits to be utilized:2  procedure: Let evaporate until dry, then backfill and restore  be closed within 365 days of spud date.			
none feet Depth of water well	spilled fluids to	Source of information measurement.  Drilling, Work Type of material Number of work Abandonment Drill pits must	conservation division Wichita, ks  west fresh waterfeet. Intedwell ownerelectric logKDWR  over and Haul-Off Pits ONLY:  all utilized in drilling/workover: fresh water mud  rking pits to be utilized:2  procedure: Let evaporate until dry, then backfill and restore  be closed within 365 days of spud date.			
none feet Depth of water well	spilled fluids to	Source of information measurement.  Drilling, Work Type of material Number of work Abandonment Drill pits must	conservation division Wichita, ks  west fresh waterfeet. Intedwell ownerelectric logKDWR  over and Haul-Off Pits ONLY:  all utilized in drilling/workover: fresh water mud  rking pits to be utilized:2  procedure: Let evaporate until dry, then backfill and restore  be closed within 365 days of spud date.			
none feet Depth of water well	spilled fluids to	Source of informeasure measure of measure of measure of material Number of work Abandonment Drill pits must correct to the bes	conservation division Wichita, ks  west fresh waterfeet. Intedwell ownerelectric logKDWR  over and Haul-Off Pits ONLY:  all utilized in drilling/workover: fresh water mud  rking pits to be utilized:2  procedure: Let evaporate until dry, then backfill and restore  be closed within 365 days of spud date.			
none feet Depth of water well	spilled fluids to	Source of informeasure measure of measure of measure of material Number of work Abandonment Drill pits must correct to the bes	west fresh waterfeet.  west fresh waterfeet.  mation:  uredwell ownerelectric logKDWR  over and Haul-Off Pits ONLY:  all utilized in drilling/workover: fresh water mud  rking pits to be utilized:2  procedure: Let evaporate until dry, then backfill and restore  be closed within 365 days of spud date.  It of my knowledge and belief.			