For KCC Use: Effective Date: District # SCA2 | Vec | VINe

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

month day year	Spot Description:
	(0/0/0/0) - NE - NW Sec. 15 Twp. 32 S. R. 13 XE W
OPERATOR: License#	feet from X N / S Line of Section
Name: Layne Energy Operating, LLC	2,088 feet from E / W Line of Section
Address 1: 1900 Shawnee Mission Parkway	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Mission Woods State: KS Zip: 66205 + 2001	County: Chautauqua
Contact Person: Timothy H. Wright	Lease Name: Preciado Well #: 3-15
Phone: 913-748-3960	Field Name: Cherokee Basin Coal
CONTRACTOR: License#_33606	le this a Branched / Second Fields
Name: Thornton Air	Target Formation(s): Cherokee Coals
Mali Daille J. Communication of the Communication o	Nearest Lease or unit boundary line (in footage): 660'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 836 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mite:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 150'
Seismic; # of Holes Other Other:	Depth to bottom of usable water: 225'
Oue,	Currence Ding by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: None
	Length of Conductor Pipe (if any): None
Operator:	Projected Total Depth: 1650'
Well Name: Original Total Depth:	Formation at Total Depth: Mississippian
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFFIL	RECEIVED NAVIT KANSAS CORPORATION COMMISSION
	KANSAS CORPORATION
The undersigned hereby affirms that the drilling, completion and eventual plugg	ing of this well will comply with K.S.A. 55 et. seg.
The undersigned hereby affirms that the drilling, completion and eventual plugg	ing of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	ing of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	ing of this well will comply with K.S.A. 55 et. seq. FEB 2 8 2008
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dr	ing of this well will comply with K.S.A. 55 et. seq. FEB 2 8 2008 rilling rig: CONSERVATION DIVISION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	ing of this well will comply with K.S.A. 55 et. seq. FEB 2 8 2008 illing rig; conservation division circulating cement to the top; in all cases surface pipe shall be shal
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each di 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	FEB 2 8 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall beneating, KS nderlying formation.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urith the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged.	FEB 2 8 2008 rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be spirit, KS inderlying formation. toffice on plug length and placement is necessary prior to plugging; or production casing is cemented in;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dried. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the ureast of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged of the International Internation of the unconsolidated materials plus a minimum of 20 feet into the ureast of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged of the unconsolidated materials plus a minimum of 20 feet into the ureast of the unconsolidated materials plus a minimum of 20 feet into the ureast of the unconsolidated materials plus a minimum of 20 feet into the ureast of the ureast	FEB 2 8 2008 rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be spirita, KS inderlying formation. I office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dried. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urith the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the computation of th	FEB 2 8 2008 rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be Selita, KS inderlying formation. toffice on plug length and placement is necessary prior to plugging; or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urith the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged for the appropriate district office will be notified before well is either plugged or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl	FEB 2 8 2008 FILLING TIGHT TO THE TOTAL THE T
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dried. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urith the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the computation of th	FEB 2 8 2008 FILLIANT STATES AND THE STATES AND TH
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urith the well is dry hole, an agreement between the operator and the distriction of the appropriate distriction of the will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the understanding of the spud date or the well shall be plusted to the spud date or the well shall be plusted to the spud date or the well shall be plusted to the spud correct to the best production of the spud correct to the best production.	FEB 2 8 2008 FILLING TIGHT TO THE PROPERTY OF
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dried. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urith 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the urith and the district of the production of the spuddate or the well shall be plugged to the spuddate or the well shall be plugged to the spuddate or the well shall be plugged to the spuddate or the well shall be plugged.	FEB 2 8 2008 FIGURE 13 2 8 2008 FEB 2 8 2008 CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shall be SCHITA, KS inderlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; om below any usable water to surface within 120 DAYS of spud date. B91-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Agent
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dried. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urity 4. If the well is dry hole, an agreement between the operator and the distriction 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plusted. 1 hereby certify that the statements made herein are true and correct to the best plate: February 27, 2008 Signature of Operator or Agent: Signature of O	FEB 2 8 2008 FE
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill of the approved notice of intent to drill <i>shall be</i> posted on each drill of the unimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urelease. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged for the appropriate district office will be notified before well is either plugged for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pled thereby certify that the statements made herein are true and correct to the best plate: February 27, 2008	FEB 2 8 2008 FE
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urenament. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be pled to the expectation of the spud date or the well shall be pled to the spud date or the well shall be pled to the spud date. February 27, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O19 - 2088 7-000	FEB 2 8 2008 FIGURE 13 2 8 2008 FEB 2 8 20
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urity of the well is dry hole, an agreement between the operator and the distriction. 5. The appropriate district office will be notified before well is either plugged of the operator of the plugged of the appropriate distriction. The appropriate distriction of the production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plugged. I hereby certify that the statements made herein are true and correct to the best of the plugged. February 27, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O19 - QUBB - ONLY API # 15 - O19 - QUBB - ONLY Conductor pipe required feet	FEB 2 8 2008 FE
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill of the approved notice of intent to drill <i>shall be</i> posted on each drill of the unconsolidated materials plus a minimum of 20 feet into the unconsolidated plus a minimum of 20 feet into the unconsolidated plus a minimum of 20 feet into the unconsolidated plus a minimum of 20 feet into the unconsolidated plus a minimum of 20 feet into the unconsolidated plus a minimum of 20 feet into the unconsolidated plus a minimum of 20 feet into the unconsolidated plus a minimum of 20 feet into the unconsolidat	FEB 2 8 2008 FE
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill of the approved notice of intent to drill <i>shall be</i> posted on each drill of the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum required unconsolidated materials plus a minimum surface pipe required unconsolidated of intention of the unconsolidated on the unconsolidated on the unconsolidated on the unconsolidated unconsolidated on the unconsolidated on the unconsolidated u	FEB 2 8 2008 FE
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urith 4. If the well is dry hole, an agreement between the operator and the distriction 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the urith and the completed within 30 days of the spud date or the well shall be plusted to the well shall be plusted to the spud date or the well shall be plusted. February 27, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O19 - 2088 7 - DOO Conductor pipe required	FEB 2 8 2008 FE
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each driving an amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urity districts. If the well is dry hole, an agreement between the operator and the districts. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be plugged. It hereby certify that the statements made herein are true and correct to the best of the spud state. February 27, 2008 Signature of Operator or Agent. For KCC Use ONLY API # 15 - O19 - 20887 - DDD Conductor pipe required	FEB 2 8 2008 FE
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urith 4. If the well is dry hole, an agreement between the operator and the distriction 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the urith and the completed within 30 days of the spud date or the well shall be plusted to the well shall be plusted to the spud date or the well shall be plusted. February 27, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O19 - 2088 7 - DOO Conductor pipe required	FEB 2 8 2008 FE
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each driving an amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urity districts. If the well is dry hole, an agreement between the operator and the districts. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be plugged. It hereby certify that the statements made herein are true and correct to the best of the spud state. February 27, 2008 Signature of Operator or Agent. For KCC Use ONLY API # 15 - O19 - 20887 - DDD Conductor pipe required	FEB 2 8 2008 FE

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 019-26887-000	
Operator: Layne Energy Operating, LLC	Location of Well: County: Chautauqua
Lease: Preciado	664 feet from X N / S Line of Section
Well Number: 3-15	2,088 feet from E / X W Line of Section
Field: Cherokee Basin Coal	Sec. 15 Twp. 32 S. R. 13 🔀 E 🔲 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

		664'				
 .2088		- o	•••••	· · · · · · · · · · · · · · · · · · ·		
					•	
 		,,,,,,,,	••••			
 	,,,,,,,,,		•••••			
					•	
 				•••••		
 	:	********				

RECEIVED KANSAS CORPORATION COMMISSION

FEB 2 8 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section. 1 section with 8 surrounding sections. 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells: CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC			License Number: 33365		
Operator Address: 1900 Shawnee Mission Parkway			Mission Woods KS 66205		
Contact Person: Timothy H. Wright		Phone Number: 913-748-3960			
Lease Name & Well No.: Preciado			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NE</u> . <u>NW</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 15 Twp. 32 R. 13 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		664 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		2,088 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbls)	Chautauqua		
Is the pit located in a Sensitive Ground Water	Area? Yes No		Chloride concentration: mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner? Yes No		How is the pit lined if a plastic liner is not used? self-sealing		
Pit dimensions (all but working pits):	O Length (feet)	20	Width (feet) N/A: Steel Pits		
	om ground level to deepes	st point:	3 (feet) No Pit		
If the pit is lined give a brief description of the			dures for periodic maintenance and determining		
material, thickness and installation procedure.		er integrity, ir	ncluding any special monitoring.		
Distance to request water well within one mile of nit		enth to shallo	west fresh waterfeet.		
Source of infor		mation:			
			easured well owner electric log KDWR		
		illing, Workover and Haul-Off Pits ONLY:			
		al utilized in drilling/workover: fresh water mud			
'		TKING PILS to be dillized.			
Does the slope from the tank battery allow all spilled fluids to		procedure: Let evaporate until dry, then backfill and restore			
		be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSIO					
λ / / Λ					
February 27, 2008					
Date		7/8	ignature of Applicant or Agent WICHITA, KS		
	KCC OFF	ICE USE OI	NLY Steel Pit RFAC RFAS		
Date Received: 2/28/08 Permit Num	ber:	Perm	it Date: 2/28/08 Lease Inspection: Yes てNo		