For KCC	Use:	2 ~~ ~	
Effective D	ate:	_2508_	
District # _	4		
SGA2	Yes	No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

October 2007 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five	e (5) days prior to commencing well
Expected Spud Date: Spring 2008	Spot Description:
month day year	E/2 NE NW NW Sec. 12 Twp. 10 S. R. 20 EXW
OBERATOR: Linnaut 33699	(0.000) 330 / feet from N / S Line of Section
OPERATOR: License#	1,196 feet from E / X W Line of Section
Address 1: 3711 MAPLEWOOD AVE, SUITE 201	Is SECTION: Regular Irregular?
Address 2:	
City: WICHITA FALLS State: TX Zip: 76308 +	(Note: Locale well on the Section Plat on reverse side)
Contact Person: RANDY WEIGEL	County: ROOKS
Phone: 785-737-3736	Lease Name: DESBIEN Well # 12
33493	Field Name: MARCOTTE
CONTRACTOR: License#33493 Name: AMERICAN EAGLE DRILLING LLC	ts this a Prorated / Spaced Field?
Name: State of the Electric Leaves	Target Formation(s): ARBUCKLE, LKC, TOPEKA
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330'
XOil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 2228 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
——————————————————————————————————————	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 220'
Operator:	Length of Conductor Pipe (if any):
Weil Name:	Projected Total Depth: 3850'
Original Completion Date: Original Total Depth:	Formation at Total Depth: ARBUCKLE
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? ☐Yes ☒No
	If Yes, proposed zone:
A F.F.	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug	IDAVIT RECEIVED gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMIS
It is agreed that the following minimum requirements will be met:	35 S S S S S S S S S S S S S S S S S S S
, ,	FEB 2 9 2008
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 	
The minimum amount of surface pipe as specified below <i>shall be set</i> b	by circulating cement to the top; in all cases surface pipe shall be servation DIVISION
through all unconsolidated materials plus a minimum of 20 feet into the	underlying formation. WICHITA KS
4. If the well is dry hole, an agreement between the operator and the distri	ict office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plugge	•
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kapsas surface casing order #13	i from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall be	
hereby certify that the statements made herein are true and correct to the be	
$\sim 10^{-1}$	
Date: 2-28-08 Signature of Operator or Agent: 4	af July Tille: Ks. Engineer
	5
For KCC Use ONLY	Remember to:
11.2 22/00/0000	- File Drill Pit Application (form CDP-1) with Intent to Drill:
	File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe required	File acreage attribution plat according to field proration orders;
Minimum surface pipe required 200 feet per ALT. I MI	- Alotety appropriate district office 48 hours prior to workness or re-outes:
I managroum surface nine requiren L# = Toot nor Δ() I II I FHI	Notify appropriate district office 48 hours prior to workover or re-entry; Submit plunging report (CP-4) after plunging is completed (within 60 days):
Minimum Sandee pipe regardo	- Submit plugging report (CP-4) after plugging is completed (within 60 days)
Approved by: Putt 2-29-08	- Submit plugging report (CP-4) after plugging is completed (within 60 days): Obtain written approval before disposing or injecting salt water.
Approved by: Putt 2-29-08 This authorization expires: 2-28-09	- Submit plugging report (CP-4) after plugging is completed (within 60 days)
Approved by: Putt 2-29-08	Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
Approved by: Putt 2-29-08 This authorization expires: 2-28-09	 Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 16 3-23 6 9 6-0000 Operator: T-N-T ENGINEERING INC	Location of Well: County: ROOKS
Lease: DESBIEN	330 feet from N / S Line of Section
Well Number: 12	330 feet from [X] N / [] S Line of Section 1,190 feet from [] E / [X] W Line of Section Sec. 12 Twp. 10 S. R. 20 E [X] W
Field: MARCOTTE	Sec. <u>12 Twp. 10 S. R. 20 </u> E 🔀 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:E/2NENWNW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

			330					
1140.	<u> </u>	A STATE OF THE STA		1				
	********		A1				********	
		:	ZINE	01 LEAR (330°)				
	• • • • • • • • • • • • • • • • • • • •							
					! 2			
			/	Se	CTI	0 N		
			******		· · · · · · · · · · · · · · · · · · ·			
					: 			:
					• • •			

RECEIVED KANSAS CORPORATION COMMISSION

FEB 2 9 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections. 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached; (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: T-N-T ENGINEERING INC			License Number: 33699		
Operator Address: 3711 MAPLEWOOD AVE, SUITE 201			WICHITA FALLS TX 76308		
Contact Person: RANDY WEIGEL			Phone Number: 785-737-3736		
Lease Name & Well No.: DESBIEN	12		Pit Location (QQQQ):		
Type of Pit: Emergency Pit			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Width (feet) N/A: Steel Pits		
Distance to nearest water well within one-mile of pit Depth to source of			owest fresh waterfeet. primation: suredwell owner electric togKDWR kover and Haul-Off Pits ONLY: ial utilized in drilling/workover:		
		kover and Haul-Off Pits ONLY:			
			ial utilized in drilling/workover:		
		Number of working pits to be utilized:3			
l ' -		Abandonment	procedure. Monitor until dry, then break out and		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		back fill. Drill pits must be closed within 365 days of spud date. RECEIVED			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
The second of th			FEB 2 9 2008 CONSERVATION DIVISION WICHITA, KS		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 2/29/08 Permit Num	nber	Perm	nit Date: 2/29/08 Lease Inspection. Yes \ No		