For KCC Use:	2	
Effective Date:	J-5 D8	
District #	4	
SGA? Tye	s PNo	

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(-)) - p. 10 00	
March 4, 2000	south	
Expected Spud Date: March 1, 2008 month day year	Spot Description: 201' North and 12' East of	
,,	app. NE NW NE Sec. 7 Twp. 17 S. R. 14 EXW	
OPERATOR: License# 31725	(Q/Q/Q/Q) 531 feet from N / S Line of Section	
Name: Shelby Resources, LLC	1,638 feet from XE / W Line of Section	
Address 1: P.O. Box 1213	is SECTION: Regular Irregular?	
Address 2:	The guiding in the gu	
City: Hays State: KS Zip: 67601 +	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Brian Karlin	County: Barton	
Phone: 785-623-3290	Lease Name: Stoss Well #: 1-7	
	Field Name: Leoville	
CONTRACTOR: License# 5142	Is this a Prorated / Spaced Field?	
Name: Sterling Drilling Company	Target Formation(s): Arbuckle	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 531' FNL	
	Ground Surface Elevation: 1962 feet MSL	
XOil ☐ Enh Rec X Infield X Mud Rotary	Water well within one-quarter mile:	
Gas Storage Pool Ext. Air Rotary		•
Disposal Wildcat Cable	Public water supply well within one mile:	
Seismic ; # of Holes Other	Depth to bottom of fresh water: 135'	
Other:	Depth to bottom of usable water:	
If OWWO: old well information as follows:	Surface Pipe by Alternate:	
III OTTAVO. OIG WESS INSOTTIATION AS IOSIOWS.	Length of Surface Pipe Planned to be set: 935'	
Operator:	Length of Conductor Pipe (if any): none	
Well Name:	Projected Total Depth: 3450'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well X Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:		
	Will Cores be taken? Yes No If Yes, proposed zone:	
AFFIE The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each di 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl	Will Cores be taken? If Yes, proposed zone: DAVIT Ining of this well will comply with K.S.A. 55 et. seq. **CANSAS CORPORATION COMM** FEB 1 3 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be set ONSERVATION DIVISION to office on plug length and placement is necessary prior to plugging A KS or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 1,891-C, which applies to the KCC District 3 area, alternate II cementing	
AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each di 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133	Will Cores be taken? If Yes, proposed zone: DAVIT ping of this well will comply with K.S.A. 55 et. seq. FEB 1 3 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be set CONSERVATION DIVISION or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 1,891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing.	
AFFIE The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urith the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the unit of the production of the specific casing order #133 must be completed within 30 days of the spud date or the well shall be plugged.	Will Cores be taken? If Yes, proposed zone: DAVIT ping of this well will comply with K.S.A. 55 et. seq. FEB 1 3 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be set CONSERVATION DIVISION or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 1,891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each di 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uit. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be plugged.	Will Cores be taken? If Yes, proposed zone: DAVIT ping of this well will comply with K.S.A. 55 et. seq. **CANSAS CORPORATION COMM** FEB 1 3 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be set **CONSERVATION DIVISION** It office on plug length and placement is necessary prior to plugging a KS or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 1,891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Operations Manager	
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each di 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl hereby certify that the statements made herein are true and correct to the best pate: 2-12-2008 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each di 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl hereby certify that the statements made herein are true and correct to the best pate: 2-12-2008 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: DAVIT Ining of this well will comply with K.S.A. 55 et. seq. **CANSAS CORPORATION COMM** FEB 1 3 2008 Trilling rig; circulating cement to the top; in all cases surface pipe shall be set nderlying formation. toffice on plug length and placement is necessary prior to plugging a KS or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 1,891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Operations Manager Title: Operations Manager	
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each di 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uil. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be plus thereby certify that the statements made herein are true and correct to the best pate: 2-12-2008 Signature of Operator or Agent: Alexa	Will Cores be taken? If Yes, proposed zone: DAVIT ping of this well will comply with K.S.A. 55 et. seq. FEB 1 3 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be set CONSERVATION DIVISION or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 1,891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. t of my knowledge and belief. Coperations Manager Title: Permember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each di 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged of if an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl hereby certify that the statements made herein are true and correct to the best pate: Post CC Use ONLY	Will Cores be taken? If Yes, proposed zone: DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each di 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged of if an ALTERNATE II COMPLETION, production pipe shall be cemented in Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl hereby certify that the statements made herein are true and correct to the best pate: 2-12-2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 009 - 25173-0000 Conductor pipe required // YOV feet per ALT II III III	Will Cores be taken? If Yes, proposed zone: DAVIT ping of this well will comply with K.S.A. 55 et. seq. FEB 1 3 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be set CONSERVATION DIVISION or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 1,891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. t of my knowledge and belief. Title: Derations Manager File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):	
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each di 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged of if an ALTERNATE II COMPLETION, production pipe shall be cemented in Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl hereby certify that the statements made herein are true and correct to the best pate: 2-12-2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 009 - 25173-0000 Conductor pipe required // YOV feet per ALT II III III	Will Cores be taken? If Yes, proposed zone: DAVIT ping of this well will comply with K.S.A. 55 et. seq. FEB 1 3 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be set nderlying formation. t office on plug length and placement is necessary prior to plugging a key of spud date. If or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uright that the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plugged before the well shall be plugged or the well shall be plugged. I hereby certify that the statements made herein are true and correct to the best plugged. Signature of Operator or Agent: Por KCC Use ONLY API # 15 - 009 - 25173-0000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: DAVIT Jing of this well will comply with K.S.A. 55 et. seq. FEB 1 3 2008 Trilling rig; Circulating cement to the top; in all cases surface pipe shall be set CONSERVATION DIVISION It office on plug length and placement is necessary prior to plusonary If yes No No No No No No No No No No No No No No N	
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uright of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the operator of Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plugged. It hereby certify that the statements made herein are true and correct to the best plugged. For KCC Use ONLY API # 15 - 009 - 25173-0000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: DAVIT ping of this well will comply with K.S.A. 55 et. seq. FEB 1 3 2008 rilling rig; circulating cement to the top; in all cases surface pipe shall be set nderlying formation. toffice on plug length and placement is necessary prior to plugation. It or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 1,891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Permember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uright that the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plugged before the well shall be plugged or the well shall be plugged. I hereby certify that the statements made herein are true and correct to the best plugged. Signature of Operator or Agent: Por KCC Use ONLY API # 15 - 009 - 25173-0000 Conductor pipe required	If Yes, proposed zone: DAVIT Jing of this well will comply with K.S.A. 55 et. seq. FEB 1 3 2008 FEB 1 3 2008 Trilling rig; circulating cement to the top; in all cases surface pipe shall be set nderlying formation. It office on plug length and placement is necessary prior to plugging A KS To production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. J.B91-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Permember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uright of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the operator of Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plugged. It hereby certify that the statements made herein are true and correct to the best plugged. For KCC Use ONLY API # 15 - 009 - 25173-0000 Conductor pipe required	If Yes, proposed zone: DAVIT Ining of this well will comply with K.S.A. 55 et. seq. FEB 13 2008 If Yes, proposed zone: FEB 13 2008 If Yes are age attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is catheriate according to field proration date) please check the box below and return to the address below.	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 009-25/73-0000	
Operator: Shelby Resources, LLC	Location of Well: County: Barton
Lease: Stoss	531 feet from N / S Line of Section
Well Number: 1-7	1,638 feet from X E / W Line of Section
Field: Leoville	Sec. 7 Twp. 17 S. R. 14 E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

BA	RTON							
				53	1	:		
	· !	· :	: :		` .	····/b.	38	CANSAS CORPORATION COMPANY
	 !	: :	: :			·		FEB 13 2008
						*******		FEB 13 2008 ONSERVATION DIVISION WICHITA, KS
								EXAMPLE
								1980
						******	*********	3390'
								SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Shelby Resources, Li	LC		License Number: 31725		
Operator Address: P.O. Box 1213			Hays KS 67601		
Contact Person: Brian Karlin			Phone Number: 785-623-3290		
Lease Name & Well No.: Stoss 1-7			Pit Location (QQQQ):		
Type of Pit:	Pit is:		app. NE NW NE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 7 Twp. 17 R. 14 East West		
Settling Pit	If Existing, date constructed:		531 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1,638 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	3,000	(bbls)	Barton County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l		
Is the bottom below ground level?	Artificial Liner?	——————————————————————————————————————	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes X	No	Lined with soil and drilling mud.		
Pit dimensions (all but working pits):	0 Length (fe	eet) 70	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to de		5 (feet) No Pit		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedure, liner integrity,		dures for periodic maintenance and determining including any special monitoring. **CANSAS CORPORATION COMA FEB 1 3 2008			
Distance to nearest water well within one-mile of pit Depth to shallor Source of inform		west fresh water S feet. WOMERVATION DIVISION pation:			
		measu			
Emergency, Settling and Burn Pits ONLY: Drilling,		Drilling, Works	well owner electric log KDWR 9		
Producing Formation: Type of		Type of materia	Type of material utilized in drilling/workover: drilling mud		
i			Number of working pits to be utilized:3		
		Abandonment j	Abandonment procedure: Allow liquid to evaporate. Let the cuttings dry and then backfill.		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill		Drill pits must b	Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above stater	nents are true and c	correct to the best	of my knowledge and belief.		
2-12-2008 Date		Brugs	J Halls gnature of Applicant or Agent		
	KCCC	OFFICE USE ON	LY Steel Pit RFAC RFAS		
ERL Date Received: 3/29/08 Permit Numb	per:	Permil			