For KCC Use:	2 200
Effective Date: _	3-8-08
District #	<u>4</u>
CCA2 Von	` □ _{No}

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed Ali blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (, , ,	
Expected Spud Date: 3-5-08 month day year	Spot Description:	l⊧ ⊠ w
5259 🗸	(Q/O/O/O) 330 feet from N / S Line	of Section
OPERATOR: License# Name: Mai Oil Operations, Inc.	2,310 feet from XE / W Line	of Section
Address 1: P.O. Box 33	Is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Russell State: Ks. Zip: 67665 + Contact Person; Allen Bangert	County: Ellis Lease Name: Desbian Well #: 1	
Phone: 785-483-2169	Lease Name: Well #:	
CONTRACTOR: License#33350 Name: Southwind Drilling, Inc.	Is this a Prorated / Spaced Field?	s No
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330'	
XOII ☐ Enh Rec ☐ Infield ☐ Mud Rotary	Ground Surface Elevation: 1974	
Gas Storage Pool Ext. Air Rotary	· · · · · · · · · · · · · · · · · · ·	s No /
Disposal XWildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water: 180'	s 🔀 No
Seismic ; # of Holes Other	Depth to bottom of usable water: 265 600	
Other:	6 (6: 1 Altaniana Di 💟 II	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 3550'	- · -
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
If Yes, true vertical depth:	Well Farm PondOther:	
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR	
		_
KCC DKT #:	Will Cores be taken?	s XNo
KCC DKT #:	Will Cores be taken? If Yes, proposed zone:	s X No
	If Yes, proposed zone:	CEIVED
AFFI	If Yes, proposed zone: RE CORPE CORPE CORPE	S MINO CEIVED ORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: PAVIT RE Ging of this well will comply with K.S.A. 55 et. seq. **ANSAS CORPO	CEIVED ORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual pluge It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: PAVIT RE Ging of this well will comply with K.S.A. 55 et. seq. **ANSAS CORPO	CEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the appropriate district of intent to drill shall be posted on each of	If Yes, proposed zone: PAVIT RE Ging of this well will comply with K.S.A. 55 et. seq. FEB	CEIVED ORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each did. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: PAVIT RE Grant Strilling rig: Vericulating cement to the top; in all cases surface pipe shall be NSER.	CEIVED ORATION COMMISSION 2 9 2008 EVATION DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the or	If Yes, proposed zone: PAVIT RE Ging of this well will comply with K.S.A. 55 et. seq. FEB drilling rig: y circulating cement to the top; in all cases surface pipe shall be served.	CEIVED ORATION COMMISSION 2 9 2008 RVATION DIVISION INCHITA, KS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district	If Yes, proposed zone: PAVIT RE Ging of this well will comply with K.S.A. 55 et. seq. FEB drilling rig: y circulating cement to the top; in all cases surface pipe shall be served and entrying formation. ct office on plug length and placement is necessary prior to plugging	CEIVED ORATION COMMISSION 2 9 2008 RVATION DIVISION INCHITA, KS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d. 4. If the well is dry hole, an agreement between the operator and the distriction of the surface of the sur	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB drilling rig: y circulating cement to the top; in all cases surface pipe shall be ser. y circulating formation. ct office on plug length and placement is necessary prior to plugging d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date	CEIVED ORATION COMMISSION 2 9 2008 RVATION DIVISION JICHITA, KS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d. 4. If the well is dry hole, an agreement between the operator and the distriction of the complete of the state	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB drilling rig: y circulating cement to the top; in all cases surface pipe shall be separate of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 3,891-C, which applies to the KCC District 3 area, alternate il cementic	CEIVED ORATION COMMISSION 2 9 2008 RVATION DIVISION JICHITA, KS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the inte	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB drilling rig; y circulating cement to the top; in all cases surface pipe shall be served and erlying formation. ct office on plug length and placement is necessary prior to plugging d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 3,891-C, which applies to the KCC District 3 area, alternate II cementiallugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.	CEIVED ORATION COMMISSION 2 9 2008 RVATION DIVISION JICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the statements are true and correct to the statements are true and the statem	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB drilling rig; y circulating cement to the top; in all cases surface pipe shall be served and erlying formation. ct office on plug length and placement is necessary prior to plugging of dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 3,891-C, which applies to the KCC District 3 area, alternate II cementially sets of my knowledge and belief.	CEIVED ORATION COMMISSION 2 9 2008 RVATION DIVISION JICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plugging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each display the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the distriction of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements.	Title: PAYIT Ging of this well will comply with K.S.A. 55 et. seq. RE ANSAS CORPO ANSAS CORPO ANSAS CORPO FEB ANSAS CORPO ANSAS CORPO FEB ANSAS CORPO ANSAS CORPO FEB ANSAS CORPO ANSAS CORPO FEB ANSAS CORPO FEB ANSAS CORPO ANSAS CORPO ANSAS CORPO ANSAS CORPO FEB ANSAS CORPO ANSAS CORPO ANSAS CORPO ANSAS CORPO FEB ANSAS CORPO FEB ANSAS CORPO ANSAS CO	CEIVED ORATION COMMISSION 2 9 2008 EVATION DIVISION VICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plugs it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each did. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the did. 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the best place. Signature of Operator or Agent:	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB drilling rig: y circulating cement to the top; in all cases surface pipe shall be separate of the original confidence on plug length and placement is necessary prior to plugging of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 3,891-C, which applies to the KCC District 3 area, alternate II cementiallugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Prod. Supt. Remember to:	CEIVED ORATION COMMISSION 2 9 2008 RVATION DIVISION JICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	TEB drilling rig; v circulating cement to the top; in all cases surface pipe shall be served and placement is necessary prior to plugging do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 3,891-C, which applies to the KCC District 3 area, alternate il cementions of my knowledge and belief. Prod. Supt. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	CEIVED ORATION COMMISSION 2 9 2008 EVATION DIVISION PROPERTY OF THE PROPERTY
The undersigned hereby affirms that the drilling, completion and eventual plugs it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of the appropriate district office prior as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugger. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13: must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best part of the intention of the intent	Title: Prod. Supt. FEB Trilling rig: In circulating cement to the top; in all cases surface pipe shall be served and placement is necessary prior to plugging of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 3,891-C, which applies to the KCC District 3 area, alternate II cementically of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	CEIVED ORATION COMMISSION 2 9 2008 RVATION DIVISION IICHITA, KS III
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: 2-27-08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 25 755 DOOD Conductor pipe required	TEB drilling rig; v circulating cement to the top; in all cases surface pipe shall be served and placement is necessary prior to plugging do production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 3,891-C, which applies to the KCC District 3 area, alternate il cementi plugged. In all cases, NOTIFY district office prior to any cementing. It is of my knowledge and belief. Prod. Supt. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry	CEIVED ORATION COMMISSION 2 9 2008 RVATION DIVISION IIICHITA, KS III
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the best pate: Date: 2-27-08	Title: Prod. Supt. FEB Trilling rig: In circulating cement to the top; in all cases surface pipe shall be served and placement is necessary prior to plugging of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 3,891-C, which applies to the KCC District 3 area, alternate II cementically of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	CEIVED ORATION COMMISSION 2 9 2008 RVATION DIVISION IICHITA, KS III
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB drilling rig: y circulating cement to the top; in all cases surface pipe shall be separation. ct office on plug length and placement is necessary prior to plugging d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 3,891-C, which applies to the KCC District 3 area, alternate il cementiologged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Prod. Supt. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry - Submit plugging report (CP-4) after plugging is completed (within 60 of Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	CEIVED ORATION COMMISSION 2 9 2008 RVATION DIVISION IICHITA, KS III Ing 20 21 22 23 24 25 26 27 28 29 20 20 20 20 20 20 20 20 20
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the best pate: Date: 2-27-08	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB drilling rig: y circulating cement to the top; in all cases surface pipe shall be separation. ct office on plug length and placement is necessary prior to plugging d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 3,891-C, which applies to the KCC District 3 area, alternate il cementiologged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Prod. Supt. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed (within 60 of Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	CEIVED ORATION COMMISSION 2 9 2008 RVATION DIVISION IICHITA, KS III Ing 20 21 22 23 24 25 26 27 28 29 20 20 20 20 20 20 20 20 20
The undersigned hereby affirms that the drilling, completion and eventual plugs it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intentio	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB drilling rig: y circulating cement to the top; in all cases surface pipe shall be separation. ct office on plug length and placement is necessary prior to plugging d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 3,891-C, which applies to the KCC District 3 area, alternate il cementiologged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Prod. Supt. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry - Submit plugging report (CP-4) after plugging is completed (within 60 of Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	CEIVED ORATION COMMISSION 2 9 2008 RVATION DIVISION IICHITA, KS III Ing 20 21 22 23 24 25 26 27 28 29 20 20 20 20 20 20 20 20 20

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 051-25755-000			
Operator: Mai Oil Operations, Inc.	Location of Well: County: Ellis		
Lease: Desbian	330 feet from N / S Line of Section		
Well Number: 1	2,310 feet from E / W Line of Section		
Field: Wildcat	Sec. 20 Twp. 11 S. R. 19 E X W		
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NW - NW - NE -	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)



RECEIVED KANSAS CORPORATION OF MURSSION

FEB 2 9 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Mai Oil Operations, Inc.			License Number: 5259		
Operator Address: P.O. Box 33, R	ussell, Ks. 67	665			
Contact Person: Allen Bangert			Phone Number: 785-483-2169)	
Lease Name & Well No.: Desbian #1		Pit Location (QQQQ):			
Type of Pit:	Pit is:		NW NW NE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 20 Twp. 11 R. 19 East West		
Settling Pit Drilling Pit	if Existing, date or	onstructed:	330 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		2,310 Feet from East /		
	500	(bbls)	Ellis	County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	* I	
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settli How is the pit lined if a plastic liner is no		
Yes No	Yes X	No	Drilling Mud		
Pit dimensions (all but working pits):	75 Length (fe	eet)75	Windth (feet)	N/A: Steel Pits	
Depth fi	rom ground level to de	epest point:	3 (feet)	No Pit	
Distance to nearest water well within one-mile	e of nit	Denth to shallo	west fresh water 20feet.		
Let feet Depth of water well 43 feet		Source of information: Source of information: Source of informatio			
Emergency, Settling and Burn Pits ONLY:		Driffing, Workover and Haul-Off Pits ONLY:			
Producing Formation: Number of producing wells on lease:		Type of material utilized in drilling/workover: Drilling Mud			
		Number of working pits to be utilized: 3 Abandonment procedure: Dewater and Let Dry and Backfill 2			
					Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No
hereby certify that the above state	ements are true and o	correct to the best	of my knowledge and belief.	SAS CORPORATION COMUIS	
2-27-08	/	llen	Barent	FEB 2 9 2008	
Date	<i>L</i>	S	ignature of Applicant or Agent	CONSERVATION DIVISION WICHITALKS	
	KCC	OFFICE USE OF	NLY Steel Pit RFAC		
Date Received: 2/89/08 Permit Num	ber:	Permi	t Date: $\frac{2/29/68}{\text{Lease Inspection}}$	n: Yes No	



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

February 29, 2008

Mr. Allen Bangert Mai Oil Operations, Inc. PO Box 33 Russell, KS 67665

RE: Drilling Pit Application Desbian Lease Well No. 1 NE/4 Sec. 20-11S-19W Ellis County, Kansas

Dear Mr. Bangert:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased. **Please keep all pits away from any draws.**

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File