# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

|   |  | Must be a                               | approved by KCC five                             | e (5) days prior to commencing well   |                          |
|---|--|---|--|---|--------------------------|
| Evenated Saud Date:   | March                                  | 18th                                    | 2008   | Spot Description: Genter of the Northwest Quarter   |                          |
| Expected Spud Date:   | month                                  | day                                     | year   | CNW/4_Sec. 7Twp. 25S. R. 30E  | ₹w                       |
|   | 33989 🗸                                |   |  | (a/a/a/a) 1,320 feet from N / S Line of Se  |                          |
| OPERATOR: License#  |  |   | v.,,   | 1,320 feet from E / X W Line of Se  |                          |
| Name: Bengalia Land & Catti<br>Address 1: 427 S. Boston, St | uite 1046                              |   |  | Is SECTION: Regular Irregular?  |                          |
|   | ulie 1040                              |   |  |   |                          |
| Address 2: City: TULSA                                      | State: Ol                              | K Zip: 74                               | 103 + 4 1 1 5                                    | ( <b>Note:</b> Locate well on the Section Plat on reverse side)  Gray   |                          |
| Contact Person: Jennifer Se                                 |  |   |  | County:1.7  |                          |
| Phone: (918) 587-8022                                       |  | <del>.</del>                            |  | Lease Name: Well #: "   |                          |
| CONTRACTOR: License#_                                       | 33549                                  |   |  | Is this a Prorated / Spaced Field?  | l <sub>No</sub>          |
| Name: Landmark Drilling, L.L                                |  | ***                                     |  | Target Formation(s). Council Grove  |                          |
|   |  |   |  | Nearest Lease or unit boundary line (in footage):   |                          |
| Well Drilled For:   | Well Class:                            |   | e Equipment:                                     | Ground Surface Elevation: 2861 feet   | MSL                      |
| Oil DEnh Re   | <del></del>                            |   | Mud Rotary                                       | Water well within one-quarter mile:   | No 🖊                     |
| Gas Storage   | =                                      |   | Air Rotary                                       | Public water supply well within one mile:   |                          |
| Disposa   |  | at                                      | Cable  | Depth to bottom of fresh water: 320'  | <u>-</u>                 |
| Seismic ; # of  | Holes Other                            |   |  | Depth to bottom of usable water: 1050'  |                          |
| Other:  | 7.                                     |   |  | Ourface Bins by Albamata VII VIII   |                          |
| If OWWO: old well in  | nformation as follo                    | ows:                                    |  | Length of Surface Pipe Planned to be set: 1100'   |                          |
| Operator  |  |   |  | Length of Conductor Pipe (if any): None   | <del> </del>             |
| Operator:   |  |   |  | Projected Total Depth: 3100'  |                          |
| Original Completion Date                                    |  |   |  | Formation at Total Depth: Council Grove   |                          |
| +··· <b>g</b> ·······                                       |  | · ·                                     | `  | Water Source for Drilling Operations:   |                          |
| Directional, Deviated or Horiz                              |  |   | Yes X No   | Well Farm Pond Other: water to be hauled  |                          |
| If Yes, true vertical depth:                                |  |   |  | DWR Permit #:   |                          |
| Bottom Hole Location:                                       |  |   |  | (Note: Apply for Permit with DWR )  | <b>7</b>                 |
| KCC DKT #:  | ··· <del>-</del>                       |   |  | Will Cores be taken?  | No                       |
|   |  |   |  | If Yes, proposed zone:  |                          |
|   |  |   | 4 = 1  | RECEI   |                          |
|   |  |   |  | FIDAVIT MANSAS CORPORATI  | ON COMMISSIC             |
| · ·   |  |   |  | ugging of this well will comply with K.S.A. 55 et. seq.   | 0000                     |
| It is agreed that the following                             |  |   |  | FEB 2 8   | 2008                     |
| Notify the appropriat                                       | te district office                     | <i>prior</i> to spud                    | dding of well;                                   | COMPERATION   |                          |
| 2. A copy of the approv                                     | ed notice of inte                      | ent to drill <b>sr</b><br>e as specifie | <i>iaii be</i> posted on each                    | h drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be settichita</b>  | KS<br>I DIVI <b>SION</b> |
| through all unconsol  | idated materials                       | plus a minii                            | num of 20 feet into th                           | e underlying formation.   | , no                     |
| 4. If the well is dry hole                                  | , an agreement                         | between the                             | operator and the dis                             | trict office on plug length and placement is necessary prior to plugging;   |                          |
| <ol><li>The appropriate dist</li></ol>                      | rict office will be                    | notified befo                           | ore well is either plug                          | ged or production casing is cemented in;  |                          |
| 6. If an ALTERNATE II                                       | COMPLETION,                            | production (                            | pipe shall be cemente                            | ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing |                          |
| Or pursuant to Appe   | indix "B - Eastei<br>within 30 days of | rn Kansas si<br>f the soud da           | unace casing order #<br>ate or the well shall be | e plugged. In all cases, NOTIFY district office prior to any cementing.   |                          |
|   |  |   |  | best of my knowledge and belief.  |                          |
| i nereby certify that the sta                               | tements made r                         | ierein are ut                           | de and conject to the t                          | VP Operations   |                          |
| Date:02/24/08   | Signature o                            | of Operator o                           | or Agent: Ln                                     | Title: VF Operations  |                          |
|   |  | - 1                                     | ľ  | Remember to:  | 7                        |
| For KCC Use ONLY  |  |   |  | File Drill Pit Application (form CDP-1) with Intent to Drill;   |                          |
| API # 15 - 069- 2   | 0.30.3-01                              | 200                                     |  | - File Completion Form ACO-1 within 120 days of spud date;  | l<br>lbb                 |
|   | None                                   |   |  | File acreage attribution plat according to field proration orders;  | 25                       |
| Conductor pipe required -                                   |  |   | feet   | <ul> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> </ul>  |                          |
| Minimum surface pipe req                                    |  | <u> </u>                                | feet per ALT.                                    |   | 30                       |
| Approved by: Fut 3-9  | 4-08                                   |   |  | - Obtain written approval before disposing or injecting salt water.   | 0                        |
| This authorization expires                                  | 2-11-09                                | ;                                       |  | - If this permit has expired (See: authorized expiration date) please   |                          |
| (This authorization void if d                               |  | vithin 12 mont                          | hs of approval date.)                            | check the box below and return to the address below.  | $\sqcup$                 |
| ,   | -                                      |   |  | Well Not Drilled - Permit Expired Date:  Signature of Operator or Agent:  |                          |
|   |  |   |  |   |                          |


### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 069-20303-0000   |  |
|---|--|
| Operator: Bengalia Land & Cattle Company                                      | Location of Well: County: Gray   |
| Lease: Clark  | 1,320 feet from X N / S Line of Section  |
| Well Number: 1-7  | 1,320 feet from E / X W Line of Section  |
| Field:  | Sec. 7 Twp. 25 S. R. 30 E W  |
| Number of Acres attributable to well: 640  QTR/QTR/QTR/QTR of acreage: C NW/4 | Is Section: Regular or Irregular   |
|   | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

# PLAT (Show location of the well and shade attributable acreage for proprated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

15-049-20303-0000

| 245-31W                        | 245                                     | - 30 W      |        |
|--------------------------------|---|-------------|--------|
| 36<br>Argent-Kisner<br>Elsie   | Energy Exploration<br>Irsik #1          | 32          |        |
| Marerco<br>Huels Kamp          | Bengalia<br>Clardo Catte<br>Dechant 2-6 | 5           | 255    |
| Marex Co<br>Lucas 1-12<br>1320 | 1320'<br>7                              | 8 ay County | - 30 W |

(CECENTAL)

FEB 18 2008

CONSERVATION DIVISION WICHITA, KS

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Bengalia Land & Catt   | le Company            | License Number: 33989  |  |   |
|---|-----------------------|--|--|---|
| Operator Address: 427 S. Boston,  | Suite 1046            |  | ·  |   |
| Contact Person: Jennifer Sexton   |                       | Phone Number: (918) 587-8022   |  |   |
| Lease Name & Well No.: Clark 1-7  |                       | Pit Location (QQQQ):   |  |   |
| Type of Pit:  | Pit is:               |  |  | NW  |
| Emergency Pit Burn Pit  | Proposed              | Existing   | Sec. 7 Twp. 25 R.  |   |
| Settling Pit Drilling Pit If Existing, date of  |                       | onstructed:  | 1,320 Feet from I  | North / South Line of Section   |
| Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)   | Pit capacity: 23,000  | (bbls)   |  | East / West Line of Section County  |
| Is the pit located in a Sensitive Ground Water  | Area? Yes             | (No  | Chloride concentration:  | mg/l s and Settling Pits only)  |
| Is the bottom below ground level?  Yes No   | Artificial Liner?     | No   | How is the pit lined if a plastic  | liner is not used?  |
| Pit dimensions (all but working pits):  | 50 Length (fe         | eet)150  | Width (feet)   | N/A: Steel Pits   |
| Depth fr  | om ground level to de | eepest point:  | 8 (feet)   | No Pit  |
| If the pit is lined give a brief description of the material, thickness and installation procedure  |                       |  | edures for periodic maintenance<br>including any special monitoring.   | RÉCEIVED  MANSAS CORPORATION COMMISSION   |
|   |                       |  |  | FEB 2 8 2008  |
|   |                       |  |  |   |
| Distance to nearest water well within one-mile  | of pit                |  | west fresh water57   | CONSERVATION DIVISION   |
| Distance to nearest water well within one-mile  |                       | Source of info   |  | CONSERVATION DIVISION  feet. WICHITA, KS  |
|   | 268 <sub>feet</sub>   | Source of informeasu   | mation:  | CONSERVATION DIVISION WICHITA, KS electric log KDWR                                 |
|   | 268 feet              | Source of informal measurements  Drilling, Work  Type of materia   | mation:  Ired well owner  over and Haul-Off Pits ONLY:  al utilized in drilling/workover:  | CONSERVATION DIVISION WICHITA, KS electric log KDWR                                 |
|   | 268 feet              | Source of informeasu  Drilling, Work  Type of materia  | mation:  ured well owner  over and Haul-Off Pits ONLY:  al utilized in drilling/workover:  king pits to be utilized:   | CONSERVATION DIVISION WICHITA, KS electric log KDWR                                 |
| Emergency, Settling and Burn Pits ONLY:  Producing Formation:   | 268 feet              | Source of informeasu  Drilling, Work  Type of materia  | mation:  Ired well owner  over and Haul-Off Pits ONLY:  al utilized in drilling/workover:  | CONSERVATION DIVISION WICHITA, KS electric log KDWR                                 |
| Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  | 268 feet              | Source of informeasu  Drilling, Work  Type of materi  Number of work  Abandonment  | mation:  ured well owner  over and Haul-Off Pits ONLY:  al utilized in drilling/workover:  king pits to be utilized:   | CONSERVATION DIVISION WICHITA, KS electric log KDWR                                 |
|   | a68 feet              | Source of informeasu  Drilling, Work  Type of materi  Number of work  Abandonment  Drill pits must   | mation:  ured well owner  over and Haul-Off Pits ONLY:  al utilized in drilling/workover:  king pits to be utilized:  procedure: Dewater, evalue to be closed within 365 days of spu   | CONSERVATION DIVISION  feet. WICHITA, KS  electric log KDWR  Mud  1  aporate, close |
| Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes No   | a68 feet              | Source of informeasu  Drilling, Work  Type of materia  Number of work  Abandonment  Drill pits must  correct to the bes  | mation:  ured well owner  over and Haul-Off Pits ONLY:  al utilized in drilling/workover:  king pits to be utilized:  procedure: Dewater, evalue to be closed within 365 days of spu   | CONSERVATION DIVISION WICHITA, KS electric log KDWR                                 |
| Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state  2/24/08  Date | spilled fluids to     | Source of informeasure measure | well owner well owner. Well owner well owner well owner well owner well owner well owner well owner. Well owner well owne | CONSERVATION DIVISION WICHITA, KS electric log KDWR                                 |



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

March 3, 2008

Jennifer Sexton Bengalia Land & Cattle Company 427 S. Boston Ste 1046 Tulsa, OK 74103-4115

RE: Drilling Pit Application Clark Lease Well No. 1-7 NW/4 Sec. 07-25S-30W Gray County, Kansas

Dear Ms. Sexton:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and <u>lined with bentonite or native clay</u>. The free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: <a href="https://www.kcc.state.ks.us/conservation/forms">www.kcc.state.ks.us/conservation/forms</a>.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

Cc: File