For KCC Use:	2-2-20
Effective Date:	3-7-05
District #	_ <i></i>
2010 Dv-	. 17ku

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date: 2/29/08	Spot Description:	
month day year	SE . NW . SW . Sec. 29 Twp. 15 S.	R. 21 X E W
32834 🗸	(0/0/0/0) 1,440 / feet from N /	
OPERATOR: LICENSE#	3,990 feet from x E /	W Line of Section
Name: JTC Oil, Inc.	Is SECTION: Regular Irregular?	W Line of Section
Address 1: P.O. Box 910	is SECTION: The Hegular Integular?	
Address 2:	(Note: Locate well on the Section Plat on reve	erse side)
City: Louisburg State: KS Zip: 66053 +	County: Franklin	
Contact Person: Tom Cain	t ease Name: Moldenhauer	Well #: W-44
Phone: 913-208-7914	Field Name: Paola-Rantoul	
CONTRACTOR: License# 32834		Yes 🗶 No
. ITC Oil Inc	Is this a Prorated / Spaced Field?	Yes No
Name: 510 OIL, IIIC.	Target Formation(s): squirrel	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330'	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:	feet MS L
	Water well within one-quarter mile:	Yes X No
	Public water supply well within one mile:	Yes × No
Disposal Wildcat Cable	4001	
Seismic ; # of HolesOther	Depth to bottom of usable water: 200'	
Other:		
The Oldhard and well intermedian as follows:	Surface Pipe by Alternate: I	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe (if any): none	
Well Name:	Projected Total Depth: 800'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: squirrel	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond X Other:	
Yes, true vertical depth:		
Bottom Hole Location:	DWR Permit #:	1
KCC DKT #:	(Note: Apply for Permit with DWR	, m. m.
COUNT #.	Will Cores be taken?	Yes 🗶 No
	If Yes, proposed zone:	
ΔFF	IDAVIT 'A	NSAS CORPORATION
	IDATII	CORPORATION
The undersigned hereby affirms that the drilling, completion and eventual pluc	ging of this well will comply with K.S.A. 55 et. seg.	THUN COMM.
	gging of this well will comply with K.S.A. 55 et. seq.	FF-
t is agreed that the following minimum requirements will be met:		RECEIVED NSAS CORPORATION COMMIS FEB 2 2 2000
t is agreed that the following minimum requirements will be met:		'EK 2 2 An-
t is agreed that the following minimum requirements will be met:		'EK 2 2 An-
t is agreed that the following minimum requirements will be met:		'EK 2 2 An-
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	drilling rig; y circulating cement to the top; in all cases surface pipe <i>si</i> underlying formation.	CONSERVATION DIVISION THE PROPERTY OF THE PROP
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	drilling rig; y circulating cement to the top; in all cases surface pipe <i>si</i> underlying formation. ict office on plug length and placement is necessary <i>prior</i>	CONSERVATION DIVISION THE PROPERTY OF THE PROP
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger.	drilling rig; by circulating cement to the top; in all cases surface pipe si underlying formation. bict office on plug length and placement is necessary prior and or production casing is cemented in;	CONSERVATION DIVISION to plugging;
 agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented 	drilling rig; by circulating cement to the top; in all cases surface pipe st underlying formation. bict office on plug length and placement is necessary prior bict of or production casing is cemented in; but the form below any usable water to surface within 120 DAYS	CONSERVATION DIVISION to plugging;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15	drilling rig; by circulating cement to the top; in all cases surface pipe st underlying formation. bict office on plug length and placement is necessary prior bict of or production casing is cemented in; by from below any usable water to surface within 120 DAYS by 13,891-C, which applies to the KCC District 3 area, alternation	CONSERVATION DIVISION to plugging; of spud date. tell comenting
 t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 	drilling rig; by circulating cement to the top; in all cases surface pipe standerlying formation. ict office on plug length and placement is necessary prior and or production cashing is cemented in; from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternaticulations.	CONSERVATION DIVISION to plugging; of spud date. tell comenting
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements made herein are true and correct to the statements.	drilling rig; by circulating cement to the top; in all cases surface pipe standerlying formation. ict office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 13,891-C, which applies to the KCC District 3 area, alternatively plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief.	CONSERVATION DIVISION to plugging; of spud date. tell comenting
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date.	drilling rig; by circulating cement to the top; in all cases surface pipe st underlying formation. ict office on plug length and placement is necessary prior ad or production casing is cemented in; from below any usable water to surface within 120 DAYS 13,891-C, which applies to the KCC District 3 area, alternately plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief.	CONSERVATION DIVISION to plugging; of spud date. tell comenting
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the be	drilling rig; by circulating cement to the top; in all cases surface pipe standerlying formation. ict office on plug length and placement is necessary prior and or production cashing is cemented in; from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternaticulations.	CONSERVATION DIVISION to plugging; of spud date. tell comenting
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the before.	drilling rig; by circulating cement to the top; in all cases surface pipe st underlying formation. ict office on plug length and placement is necessary prior ad or production casing is cemented in; from below any usable water to surface within 120 DAYS 13,891-C, which applies to the KCC District 3 area, alternately plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief.	CONSERVATION DIVISION to plugging; of spud date. te II cementing cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because: Signature of Operator or Agent: For KCC Use ONLY	drilling rig; by circulating cement to the top; in all cases surface pipe standerlying formation. ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS 03,891-C, which applies to the KCC District 3 area, alternately plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. Title:	CONSERVATION DIVISION to plugging; of spud date. te II cementing cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because: Signature of Operator or Agent: For KCC Use ONLY	drilling rig; by circulating cement to the top; in all cases surface pipe st underlying formation. ict office on plug length and placement is necessary prior ad or production casing is cemented in; from below any usable water to surface within 120 DAYS 03,891-C, which applies to the KCC District 3 area, alternately plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	CONSERVATION DIVISION to plugging; of spud date. te II cementing cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because: 2-18-08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9- 25306-0000	drilling rig; by circulating cement to the top; in all cases surface pipe st underlying formation. ict office on plug length and placement is necessary prior ad or production casing is cemented in; from below any usable water to surface within 120 DAYS 03,891-C, which applies to the KCC District 3 area, alternately plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud de	CONSERVATION DIVISION to plugging; of spud date. te II cementing cementing.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because. Signature of Operator or Agent: Signature of Operator or Agent: Conductor pipe required feet	drilling rig; by circulating cement to the top; in all cases surface pipe standerlying formation. ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS 03,891-C, which applies to the KCC District 3 area, alternatively plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud days. File acreage attribution plat according to field proration of	CONSERVATION DIVISION to plugging; of spud date. te II cementing cementing.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because. 2-18-08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9 - 25306-0000 Conductor pipe required feet	drilling rig; by circulating cement to the top; in all cases surface pipe silunderlying formation. ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS 13,891-C, which applies to the KCC District 3 area, alternatically plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud de File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workov	CONSERVATION DIVISION to plugging; of spud date. te II cementing cementing.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because: 2-18-08 Signature of Operator or Agent: For KCC Use ONLY API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe silunderlying formation. ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS. 13,891-C, which applies to the KCC District 3 area, alternatically plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud de File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete	CONSERVATION DIVISION to plugging; of spud date. te II cementing cementing.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because: 2-18-08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059-25306-0000 Conductor pipe required feet	drilling rig; by circulating cement to the top; in all cases surface pipe silunderlying formation. ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS. 13,891-C, which applies to the KCC District 3 area, alternationally alternative plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud defined according to field proration of the Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting salts.	CONSERVATION DIVISION to plugging; of spud date. te II cementing cementing.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because: 2-18-08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059 - 25306-0000 Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe standerlying formation. ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS 13,891-C, which applies to the KCC District 3 area, alternatically plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud deference in a creage attribution plat according to field proration of the Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt. If this permit has expired (See: authorized expiration date.)	CONSERVATION DIVISION to plugging; of spud date. te II cementing cementing. 29 ate; orders; er or re-entry; ed (within 60 days); water. e) please
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because: 2-18-08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059 - 25306-0000 Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe silunderlying formation. ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS. 13,891-C, which applies to the KCC District 3 area, alternationally plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud defined acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt. If this permit has expired (See: authorized expiration data check the box below and return to the address below.	CONSERVATION DIVISION to plugging; of spud date. te II cementing cementing. 29 ate; orders; er or re-entry; ed (within 60 days); water. e) please
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because: 2-18-08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059 - 25306-0000 Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe silunderlying formation. ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS. 13,891-C, which applies to the KCC District 3 area, alternatiplugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud define acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting salt. If this permit has expired (See: authorized expiration data check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	CONSERVATION DIVISION to plugging; of spud date. te II cementing cementing.
4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because: 2-18-08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059- 25306-0000 Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe silunderlying formation. ict office on plug length and placement is necessary prior and or production casing is cemented in; from below any usable water to surface within 120 DAYS. 13,891-C, which applies to the KCC District 3 area, alternationally plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud defined acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt. If this permit has expired (See: authorized expiration data check the box below and return to the address below.	CONSERVATION DIVISION to plugging; of spud date. te II cementing cementing. 29 ate; orders; er or re-entry; ed (within 60 days); water. e) please

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - <i>D59-25306-0</i> 000 Operator: JTC Oil, Inc.	Location of Well: County: Franklin
Lease: Moldenhauer	1,440 feet from N / S Line of Section
Well Number: W-44	3,990 feet from
Field: Paola-Rantoul	Sec. 29 Twp. 15 S. R. 21 K E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: SE _ NW _ SW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)



In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION WICHITA, KS

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: JTC Oil, Inc.			License Number: 32834		
Operator Address: P.O. Box 910, Lo	uisburg, KS	66053			
Contact Person: Tom Cain		Phone Number: 913 208-7914			
Lease Name & Well No.: Moldenhauer W-44		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SE . NW . SW .		
Emergency Pit Burn Pit	Proposed Existing		Sec. 29 Twp. 15 R. 21 🗶 East West		
Settling Pit	If Existing, date constructed:		1,440 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		3,990 Feet from X East / West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbis)	Franklin county		
is the pit located in a Sensitive Ground Water	ocated in a Sensitive Ground Water Area? Yes X No		Chloride concentration: mg/l		
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
X Yes No		No	drilling mud		
Pit dimensions (all but working pits):	2 Length (fe	et) 12	Width (feet) N/A: Steel Pits		
	om ground level to de		4 (feet) No Pit		
If the pit is lined give a brief description of the		·	odures for periodic maintenance and determining		
material, thickness and installation procedure).	liner integrity, i	ncluding any special monitoring. KANSAS CORPORATION COMMISSION		
			FATTON COMMISS		
			- / / JA-		

Distance to nearest water well within one-mile	e of pit	Source of Infor	west fresh water 40 feet. WICHITA, KS		
1296 feet Depth of water well 60 feet		measu	measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Driffing		Drilling, Work	over and Haul-Off Pits ONLY: Fresh with the deliting the original properties of the second s		
, ,			a delized in drining/workover.		
			king pits to be utilized: procedure: CONTENTS Sucked CUT		
T'v		Abandonment	Filed with dist		
Does the slope from the tank battery allow all spliled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
2-18-08					
Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 3/5/08 Permit Number: Permit Date: 3/5/08 Lease Inspection: Yes [No					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 KANSAS CORPORATION COMMISSION



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.