| For KCC Use: | 2000 |
|-----------------|--------------|
| Effective Date: | <u>3-740</u> |
| District # | <u> </u> |
| SGA? Yes | No |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| | e approved by NCC live | (5) days prior to commencing well | |
|---|--|--|--|
| xpected Spud Date: 2/29/08 month day | year | Spot Description: | 24 🗔 🗀 |
| , ' | yea. | NW SE SW Sec. 29 Twp. 15 s | |
| PERATOR: License# 32834 ✓ | | 1,100 P teet from N | |
| ame:JTC Oil, Inc. | | | / W Line of Section |
| ddress 1: P.O. Box 910 | | is SECTION: 🗶 Regular 🔲 irregular? | |
| ddress 2: | | (Note: Locate well on the Section Plat on re | everse side) |
| ity: Louisburg State: KS Zip: | 66053 + | County: Franklin | |
| ontact Person: Tom Cain | | Lesse Name: Moldenhauer | Well #: W-45 |
| hone: 913-208-7914 | | Field Name: Paola-Rantoul | |
| ONTRACTOR: License#_32834 | | Is this a Prorated / Spaced Field? | Yes X No |
| ame: JTC OIL, Inc. | | Target Formation(s): squirrel | |
| | | Nearest Lease or unit boundary line (in footage): 330' | |
| Well Drilled For: Well Class: Ty | ype Equipment: | Ground Surface Elevation: | feet MSL |
| Oil K Enh Rec K Infield | Mud Rotary | Water well within one-quarter mile: | Yes X No |
| Gas Storage Pool Ext. | X Air Rotary | · · | Yes X No |
| Disposal Wildcat | Cable | Public water supply well within one mile: | |
| Setsmic ; # of Holes Other | | = ner | |
| | | Depth to bottom of usable water: 200' | |
| The output, and well information on fallows: | | Surface Pipe by Alternate: 1 X II - 20' | |
| lf OWWO: old well information as follows: | | Congaror Garage : ips : identical to an annual | |
| Operator: | | Length of Conductor Pipe (if any): none | |
| Well Name: | | Projected Total Depth: 800' | |
| Original Completion Date: Original To | otal Depth: | Formation at Total Depth: squirrel | |
| | | Water Source for Drilling Operations: | |
| irectional, Deviated or Horizontal wellbore? | Yes X No | Well Farm Pond X Other: | |
| Yes, true vertical depth: | | DWR Permit #: | <u> </u> |
| ottom Hole Location: | | (Note: Apply for Permit with DWR | |
| | | | |
| (CC DKT #: | | Will Cores be taken? If Yes, proposed zone: | Yes X No |
| | AFF | If Yes, proposed zone: | |
| The undersigned hereby affirms that the drilling, corr | AFF | If Yes, proposed zone: | RECEIVED SAS CORPORATION COMM |
| The undersigned hereby affirms that the drilling, corr t is agreed that the following minimum requirements | AFF npletion and eventual plu s will be met: | If Yes, proposed zone: | RECEIVED SAS CORPORATION COMM |
| The undersigned hereby affirms that the drilling, corr t is agreed that the following minimum requirements | AFF npletion and eventual plu s will be met: | If Yes, proposed zone: FIDAVIT In a sequence of this well will comply with K.S.A. 55 et. seq. | RECEIVED SAS CORPORATION COMMI |
| The undersigned hereby affirms that the drilling, correct is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill: 3. The minimum amount of surface pipe as speci | AFF npletion and eventual plu s will be met: | If Yes, proposed zone: FIDAVIT In a sequence of this well will comply with K.S.A. 55 et. seq. | RECEIVED SAS CORPORATION COMMI |
| The undersigned hereby affirms that the drilling, corn t is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill and the minimum amount of surface pipe as speci | AFF Inpletion and eventual plus Is will be met: Budding of well; Is shall be posted on each Ified below shall be set | If Yes, proposed zone: FIDAVIT agging of this well will comply with K.S.A. 55 et. seq. Advilling rig; by circulating cement to the top; in all cases surface pipe | RECEIVED SAS CORPORATION COMMI FEB 2 2 2008 SANSERVATION |
| The undersigned hereby affirms that the drilling, corn t is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill and the second of the minimum amount of surface pipe as specitive through all unconsolidated materials plus a minimum and the second of the second o | AFF Inpletion and eventual plus Is will be met: Induding of well; In shall be posted on each Iffed below shall be set; Inimum of 20 feet into the Ifter operator and the dist | If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. It is to office on plug length and placement is necessary price. | RECEIVED SAS CORPORATION COMMI FEB 2 2 2008 SANSERVATION |
| The undersigned hereby affirms that the drilling, corn t is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill a copy of the approved notice of intent to drill a copy of the approved notice of intent to drill a copy of the approved notice of intent to drill a copy of the minimum amount of surface pipe as specification of the copy | AFF Inpletion and eventual plus Is will be met: Including of well; In the posted on each If | If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface piper e underlying formation. It ict office on plug length and placement is necessary printing of production casing is cemented in; | RECEIVED SAS CORPORATION COMMI FEB 2 2 2008 SENSE DE SET WITH THE SET OF THE PROPERTY OF THE P |
| The undersigned hereby affirms that the drilling, communicists agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill and the second of t | AFF Inpletion and eventual plus Is will be met: Including of well; In the posted on each Iffied below shall be set Iffied below shall shall below shall s | If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface piper a underlying formation. It office on plug length and placement is necessary printing of production casing is cemented in; If of from below any usable water to surface within 120 DAY | RECEIVED SAS CORPORATION COMMI FEB 2 2 2008 SAS CORPORATION COMMI FEB 2 2 2008 SAS CORPORATION DIVISION OF TO PROTECTION DIVISION OF TO STANDARD SAS CONTRACTOR SAN CONTRAC |
| he undersigned hereby affirms that the drilling, corr is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill and the second of the approved notice of intent to drill and the second of the minimum amount of surface pipe as specifications and the second of the second of the second of the second of the appropriate district office will be notified to the second of the second | AFF appletion and eventual plus by will be met: budding of well; shall be posted on each ified below shall be set; inimum of 20 feet into the the operator and the dist before well is either plugs on pipe shall be cemented surface casing order #1 | If Yes, proposed zone: FIDAVIT agging of this well will comply with K.S.A. 55 et. seq. Advilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. arct office on plug length and placement is necessary prince or production casing is cemented in; after the following usable water to surface within 120 DAY 133,891-C, which applies to the KCC District 3 area, after | RECEIVED SAS CORPORATION COMMI FEB 2 2 2008 SINGLE DE SET OF TO PROBLEM SERVATION DIVISION OF TO PROBLEM SERVATION DIVISION OF TO SPUT date. The set of th |
| The undersigned hereby affirms that the drilling, cornors is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill and the intention of surface pipe as specific through all unconsolidated materials plus a minum and the intention of the intent | AFF appletion and eventual plus built be met: building of well; shall be posted on each iffied below shall be set inimum of 20 feet into the the operator and the dist before well is either plugg on pipe shall be cemented s surface casing order #1 I date or the well shall be | If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. In this office on plug length and placement is necessary pringled or production casing is cemented in; defrom below any usable water to surface within 120 DAY 133,891-C, which applies to the KCC District 3 area, after a plugged. In all cases, NOTIFY district office prior to a | RECEIVED SAS CORPORATION COMMI FEB 2 2 2008 SINGLE DE SET OF TO PROBLEM SERVATION DIVISION OF TO PROBLEM SERVATION DIVISION OF TO SPUT GAMES TO SET T |
| The undersigned hereby affirms that the drilling, corners agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill and the second of the approved notice of intent to drill and the second of the approved notice of intent to drill and the second of the minimum amount of surface pipe as specifications and the second of the second of the appropriate district office will be notified to the second of the seco | AFF appletion and eventual plus built be met: building of well; shall be posted on each iffied below shall be set inimum of 20 feet into the the operator and the dist before well is either plugg on pipe shall be cemented s surface casing order #1 I date or the well shall be | If Yes, proposed zone: FIDAVIT agging of this well will comply with K.S.A. 55 et. seq. Advilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. Trict office on plug length and placement is necessary principled or production casing is cemented in; defrom below any usable water to surface within 120 DAY 133,891-C, which applies to the KCC District 3 area, alter a plugged. In all cases, NOTIFY district office prior to a pest of my knowledge and belief. | RECEIVED SAS CORPORATION COMMI FEB 2 2 2008 SINGLE DE SET OF TO PROBLEM SERVATION DIVISION OF TO PROBLEM SERVATION DIVISION OF TO SPUT GAMES TO SET T |
| he undersigned hereby affirms that the drilling, cornis agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill: 3. The minimum amount of surface pipe as specithrough all unconsolidated materials plus a minum at the well is dry hole, an agreement between the total the surface propriate district office will be notified before the appropriate district office will be notified | AFF Inpletion and eventual plus will be met: Budding of well; In the posted on each iffed below shall be set informum of 20 feet into the the operator and the dist perfore well is either plugger on pipe shall be cemented as surface casing order #1 I date or the well shall be true and correct to the better the surface and correct to the surface | If Yes, proposed zone: FIDAVIT agging of this well will comply with K.S.A. 55 et. seq. Advilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. Trict office on plug length and placement is necessary principled or production casing is cemented in; defrom below any usable water to surface within 120 DAY 133,891-C, which applies to the KCC District 3 area, alter a plugged. In all cases, NOTIFY district office prior to a pest of my knowledge and belief. | RECEIVED SAS CORPORATION COMMI FEB 2 2 2008 SINGLE DE SET OF TO PROBLEM SERVATION DIVISION OF TO PROBLEM SERVATION DIVISION OF TO SPUT date. The set of th |
| he undersigned hereby affirms that the drilling, cornis agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill: 3. The minimum amount of surface pipe as specithrough all unconsolidated materials plus a minum at the well is dry hole, an agreement between the total the surface propriate district office will be notified before the appropriate district office will be notified | AFF Inpletion and eventual plus will be met: Budding of well; In the posted on each iffed below shall be set informum of 20 feet into the the operator and the dist perfore well is either plugger on pipe shall be cemented as surface casing order #1 I date or the well shall be true and correct to the better the surface and correct to the surface | If Yes, proposed zone: FIDAVIT agging of this well will comply with K.S.A. 55 et. seq. Advilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. Intercoffice on plug length and placement is necessary princed or production casing is cemented in; do from below any usable water to surface within 120 DAY 133,891-C, which applies to the KCC District 3 area, alter a plugged. In all cases, NOTIFY district office prior to a pest of my knowledge and belief. | FEB 2 2 2008 FEB 2 2 2008 Sensil be set OF TO PRINTED DIVISION (S of spud date. nate Il cementing ny cementing. |
| he undersigned hereby affirms that the drilling, cornis agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill: 3. The minimum amount of surface pipe as specithrough all unconsolidated materials plus a minum at the well is dry hole, an agreement between the total the surface propriate district office will be notified before the appropriate district office will be notified | AFF Inpletion and eventual plus will be met: Budding of well; In the posted on each iffed below shall be set informum of 20 feet into the the operator and the dist perfore well is either plugger on pipe shall be cemented as surface casing order #1 I date or the well shall be true and correct to the better the surface and correct to the surface | If Yes, proposed zone: FIDAVIT agging of this well will comply with K.S.A. 55 et. seq. Advilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. Trict office on plug length and placement is necessary principled or production casing is cemented in; defrom below any usable water to surface within 120 DAY 133,891-C, which applies to the KCC District 3 area, alter a plugged. In all cases, NOTIFY district office prior to a pest of my knowledge and belief. | FEB 2 2 2008 FEB 2 2 2008 Sensitive set or to philippings S of spud date. nate Il cementing ny cementing. |
| he undersigned hereby affirms that the drilling, corris agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill 3. The minimum amount of surface pipe as specithrough all unconsolidated materials plus a mi 4. If the well is dry hole, an agreement between the theorem to the appropriate district office will be notified being an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud thereby certify that the statements made herein are specified to the specific states of the spud that the statements of the spud that the statements made herein are specified to the specific states of the spud that the statements made herein are specified to the specific states of the specific states of the specific states of the specified states of the specif | AFF inpletion and eventual plus will be met: budding of well; shall be posted on each iffed below shall be set informum of 20 feet into the the operator and the dist before well is either pluggen pipe shall be cemented a surface casing order #1 date or the well shall be true and correct to the before Agent: | If Yes, proposed zone: FIDAVIT agging of this well will comply with K.S.A. 55 et. seq. Advilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. Trict office on plug length and placement is necessary principled or production casing is cemented in; deform below any usable water to surface within 120 DAY 133,891-C, which applies to the KCC District 3 area, alter a plugged. In all cases, NOTIFY district office prior to a pest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to D | FEB 2 2 2008 FEB 2 2 2008 Sensel be set WILDINGTON DIVISION S of spud date. nate Il cementing ny cementing. |
| he undersigned hereby affirms that the drilling, corn is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill a green and a specific through all unconsolidated materials plus a minument of surface pipe as specific through all unconsolidated materials plus a minument of the well is dry hole, an agreement between the strength of the appropriate district office will be notified to the organization of the specific through the specific of the specific through through through through through through through the specific through the specific through t | AFF inpletion and eventual plus will be met: budding of well; shall be posted on each iffed below shall be set informum of 20 feet into the the operator and the dist before well is either pluggen pipe shall be cemented a surface casing order #1 date or the well shall be true and correct to the before Agent: | If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. Advilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. It of office on plug length and placement is necessary printed or production casing is cemented in; defrom below any usable water to surface within 120 DAY (33,891-C, which applies to the KCC District 3 area, alterned plugged. In all cases, NOTIFY district office prior to a pest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to D. File Completion Form ACO-1 within 120 days of spuce. | SAS CORPORATION COMM FEB 2 2 2008 Sense Property of the Prope |
| he undersigned hereby affirms that the drilling, corr is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill: 3. The minimum amount of surface pipe as specithrough all unconsolidated materials plus a mi 4. If the well is dry hole, an agreement between to the appropriate district office will be notified being an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spudithereby certify that the statements made herein are 1. Signature of Operator Course of Course only appears to the spudithereby certify that the statements made herein are specific to the spudithereby certify that the statements made herein are specific to the spudithereby certify that the statements made herein are specific to the spudithereby certify that the statements made herein are specific to the speci | AFF inpletion and eventual plus will be met: sudding of well; shall be posted on each iffied below shall be set inimum of 20 feet into the the operator and the dist pefore well is either plugg on pipe shall be cemented a surface casing order #1 I date or the well shall be true and correct to the bor or Agent: | If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. Advilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. In this office on plug length and placement is necessary pringled or production casing is cemented in; d from below any usable water to surface within 120 DAY (133,891-C, which applies to the KCC District 3 area, alter a plugged. In all cases, NOTIFY district office prior to a pest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration. | FEB 2 2 2008 FEB 2 2 2008 Sense Properties of the properties of |
| he undersigned hereby affirms that the drilling, corr is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill: 3. The minimum amount of surface pipe as specithrough all unconsolidated materials plus a mi 4. If the well is dry hole, an agreement between to the appropriate district office will be notified being an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud hereby certify that the statements made herein are 1. Signature of Operator Conductor pipe required Conduct | AFF Inpletion and eventual plus Is will be met: Sudding of well; Is hall be posted on each Iffied below shall be set Inimum of 20 feet into the Ithe operator and the dist Ither operator and the dist Ither operator of the below of the well shall be Ither on Agent: If or or Agent: If the operator of the below of the operator of the below of the operator of the below of the operator of | If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. Advilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. In this office on plug length and placement is necessary pringled or production casing is cemented in; d from below any usable water to surface within 120 DAY (133,891-C, which applies to the KCC District 3 area, alter a plugged. In all cases, NOTIFY district office prior to a pest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to world. | FEB 2 2 2008 FEB 2 2008 FEB 2 2 2008 FEB 2 200 |
| he undersigned hereby affirms that the drilling, corr is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill: 3. The minimum amount of surface pipe as specithrough all unconsolidated materials plus a mi 4. If the well is dry hole, an agreement between to the appropriate district office will be notified being an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spudithereby certify that the statements made herein are 1. Signature of Operator Conductor pipe required Conductor Signature of Conductor pipe required Conductor Discourage Conductor Pipe Required Cond | AFF inpletion and eventual plus will be met: sudding of well; shall be posted on each iffied below shall be set inimum of 20 feet into the the operator and the dist pefore well is either plugg on pipe shall be cemented a surface casing order #1 I date or the well shall be true and correct to the bor or Agent: | If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. Advilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. In this office on plug length and placement is necessary pringled or production casing is cemented in; different below any usable water to surface within 120 DAY (133,891-C, which applies to the KCC District 3 area, alter a plugged. In all cases, NOTIFY district office prior to a pest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work. | RECEIVED FEB 2 2 2008 FEB 2 2008 FEB 2 2008 FEB 2 2008 FEB 2 2 2008 FEB 2 2 |
| he undersigned hereby affirms that the drilling, corr is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill: 3. The minimum amount of surface pipe as specithrough all unconsolidated materials plus a mi 4. If the well is dry hole, an agreement between to the appropriate district office will be notified being for pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spudithereby certify that the statements made herein are Pate: 2-18-08 Signature of Operator Conductor pipe required | AFF Inpletion and eventual plus Is will be met: Sudding of well; Is hall be posted on each Iffied below shall be set Inimum of 20 feet into the Ithe operator and the dist Ither operator and the dist Ither operator of the below of the well shall be Ither on Agent: If or or Agent: If the operator of the below of the operator of the below of the operator of the below of the operator of | If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. Advilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. In this office on plug length and placement is necessary printice of production casing is cemented in; defrom below any usable water to surface within 120 DAY (133,891-C, which applies to the KCC District 3 area, alterned plugged. In all cases, NOTIFY district office prior to a pest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Dest of my knowledge and belief. File Completion Form ACO-1 within 120 days of spudential special programment in the prior to work and the the prio | RECEIVED FEB 2 2 2008 FEB 2 2008 FEB 2 2008 FEB 2 2008 FEB 2 2 2008 FEB 2 2 |
| he undersigned hereby affirms that the drilling, corn is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill and the second of the approved notice of intent to drill and the second of the approved notice of intent to drill and the second of the approved notice of intent to drill and the second of the approved by the approved district office will be notified by the appropriate district office will be notified by the spud hereby certify that the statements made herein are sate: 2-18-08 Signature of Operato For KCC Use ONLY API # 15-059-25307-0000 Conductor pipe required Minimum surface pipe required Approved by: Minimum surface pipe required Approved by: Minimum surface pipe required Approved by: Minimum surface pipe requires: 3-4-09 | AFF Inpletion and eventual plus is will be met: Judding of well; Shall be posted on each iffied below shall be set inimum of 20 feet into the the operator and the dist perfore well is either plugg in pipe shall be cemented is surface casing order #1 I date or the well shall be true and correct to the be or or Agent: feet feet per ALT. I | If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. Advilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. In this office on plug length and placement is necessary pringled or production casing is cemented in; different below any usable water to surface within 120 DAY (133,891-C, which applies to the KCC District 3 area, alter a plugged. In all cases, NOTIFY district office prior to a pest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to D File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work. | FEB 2 2 2008 FEB 2 2 2008 SHALL BE SET VILLOW DIVISION TO PHILIPPINE S of spud date. nate II cementing ny cementing. Fill: I date: I orders: Kover or re-entry: leted (within 60 days): salt water. date) please |
| the undersigned hereby affirms that the drilling, corners agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill 3. The minimum amount of surface pipe as specithrough all unconsolidated materials plus a mi 4. If the well is dry hole, an agreement between the street of the surface pipe as specithrough all unconsolidated materials plus a mi 5. The appropriate district office will be notified being the surface of the surface of the surface of the spud of the surface of the spud hereby certify that the statements made herein are surface. Signature of Operator of Conductor pipe required of the surface pi | AFF Inpletion and eventual plus is will be met: Judding of well; Shall be posted on each iffied below shall be set inimum of 20 feet into the the operator and the dist perfore well is either plugg in pipe shall be cemented is surface casing order #1 I date or the well shall be true and correct to the be or or Agent: feet feet per ALT. I | If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. Advilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. In this permit hand placement is necessary printing of production casing is cemented in; deform below any usable water to surface within 120 DAY (133,891-C), which applies to the KCC District 3 area, alter to plugged. In all cases, NOTIFY district office prior to a pest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to D. File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to world submit plugging report (CP-4) after plugging is comp. Obtain written approval before disposing or injecting the check the box below and return to the address below. | FEB 2 2 2008 FEB 2 2 2008 Sensitive set or to philipanas 'S of spud date. nate Il cementing ny cementing. rill; I date; in orders; kover or re-entry; leted (within 60 days); salt water. date) please |
| The undersigned hereby affirms that the drilling, corn is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill and the intent of the approved notice of intent to drill and the intent of the approved notice of intent to drill and the intent of the approved notice of intent to drill and the intent of the approved intent of surface pipe as specially the appropriate district office will be notified by the notified by the appropriate district office will be notified by the notified | AFF Inpletion and eventual plus is will be met: Judding of well; Shall be posted on each iffied below shall be set inimum of 20 feet into the the operator and the dist perfore well is either plugg in pipe shall be cemented is surface casing order #1 I date or the well shall be true and correct to the be or or Agent: feet feet per ALT. I | If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. Advilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. In this permit has expired (See: authorized expiration) FIDAVIT In drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. In this permit has expired (See: authorized expiration) In all cases, NOTIFY district office prior to a plugged. In all cases, NOTIFY district office prior to a pest of my knowledge and belief. File Completion Form ACO-1 within 120 days of spudents of the careage attribution plat according to field proration. Submit plugging report (CP-4) after plugging is composition of this permit has expired (See: authorized expiration) | FEB 2 2 2008 FEB 2 2 2008 Sensit be set or to philippings S of spud date. nate Il cementing ny cementing. Fill; I date; or orders; kover or re-entry; leted (within 60 days); salt water. date) please |

MAR 0 3 2008

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 -059-25307-0000 | | | |
|---|--|--|--|
| Operator: JTC Oil, Inc. | Location of Well: County: Franklin | | |
| Lease: Moldenhauer | 1,100 feet from N / X S Line of Section | | |
| Well Number: W-45 | 3,515 feet from E / W Line of Section | | |
| Field: Paola-Rantoul | Sec. 29 Twp. 15 S. R. 21 X E W | | |
| Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NW - SE - SW - | Is Section: Regular or Irregular | | |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW | | |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, *you must show*:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; FIGOEVED CG-8 for gas wells).

 ANSAS CORPORATION COMMISSION

MINGAG COMPORALION COMMIGGIO

MAR 0 3 2008

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: JTC Oil, Inc. | License Number: 32834 | | | | |
|---|----------------------------|---|--|--|--|
| Operator Address: P.O. Box 910, Louisburg, KS 66053 | | | | | |
| Contact Person: Tom Cain | Phone Number: 913 208-7914 | | | | |
| Lease Name & Well No.: Moldenhauer W-4 | Pit Location (QQQQ): | | | | |
| Type of Pit: Pit is: | | NW . SE . SW | | | |
| Emergency Pit Burn Pit | pposed Existing | Sec. 29 Twp. 15 R. 21 X East West | | | |
| Settling Pit | g, date constructed: | 1,100 Feet from North / South Line of Section | | | |
| Workover Pit Haul-Off Pit Pit capac | ity: | 3,515 Feet from East / West Line of Section | | | |
| (If WP Supply API No. or Year Drilled) | (bbis) | Franklin county | | | |
| is the pit located in a Sensitive Ground Water Area? | Yes X No | Chioride concentration:mg/l | | | |
| Is the bottom below ground level? Artificial L | iner? | (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? | | | |
| Yes No | | drilling mud | | | |
| Pit dimensions (all but working pits): 12 Length (feet) 12 Width (feet) N/A: Steel Pits | | | | | |
| Depth from ground to | evel to deepest point: | 4 (feet) No Pit | | | |
| If the pit is lined give a brief description of the liner material, thickness and installation procedure. | | Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. | | | |
| material, theritess and installation procedure. | inter integrity, i | | | | |
| | | KANSAS CORPORATION COMMISSION | | | |
| | | FEB 2 2 2008 | | | |
| Distance to nearest water well within one-mile of pit | · · | Depth to shallowest fresh water 40 feet. WICHITA, KS | | | |
| 1899 feet Depth of water well 60 | | ired well owner electric log KDWR | | | |
| Emergency, Settling and Burn Pits ONLY: | I * | Drilling, Workover and Haul-Off Pits ONLY: | | | |
| Producing Formation: | Type of materia | Type of material utilized in drilling/workover: Fresh wire | | | |
| Number of producing wells on lease: | | Number of working pits to be utilized: | | | |
| Barrels of fluid produced daily: | | Abandonment procedure: Contents sucked out and | | | |
| Does the slope from the tank battery allow all spilled fluids flow into the pit? Yes No | | Drill pits must be closed within 365 days of spud date. | | | |
| | | RECLIVED (| | | |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. | | | | | |
| 2-18-08 | | MAR 0 3 2008 | | | |
| Date | S | Ignature of Applicant or Agent WICHEA RS | | | |
| KCC OFFICE USE ONLY Steel Pit RFAC RFAS | | | | | |
| Date Received: 3/5/05 Permit Number: Permit Date: 3/5/05 Lease Inspection: Yes KNo | | | | | |



Katinleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.