For KCC Use:	2000
Effective Date:	5-740
District #	<u> </u>
SCA2 Von	Zialo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
Ail blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five		
2/25/08	Shark Dagarinkan	
Expected Spud Date: 2/23/05 month day year	Spot Description:	٦
	NE - SW - SW - Sec. 29 Twp. 15 s. R. 21 X E	
OPERATOR: License# 32834 /	feet from N/K S Line of Set	
Vame: JTC Oil, Inc.	3,990 reet from x E / W Line of Sec	tion
Address 1: P.O. Box 910	is SECTION: Regular I Irregular?	
Guides 1.	- Marketine -	
ddress 2: http://www.city.com/states/city.com/	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Tom Cain	County: Franklin	
hone: 913-208-7914	Lease Name: Moldenhauer Well #: W-46	
· · · · · · · · · · · · · · · · · · ·	Field Name: Paola-Rantoul	
ONTRACTOR: License# 32834	ts this a Prorated / Spaced Field?	No
ame: JTC OiL, inc.	Target Formation(s): squirrei	
	Nearest Lease or unit boundary line (in footage): 330'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet	ASL.
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	_
Gas Storage Pool Ext.	——————————————————————————————————————	
Disposal Wildcat Cable	Public water supply well within one mile:	INO
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100'	
Other:	Depth to bottom of usable water: 200'	
· · · · · · · · · · · · · · · · · · ·	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Plannod to be set: 20	
	Length of Conductor Pipe (if any): none	
Operator:	Projected Total Depth: 800'	
Well Name: Original Total Donth:	Formation at Total Depth: Squirrol	-
Original Completion Date: Original Total Depth:		,
rectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
Yes, true vertical depth:	Well Farm Pond X Other:	
·	DWR Permit #:	
ottom Hole Location:	(Note: Apply for Permit with DWR)	
CC DKT #:	Will Cores be taken?	DN∂
·	If Yes, proposed zone:	COMMIS
	EED AAA	
AFF	IDAVIT FEB 2 2 2	<i>UU8</i>
	rains of this wall will appeal with K C A EE at long	-
ne undersigned hereby affirms that the drilling, completion and eventual plug	aging of this well will comply with K.S.A. 55 et. seq.	Vicion
ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:		Vicion
ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	gging of this well will comply with K.S.A. 55 et. seq. CONSERVATION D. WICHITA, KS	Vicion
the undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the approved notice of the approved the approved notice of the approved th	gging of this well will comply with K.S.A. 55 et. seq. CONSERVATION D. WICHITA, KS drilling rig:	Vicion
ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> b	oging of this well will comply with K.S.A. 55 et. seq. CONSERVATION D. WICHITA, KS drilling rig; y circulating cement to the top; in all cases surface pipe shall be set	Vicion
ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	oging of this well will comply with K.S.A. 55 et. seq. CONSERVATION D. WICHITA, KS drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.	Vicion
ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	oging of this well will comply with K.S.A. 55 et. seq. CONSERVATION D. WICHITA, KS drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging;	Vicion
ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge	oging of this well will comply with K.S.A. 55 et. seq. CONSERVATION D. WICHITA, KS drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in;	Vicion
ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the set of through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	conservation of this well will comply with K.S.A. 55 et. seq. Conservation of Wichita, Ks drilling rig: by circulating cement to the top; in all cases surface pipe shall be set underlying formation. In office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13.891-C. which applies to the KCC District 3 area, alternate If cementing	Vicion
ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	conservation of this well will comply with K.S.A. 55 et. seq. Conservation of Wichita, Ks drilling rig: by circulating cement to the top; in all cases surface pipe shall be set underlying formation. In office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13.891-C. which applies to the KCC District 3 area, alternate If cementing	Vicion
ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intent of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the description. If the well is dry hole, an agreement between the operator and the distriction of the intention of the int	conservation of this well will comply with K.S.A. 55 et. seq. Conservation of Wichita, Ks drilling rig: by circulating cement to the top; in all cases surface pipe shall be set underlying formation. bict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13.891-C. which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing.	Vicion
ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the strong and the approved notice of a specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pereby certify that the statements made herein are true and correct to the be	conservation of this well will comply with K.S.A. 55 et. seq. Conservation of Wichita, KS drilling rig: by circulating cement to the top; in all cases surface pipe shall be set underlying formation. In or production casing is comented in; from below any usable water to surface within 120 DAYS of spud date. It is a comented in; from below any usable water to surface within 120 DAYS of spud date. It is a comenting plugged. In all cases, NOTIFY district office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing.	Vicion
ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the driving around the surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pereby certify that the statements made herein are true and correct to the be	conservation of this well will comply with K.S.A. 55 et. seq. Conservation of Wichita, Ks drilling rig: by circulating cement to the top; in all cases surface pipe shall be set underlying formation. bict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13.891-C. which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing.	Vicion
ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the driving of the approved notice of intent to drill <i>shall be</i> posted on each of the drilling of the approved of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the staff the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be green by certify that the statements made herein are true and correct to the be	conservation of will comply with K.S.A. 55 et. seq. Conservation of Wichita, KS drilling rig: by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. Is 3,891-C, which applies to the KCC District 3 area, alternate if comenting plugged. In all cases, NOTIFY district office prior to any cementing.	VISION
ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the driving and unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pereby certify that the statements made herein are true and correct to the beside: Signature of Operator or Agent:	conservation of will comply with K.S.A. 55 et. seq. Conservation of Wichita, KS drilling rig: by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. I3,891-C, which applies to the KCC District 3 area, alternate if cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title:	Vicion
ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the state of the second state of the second should be notified below shall be set of through all unconsolidated materials plus a minimum of 20 feet into the second state of th	conservation of will comply with K.S.A. 55 et. seq. Conservation of Wichita, KS drilling rig: by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. It is supplied to the KCC District 3 area, alternate if comenting plugged. In all cases, NOTIFY district office prior to any cementing. It is of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	VISION
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the strong and the strong and the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong and the strict office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pereby certify that the statements made herein are true and correct to the best strict of the strict	conservation of with the comply with K.S.A. 55 et. seq. Conservation of Wichita, KS drilling rig: by circulating cement to the top; in all cases surface pipe shall be set underlying formation. bit office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C. which applies to the KCC District 3 area, alternate if cementing plugged. In all cases, NOTIFY district office prior to any cementing. In the cases of the cases of the cases. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	VISION 29
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the strong and the strong and the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong and the strict office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pereby certify that the statements made herein are true and correct to the best strict of the strict	drilling rig: by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate if cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 area and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	VISION
ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cernented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be prefereby certify that the statements made herein are true and correct to the best of the statements of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - O S 9 - 2 S 308 - ODDO Conductor pipe required	conservation of with the comply with K.S.A. 55 et. seq. Conservation of Wichita, Ks drilling rig: by circulating cement to the top; in all cases surface pipe shall be set underlying formation. In the complete of the compl	VISION 29 1
ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set of through all unconsolidated materials plus a minimum of 20 feet into the determined. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pereby certify that the statements made herein are true and correct to the best of the statements. Signature of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - O 59 - 25308 - OOOOO Conductor pipe required	conservation of Wichita, KS drilling rig: by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C. which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	VISION 29
ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be preceived certify that the statements made herein are true and correct to the believe. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9 - QS308 - ODDO Conductor pipe required	drilling rig: by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C. which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	VISION 29 1
ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pereby certify that the statements made herein are true and correct to the beate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9 - 25308 - ODDO Conductor pipe required	drilling rig: by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13.891-C. which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	VISION 29
ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the state of the second of the se	drilling rig: by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C. which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	VISION 29
ne undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be preceived certify that the statements made herein are true and correct to the believe. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9 - QS308 - ODDO Conductor pipe required	drilling rig: y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13.891-C. which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 If the Drill Pit Application (form CDP-1) with Intent to Drill; 16 File Completion Form ACO-1 within 120 days of spud date; 17 File acreage attribution plat according to field proration orders; 18 Notify appropriate district office 48 hours prior to workover or re-entry; 19 Submit plugging report (CP-4) after plugging is completed (within 60 days); 10 Obtain written approval before disposing or injecting salt water. 16 If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. 10 Well Not Drilled - Permit Expired Date:	VISION 29
he undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intent of the approved notice of intent to drill shall be posted on each of the intention of the approved notice of intent to drill shall be posted on each of the intention of the approved all unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall be completed district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate of the spud date or the well shall be precised to the spud date or the well shall be precised to the statements made herein are true and correct to the best of the statements of the operator of the spud date or the well shall be precised. Signature of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - O.59 - 2.5309 - DODO Conductor pipe required	drilling rig: by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13.891-C. which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	VISION 29

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

MAR 0 3 2008

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25308-0000 Operator: JTC Oil, Inc. Lease: Moldenhauer Well Number: W-46 Field: Paola-Rantoul	Location of Well: County: Franklin 1,103 feet from N / S Line of Section 3,990 feet from S E / W Line of Section Sec. 29 Twp. 15 S. R. 21 S E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NE _ SW _ SW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			:								
			!	:		:		:	:		
RECEIVED KANSAS CORPORATION COMM	KANS		i i								
CORPORATION COMIN	- 140					:		:	:		
FEB 2 2 2008			:					:			,
CONSEDIATION	Ce		:	:					•		
CONSERVATION DIVISION WICHITA, KS								Ī.	•		
			· ·	* * * * * * * * * * * * * * * * * * * *	*******			:	:		
<u>:</u>	E :	EXAMPL	1					<u>:</u> :			
						**		:			
			i I								
0-1980	O		<u> </u> 			:		:		:	
										:	
<u> </u>	10		30,90		:		:				
3390'	3390	!	5'		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	· ·········			
:			:								
:	:		:								
	:	!	· !		;		:			l:	:
	CO.	SEWARD	. !		:						:
					:	:	:			1:	

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attained at the spaced field a certificate of acreage attribution plat must be attained at the spaced field a certificate of acreage attribution plat must be attained at the spaced field a certificate of acreage attribution plat must be attained at the spaced field a certificate of acreage attribution plat must be attained at the spaced field a certificate of acreage attribution plat must be attained at the spaced field a certificate of acreage attribution plat must be attained at the spaced field acreage attribution plat must be attained at the spaced field acreage attribution plat must be attained at the spaced field acreage attribution plat must be attained at the spaced field acreage attribution plat must be attained at the spaced field acreage attribution plat must be attained at the spaced field acreage attribution plat must be attained at the spaced field acreage attribution plat must be attained at the spaced field acreage attribution plat must be attained at the spaced field acreage attribution plat must be attained at the spaced field acreage attribution at the spaced field acreage attribution plat must be attained at the spaced field acreage at the spaced field acreage

MAR 0 3 2003

RECEIVED

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: JTC Oil, Inc.	License Number: 32834		
Operator Address: P.O. Box 910, Louisburg, KS	66053		
Contact Person: Tom Cain		Phone Number: 913 208-7914	
Lease Name & Well No.: Moldenhauer W-46		Pit Location (QQQQ):	
Type of Pit: Pit is:		NE SW SW	
Emergency Pit Burn Pit Proposed	Existing	Sec. 29 Twp. 15 R. 21 X East West	
Settling Pit	constructed:	1,100 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit Pit capacity:		3,990 Feet from East / West Line of Section	
(III V Supply II I I I I I I I I I I I I I I I I I	(bbis)	Franklin county	
Is the pit located in a Sensitive Ground Water Area? Yes	Chloride concentration:mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	No	drilling mud	
Pit dimensions (all but working pits): 12 Length		Width (feet) N/A: Steel Pits	
Depth from ground level to	deepest point:	4 (feet) No Pit	
If the pit is lined give a brief description of the liner material, thickness and installation procedure.	Describe proce liner integrity, i	4 (feet) No Pit edures for periodic maintenance and determination RECEIVED notuding any special monitoring. FED 0.	
		FED .	
l l		'ER 22 a	
		22 20no	
		CONSERVATION DIVISION WICHITA KS	
Distance to nearest water well within one-mile of pit	Depth to shalk	CONSERVATION DIVISION WICHITA, KS	
Distance to nearest water well within one-mile of pit 1545 feet Depth of water well LO feet	Depth to shalk Source of info	CONSERVATION DIVISION WICHITA KS owest fresh water 40 feet. rmation:	
	Source of info	CONSERVATION DIVISION WICHITA KS West fresh water 40 feet. The construction of the co	
	Source of informeas: Drilling, Work Type of materi	CONSERVATION DIVISION WICHITA KS Towest fresh water 40 feet. Transition: Lired well owner electric log KDWR Tower and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh with	
	Source of informeas: Drilling, Work Type of materi	CONSERVATION DIVISION WICHITA KS Invest fresh water	
	Drilling, Work Type of materi Number of work Abandonment	CONSERVATION DIVISION WICHITA KS Owest fresh water	
	Drilling, Work Type of materi Number of work Abandonment	CONSERVATION DIVISION WICHITA KS Invest fresh water	
	Drilling, Work Type of materi Number of work Abandonment Orill pits must	CONSERVATION DIVISION WICHITA KS Owest fresh water	
	Drilling, Work Type of materi Number of work Abandonment Orill pits must	CONSERVATION DIVISION WICHITA KS Invest fresh water	
	Source of informeas: Drilling, Work Type of materi Number of work Abandonment Contents Drill pits must	CONSERVATION DIVISION WICHITA KS Owest fresh water	
	Source of informeas: Drilling, Work Type of materi Number of work Abandonment Continue Drill pits must	CONSERVATION DIVISION	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and Date KCC	Source of informeas: Drilling, Work Type of materi Number of work Abandonment Contents Drill pits must	CONSERVATION DIVISION Division West fresh water	



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.