KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date April 5, 2008	Spot
month day year	C-S2 S2 NW Sec. 5 Twp. 16 S. R. 13 X Wes
30380 🖍	2310feet from X N / S Line of Section
Hunfer Operating Inc	1320 feet from E / X W Line of Section
P.O. Box 216	Is SECTION X Regular Irregular?
ty/State/Zip: Hays, KS 67601	(Note: Locate well on the Section Plat on reverse side)
ontact Person: Dennis D. Hupfer	County Barton
785-628-8666	Lease Name: Bitter Well #: B-2
315/8	Field Name: Trapp
Discovery Drilling Co., Inc.	Is this a Prorated / Spaced Field?
me: Discovery British doty First	Target Information(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	1012
X Oil Enh Rec X Infield X Mud Rotary	Ground Schlass Elevation.
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Public water supply well within one mile: Yes X N
OWNO Disposal Wildcat Cable	380
Seismic:# of Holes Other	Deptir to bottom of fresh water.
Other	Deptit to bottom of usable water.
	Surface Pipe by Alternate: X 1 2 Length of Surface Pipe Planned to be set: 450
OWWO: old well information as follows:	Length of Conductor Pipe required: None
Operator:	Projected Total Depth: 3400
Well Name:	Formation at Total Depth: Arbuckle
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
ectional, Deviated or Horizontal wellbore?	Well X Farm Pond Other
res, true vertical depth:	DWR Permit #:
ettom Hole Location:	(Note: Apply for Permit with DWR
CC DKT #:	Will Cores be taken? Yes X
	If Yes, proposed zone:
	RECEIVED
Arri	IDAVII
	ANDROGO STATE OF THE PROPERTY
ne undersigned hereby affirms that the drilling, completion and eventual pl	lugging of this well will comply with K.S.A. 55 et. seq.
-	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. MAR 0.5 2008
Notify the appropriate district office <i>prior</i> to spudding of well;	Section 2.
Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ch drilling rig;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 	ch drilling rig; CONSERVATION DIVISet by circulating cement to the top; in all cases surface pipe shaicherses the underlying formation.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drift the well is dry hole, an agreement between the operator and the drift the second content of the drift that the drift the second content of the drift that the d	ch drilling rig; CONSERVATION DIVISet by circulating cement to the top; in all cases surface pipe sh真心神事态 the underlying formation. listrict office on plug length and placement is necessary prior to plugging ;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface propriets district office will be notified before well is either plus 	ch drilling rig; CONSERVATION DIVIS It by circulating cement to the top; in all cases surface pipe shalf here the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; used or production casing is cemented in;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ead The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the street of the well is dry hole, an agreement between the operator and the dot. The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement 	ch drilling rig; CONSERVATION DIVIS It by circulating cement to the top; in all cases surface pipe shall hares the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the description of the description
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each an each and the approved notice of intent to drill <i>shall be</i> posted on each an each and the sear through all unconsolidated materials plus a minimum of 20 feet into the search and the search and the search and the driving the search and the search and the driving the search and the driving the search and the search and the driving the search and the search and the driving the search and the search and the driving t	ch drilling rig; CONSERVATION DIVIS To by circulating cement to the top; in all cases surface pipe shall harker the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the se	Conservation DIVISE Conservation DIVISE to be circulating cement to the top; in all cases surface pipe shall have the underlying formation. Illustrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged in all passes, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the spud date or the well shall to the spud shall be completed. 	ch drilling rig; CONSERVATION DIVIS It by circulating cement to the top; in all cases surface pipe shall hases the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged in all passes, NOTIFY district office prior to any cementing. If my knowledge and belief
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to the strong or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the strong or t	ch drilling rig; ONSERVATION DIVISE to by circulating cement to the top; in all cases surface pipe shall there's he underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged in all passes, NOTIFY district office prior to any cementing. If my knowledge and belief
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the appropriate district office will be a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the drift of the appropriate district office will be notified before well is either plug to the analysis of the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is	Conservation DIVIS To by circulating cement to the top; in all cases surface pipe shall hases the underlying formation. Illistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the deform below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged in all passes, NOTIFY district office prior to any cementing. Title: President President
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and to the best of the materials. March 4, 08 Signature of Operator or Agent March 2000.	ch drilling rig; CONSERVATION DIVIS To by circulating cement to the top; in all cases surface pipe shall hases the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged in all asses, NOTIFY district office prior to any cementing. Title: President D. Hupfer Remember to:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be received certify that the statements made herein are true and to the best of the set of	Conservation DIVIS To by circulating cement to the top; in all cases surface pipe shall hases the underlying formation. Illistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the deform below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged in all passes, NOTIFY district office prior to any cementing. Title: President President
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the appropriate district office will be notified before well is either plug to the set of the	ch drilling rig; CONSERVATION DIVIS It by circulating cement to the top; in all cases surface pipe shall hases the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged in all asset, NOTIFY district office prior to any cementing. If my knowledge and belief Title: President President File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drop of the state of the set o	ch drilling rig: CONSERVATION DIVISE to be circulating cement to the top; in all cases surface pipe shall has seen to the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged in all passes, NOTIFY district office prior to any cementing. If my knowledge and belief Title: President President File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the dots. 5. The appropriate district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. 6. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the statements. The minimum amount of surface pipe required feet per Alt 1 Amount of the statements. The minimum surface pipe required feet per Alt 1 Amount of the statements. The minimum surface pipe required feet per Alt 1 Amount of the statements.	ch drilling rig; Tonservation Division by circulating cement to the top; in all cases surface pipe shall present the underlying formation. Illistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and placement is necessary prior to plugging; aged or production casing is cemented in; and plugged or production casing is cemented in; at 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged in all passes, NOTIFY district office prior to any cementing. If my knowledge and belief Title: President President File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each and the maintenance of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of	ch drilling rig: ONSERVATION DIVISE to be circulating cement to the top; in all cases surface pipe shall there's he underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged in allowing, NOTIFY district office prior to any cementing. If my knowledge and belief Title: President D. Hupfer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each at the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug to the set of the	ch drilling rig; Conservation DIVIS If by circulating cement to the top; in all cases surface pipe shall has expired (present to the top) in all cases surface pipe shall has expired expiration. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged in all passet, NOTIFY district office prior to any cementing. Title: President Title: President File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the dots. 5. The appropriate district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. 6. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the statements. The minimum amount of surface pipe required feet per Alt 1 Amount of the statements. The minimum surface pipe required feet per Alt 1 Amount of the statements. The minimum surface pipe required feet per Alt 1 Amount of the statements.	ch drilling rig; To NSERVATION DIVISE to be circulating coment to the top; in all cases surface pipe shall present the underlying formation. Illistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged in all passes, NOTIFY district office prior to any cementing. If my knowledge and belief Title: President Title: President Title: President Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each at the second of the approved notice of intent to drill shall be posted on each at the minimum amount of surface pipe as specified below shall be second through all unconsolidated materials plus a minimum of 20 feet into the second of the seco	ch drilling rig; To NSERVATION DIVISE to be circulating coment to the top; in all cases surface pipe shall present the underlying formation. Illistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged in all passes, NOTIFY district office prior to any cementing. If my knowledge and belief Title: President D. Hupfer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the approved notice of intent to drill shall be posted on each attrough all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the drop of the set of the appropriate district office will be notified before well is either plug of the an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the set. March 4, 08 Signature of Operator or Agent Dennis For KCC Use ONLY API # 15 - OO9 - 25178-OOOD Conductor pipe required	ch drilling rig; To NSERVATION DIVISE to be circulating coment to the top; in all cases surface pipe shall present the underlying formation. Illistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged in all passes, NOTIFY district office prior to any cementing. If my knowledge and belief Title: President Title: President Title: President Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 009-25178-0000	Location of Well: County:
	feet from N / S Line of Section feet from E / W Line of Section
Lease:	feet from E / W Line of Section
Welf Number:	Sec Twp S. R East Wes
Field:	
Number of Acres attributable to well:	ls Section: Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

			1 1 · · · · · · · · · · · · · · ·		
Operator Name: Hupfer Operating, Inc.			License Number: 30380		
Operator Address: P.O. Box 216,	Hays, KS. 67	7601			
Contact Person: Dennis D. Hupfer		Phone Number: (785) 628 -8666			
Lease Name & Well No.:Bitter #B-2			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>C _ S2 _ S2 _ NW</u>		
Emergency Pit Workover Pit	X Proposed Existing If Existing, date constructed:		Sec. 5 Twp. 16 R. 13 East X West		
Settling Pit X Drilling Pit			2310 Feet from North / South Line of Section		
Burn Pit Haul-Off Pit	Pit capacity: 800 (bbls)		1320 Feet from East / X West Line of Section		
(If WP Supply API No. or Year Drilled)			Barton County		
			Chloride concentration:mg/l		
Is the pit located in a Sensitive Ground Water Area? 🔲 Yes 🕱 No		J No	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
X Yes No			Clay sides & bottom		
Pit dimensions (all but working pits):					
Depth fr	om ground level to de	T			
f the pit is lined give a brief description of the material, thickness and installation procedure	liner e.	liner integrity, is Let dry	edures for periodic maintenance and determining nocluding any special monitoring. natural		
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh water85feet.			
1450 feet Depth of water well 140 feet		measured X well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Fresh water & mud			
					king pits to be utilized:3
				procedure: Let dry natural & backfill	
		Does the slope from the tank battery allow all spilled fluids to Drift pits must		be closed within 365 days of spud date. RECE	
		I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief.
March 4, 08	Hen	nis N	MAR 0 : ONSERVATION Signature of Applipment or Agent VICHIT		
Date	Dennis	υ. Hupter	Signature of Applipant or Agent WICHIT		
The state of the s					