For KCC Use: 3-12-08 Effective Date: 3-12-08

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five		
Expected Spud Date: March 16, 2008 month day year	Water well within one-quarter mile: Public water supply well within one mile: Yes Yes	ection ection
Seismic ; # of Holes Other Other: If OWWO: old well information as follows:	Depth to bottom of fresh water: 150' + - Depth to bottom of usable water: 175' Surface Pipe by Alternate: I I I I I I I I I I I I I I I I I I I	
Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Yes	Length of Surface Pipe Planned to be set: 40' Length of Conductor Pipe (if any): Projected Total Depth: 1609 Feet Formation at Total Depth: Mississippian Water Source for Drilling Operations: Well Farm Pond Other:	
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #:	DWR Permit #:	No No
	If Yes, proposed zone:	N
ΔFF	REC	CEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	REC KANSAS CORPO Grang of this well will comply with K.S.A. 55 et. seg.	CEIVED RATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	REC KANSAS CORPO IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. MAR CONSERVA Idrilling rig; CONSERVA Idrilling rig; Conserva Idrilling rig; Idrilling	RATION COMMISSIO 7 2008 TION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the appropriate district of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the string the same and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. MAR CONSERVA drilling rig; y circulating cement to the top; in all cases surface pipe shall be set Wick underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	RATION COMMISSIO 7 2008 TION DIVISION HTA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the district office will be notified before well is either plugge of the same and the district office will be notified before well is either plugge of the same and the district office will be notified before well is either plugge of the same and the district office will be notified before well is either plugge of the same and the district office will be notified before well is either plugge of the same and the district office will be notified before well is either plugge of the same and the district office will be notified before well is either plugge of the same and the district office will be notified before well is either plugge of the same and the district office will be notified before well is either plugge.	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. MAR (CONSERVA drilling rig; y circulating cement to the top; in all cases surface pipe shall be set WiCk underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	RATION COMMISSIO 7 2008 TION DIVISION HTA, KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved in amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the strength of the surface of the district office will be notified before well is either plugge of. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the strength of the spud date or the well shall be provided to the spud date or the sp	CONSERVA drilling rig; y circulating cement to the top; in all cases surface pipe shall be set Wick underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15t of my knowledge and belief. Production Enginee	RATION COMMISSION 7 2008 TION DIVISION HTA, KS

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31554-0000				
Operator: Dart Cherokee Basin Operating Co LLC	Location of Well: County: Montgomery			
Lease: A Martinson	1650 feet from N / X S Line of Section			
Well Number: C1-1	1650 feet from N / X S Line of Section 4620 feet from E / W Line of Section			
Field: Cherokee Basin Coal Gas Area	Sec. 1 Twp. 33 S. R. 14 E W			
Number of Acres attributable to well: 40	ls Section: ■ Regular or □ Irregular			
QTR/QTR/QTR/QTR of acreage: S2 . NW . sw	is Section. They und			
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW			

PLAT

(Show location of the well and shade attributable acreage for **prorated** or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1650 F\$L		:	
1050 50 1	:		3390,
<	:	:	10
4620 FEL			0—1980
			EXAMPLE
	1		R14E
		:	: :
	:	· !	

Montgomery County

In plotting the proposed location of the well, you must show:

MAR 0 7 2008

KANSAS CORPORATION COMMISSION

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.

CONSERVATION DIVISION WICHITA, KS

- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Dart Cherokee Basin Operating Co LLC		License Number: 33074				
Operator Address: 211 W Myrtle		Independence	KS	67301		
Contact Person: Jeff Hudson		Phone Number: 620-331-7870				
Lease Name & Well No.: A Martinson C1-1		Pit Location (QQQQ):				
Type of Pit: Emergency Pit Burn Pit Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date complete capacity:		S2 NW Sec. 1 Twp. 33 R. 1650 Feet from 4620 Feet from	14 Ea		
Is the pit located in a Sensitive Ground Water	926	(bbls)	Montgomery Chloride concentration:		County	
is the bottom below ground level? Yes No	Artificial Liner?	No 30	(For Emergency Pi How is the pit lined if a plastic Natural Clays	liner is not use	s only) 1?	
Pit dimensions (all but working pits): 35 Length (feet) 30 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 5 (feet) No Pit						
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance ncluding any special monitoring.		,	
Source of info						
Total Bopin of Water Well					KDWR W	
		kover and Haul-Off Pits ONLY: ial utilized in drilling/workover: None Air Rig				
Number of producing wells on lease:		orking pits to be utilized:				
Barrels of fluid produced daily: Abandonment			procedure: Air Dry & Bacl	kfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMIS						
MAR 0 7 2008 March 6, 2008 Date MAR 0 7 2008 CONSERVATION DIVISION WICHITA, KS						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 3/7/os Permit Num	ber:	Perm	it Date: 3/7 /08 Lease	Inspection:	Yes 🗜 No	