For KCC Use: Effective Date:

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

ividst de approved by NOC nve		
Expected Spud Date: March 16, 2008 month day year	Spot Description: - N2 - NW - SE Sec. 8 Twp. 33 S. R. 14 SE SE Sec. 8 Twp. 33 S. R. 14 SE	
OPERATOR: License# 33074	feet from N / S Line of Sect	
Name: _Dart Cherokee Basin Operating Co LLC	teet from KE / W Line of Sect	ion
Address 1: 211 W Myrtle	Is SECTION: Regular Irregular?	
Address 2: City: Independence State: KS Zip: 67301 +	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Jeff Hudson	County: Montgomery	
Phone: 620-331-7870	Lease Name: D&A Gordon Well #: C3-8 Field Name: Cherokee Basin Coal Gas Area	
CONTRACTOR: License# 5675		
Name: McPherson Drilling	Is this a Prorated / Spaced Field? Wes Significant Spaced Field?	NO.
	Target Formation(s): Mississippian Nearest Lease or unit boundary line (in footage): 610 Feet	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 896 feet M	
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	_
Gas Storage X Pool Ext. Air Rotary		No
Disposal Wildcat Cable	Depth to bottom of fresh water: 150' + -	110
Seismic ; # of Holes Other	Depth to bottom of usable water: 175'	
Other:	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'	
Operator:	Length of Conductor Pipe (if any):	
Operator: Well Name:	Projected Total Depth: 1763 Feet	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian	_
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:		•
KCC DKT #:	Will Cores be taken?	No
KCC DKT #:	If Yes, proposed zone:	
	If Yes, proposed zone: RECEIVEL)
AFFI	If Yes, proposed zone: RECEIVED DAVIT KANSAS CORPORATION C)
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: RECEIVED NAME OF THE WORLD CORPORATION CO	OMMISS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED DAVIT KANSAS CORPORATION C	OMMISS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be nosted on each of	If Yes, proposed zone: RECEIVED RANSAS CORPORATION C Ging of this well will comply with K.S.A. 55 et. seq. MAR 0 7 200 Actilling rig: CONSERVATION DIV	OMMISS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be nosted on each of	If Yes, proposed zone: RECEIVED RANSAS CORPORATION C Ging of this well will comply with K.S.A. 55 et. seq. MAR 0 7 200 Actilling rig: CONSERVATION DIV	OMMISS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: RECEIVED KANSAS CORPORATION C Grilling rig; Conservation Div circulating cement to the top; in all cases surface pipe shall be WETHITA, KS underlying formation.	OMMISS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the same and the same and the district of the same and the same and the district of the same and the same	If Yes, proposed zone: RECEIVED KANSAS CORPORATION C Grilling rig; y circulating cement to the top; in all cases surface pipe shall be WETHITA, KS underlying formation; ct office on plug length and placement is necessary prior to plugging;	OMMISS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriputors. The appropriate district office will be notified before well is either plugge	If Yes, proposed zone: RECEIVED RANSAS CORPORATION C ging of this well will comply with K.S.A. 55 et. seq. MAR 0 7 20 drilling rig; y circulating cement to the top; in all cases surface pipe shall be well-lita, KS underlying formation; ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;	OMMISS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	If Yes, proposed zone: RECEIVED RANSAS CORPORATION C ging of this well will comply with K.S.A. 55 et. seq. MAR 0 7 20 drilling rig; y circulating cement to the top; in all cases surface pipe shall be well-lita, KS underlying formation; ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;	OMMISS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	If Yes, proposed zone: RECEIVED RANSAS CORPORATION C ging of this well will comply with K.S.A. 55 et. seq. MAR 0 7 20 drilling rig; y circulating cement to the top; in all cases surface pipe shall be well-lita, KS underlying formation; ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing	OMMISS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of an analysis of the approved notice of intent to drill <i>shall be</i> posted on each of a strong that the set of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriputed in the set of the set	RECEIVED MAR 0 7 20 drilling rig; y circulating cement to the top; in all cases surface pipe shall be set HTA, KS underlying formation; ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	OMMISS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the district of the appropriate district office prior as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard that the district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge for the appropriate district office will be notified before as a casing order #13 must be completed within 30 days of the spud date or the well shall be proceed to the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the beautiful to the statements made herein are true and correct to the statements.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION C Grilling rig; Conservation Div drilling rig; circulating cement to the top; in all cases surface pipe shall be service office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief.	OMMISS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of a copy of the approved notice of intent to drill <i>shall be</i> posted on each of a copy of the approved notice of intent to drill <i>shall be</i> posted on each of a copy of the approved notice of intent to drill <i>shall be</i> posted on each of a copy of the approved notice of intent to drill <i>shall be</i> set by through all unconsolidated materials plus a minimum of 20 feet into the copy of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge for grunding to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be grant to the complete of the copy of the spud date or the well shall be grant to the copy of the spud date or the well shall be grant to the copy of the spud date or the well shall be grant to the copy of the spud date or the well shall be grant to the copy of the spud date or the well shall be grant to the copy of the spud date or the well shall be grant to the copy of the spud date or the well shall be grant to the copy of the spud date or the well shall be grant to the copy of the spud date or the well shall be grant to the copy of the spud date or the well shall be grant to the copy of the spud date or the well shall be grant to the copy of the spud date or the well shall be grant to the copy of the spud date or the well shall be grant to the copy of the spud date or the well shall be grant to the copy of the spud date or the well shall be grant to the copy of the spud date or the well shall be grant to the copy of the spud date or the well shall be grant to the copy of the spud date or the well s	RECEIVED MAR 0 7 20 drilling rig; y circulating cement to the top; in all cases surface pipe shall be set HTA, KS underlying formation; ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	OMMISS OB VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of	If Yes, proposed zone: RECEIVED KANSAS CORPORATION C Grilling rig; Conservation Div drilling rig; circulating cement to the top; in all cases surface pipe shall be service office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief.	OMMISS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	If Yes, proposed zone: RECEIVED KANSAS CORPORATION C ging of this well will comply with K.S.A. 55 et. seq. MAR 0 7 20 drilling rig; conservation Div y circulating cement to the top; in all cases surface pipe shall be set. to office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Production Engineer Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	OMMISS OB VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the standard of the standard or of the standard or of the standard of the standard of the standard or of the standard of the standard or of the standard or of the standard of the standard of the standard or of the standard or of the standard of the standard or of	If Yes, proposed zone: RECEIVED KANSAS CORPORATION C ging of this well will comply with K.S.A. 55 et. seq. MAR 0 7 20 drilling rig; conservation Div griculating cement to the top; in all cases surface pipe shall be set. Act office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Production Engineer Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	OMMISS OB VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	If Yes, proposed zone: RECEIVED KANSAS CORPORATION C ging of this well will comply with K.S.A. 55 et. seq. MAR 0 7 20 drilling rig; conservation Div griculating cement to the top; in all cases surface pipe shall be set. Conservation Div griculating formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Production Engineer Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	OMMISS OB VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	If Yes, proposed zone: RECEIVED KANSAS CORPORATION C ging of this well will comply with K.S.A. 55 et. seq. MAR 0 7 20 drilling rig; conservation Div griculating cement to the top; in all cases surface pipe shall be set. Act office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Production Engineer Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	OMMISS OB VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office <i>prior</i> to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the distription of the well is district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the between the complete of the prior of the pr	If Yes, proposed zone: RECEIVED KANSAS CORPORATION C ging of this well will comply with K.S.A. 55 et. seq. MAR 0 7 20 drilling rig; conservation Div griculating cement to the top; in all cases surface pipe shall be set. Conservation Div griculating formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Production Engineer Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	OMMISS OB VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district office pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the distripant of the spropriate district office will be notified before well is either plugge of the spurposition of the spurposit	If Yes, proposed zone: RECEIVED KANSAS CORPORATION C ging of this well will comply with K.S.A. 55 et. seq. MAR 0 7 20 drilling rig; conservation Div y circulating cement to the top; in all cases surface pipe shall be well-lita, KS underlying formation; ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Production Engineer Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	OMMISS OB TISION 8
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office <i>prior</i> to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the distription of the well is district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the between the complete of the prior of the pr	RECEIVED KANSAS CORPORATION C ging of this well will comply with K.S.A. 55 et. seq. MAR 0 7 20 drilling rig; conservation Div griculating cement to the top; in all cases surface pipe shall be set. Conservation Div griculating cement to the top; in all cases surface pipe shall be set. Gridling rig; conservation Div griculating cement to the top; in all cases surface pipe shall be set. If this permit has expired (See: authorized expiration date) please check the box below and return to the document is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing oblugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Production Engineer Title: Production Engineer Title: Submit plugging report (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	OMMISS OB TISION 8
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the specified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements of the spud date or the well shall be provided to the statements of the spud date or the well shall be provided to the statements of the spud date or the well shall be provided to the statements of the spud date or the well shall be provided to the statements of the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the well shall be provided to the spud date or the shall be provided to the spud date or the shall be	If Yes, proposed zone: RECEIVED KANSAS CORPORATION C ging of this well will comply with K.S.A. 55 et. seq. MAR 0 7 20 drilling rig; conservation Div y circulating cement to the top; in all cases surface pipe shall be well-lita, KS underlying formation; ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Production Engineer Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	OMMISS OB TISION 8

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - /25-3/556-0000 Operator: Dart Cherokee Basin Operating Co LLC	Location of Well; County: Montgomery					
Lease: D&A Gordon	2030	,		и / 🔀 s	Line of Section	
Well Number: C3-8	1980		feet from	E / 🔲 W	V Line of Section	
Field: Cherokee Basin Coal Gas Area	Sec. 8	Twp. 33	S. R. 14	. 🛛 E	: 🔲 w	
Number of Acres attributable to well: 40	Is Section:	Popular or	- Irragular	¬leroquior		
QTR/QTR/QTR/QTR of acreage: . N2 . NW . SE	ls Section: Regular or Irregular					
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW					

PLAT

(Show location of the well and shade attributable acreage for propagated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

T33S



NOTE: In all cases locate the spot of the proposed drilling locaton.

Montgomery County

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Dart Cherokee Basin Operating Co LLC		License Number: 33074				
Operator Address: 211 W Myrtle		Independence	KS	67301		
Contact Person: Jeff Hudson		Phone Number: 620-331-7870				
Lease Name & Well No.: D&A Gordon C3-8		Pit Location (QQQQ):				
Type of Pit:	Pit is:		<u>N2NWSE</u>			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 8 Twp. 33 R. 14	t West		
Settling Pit Drilling Pit	If Existing, date constructed:		2030 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 926 (hbls)		1980 Feet from East / West Line of Section			
		(bbls)			County	
Is the pit located in a Sensitive Ground Water	Area? Yes	[]No	Chloride concentration: (For Emergency Pits a		- 1	
is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic lin	er is not used	?	
Pit dimensions (all but working pits):	35 Length (fe	eet)30	Width (feet)	N/A:	Steel Pits	
	om ground level to de		5 (feet)	No F	?it	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.						
· ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '			owest fresh waterfeet.			
,			Source of information: measuredwell ownerelectric logKDWR			
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:					<u> </u>	
		rial utilized in drilling/workover: None Air Rig				
Number of producing wells on lease: Number of wor		orking pits to be utilized:0				
Barrels of fluid produced daily: Abandonment procedure: Air Dry & Backfill						
				RECEIVED ORPORATION COMMISSIO		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. MAR 0 7 2008						
March 6, 2008 Date		SH &	ignature of Applicant or Agent	ÇON	ISERVATION DIVISION WICHITA, KS	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 3/7/08 Permit Num	ber:	Perm	it Date: 3/7/05 Lease In	spection:	Yes No	