| For KCC Use:    | 3-12-08 |
|-----------------|---------|
| Effective Date: | - 10 W  |
| District #      | 3       |
|                 | T7      |

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

## NOTICE OF INTENT TO DRILL

|  | (5) days prior to commencing well   | nks must de Filled                      |
|--|---|---|
| Expected Spud Date: March 16, 2008   | Spot Description:   |   |
| month day year   | CNWSWSec. 2Twp. 33S. R  | 4 <b>\</b> F\                           |
| OPERATOR: License# 33074   | (G/G/G/G) 1980 / feet from N / X  |   |
|  | 4620 feet from X E /  | W. Line of Section                      |
| Name: Dart Cherokee Basin Operating Co LLC   | Is SECTION: Regular Irregular?  | W Line of Section                       |
| Address 1: 211 W Myrtle Address 2:   | IS SECTION: Locate well on the Section Plat on reverse  | zirle)                                  |
| City: Independence State: KS Zip: 67301 +  | Montgomerv  |   |
| Contact Person: Jeff Hudson  | Lease Name: D&M Wittum Trust Field Name: Cherokee Basin Coal Gas Area   | и д. C1-2                               |
| Phone: 620-331-7870  | Cherokee Basin Coal Gas Area  | ··· + · · · · · · · · · · · · · · · · · |
| CONTRACTOR: License# 5675  |   | Yes No                                  |
| CONTRACTOR: License#_ 5675  Name: McPherson Drilling   | Is this a Prorated / Spaced Field? Target Formation(s): Mississippian   | LITES MINO                              |
| Well Drilled For: Well Class: Type Equipment:  | Nearest Lease or unit boundary line (in footage): 660 Feet  |   |
|  | Ground Surface Elevation: 875   | feet MSL                                |
|  | Water well within one-quarter mile:   | Yes No                                  |
| Gas Storage Nool Ext. Air Rotary Disposal Wildcat Cable  | Public water supply well within one mile:   | Yes X No                                |
| Seismic ; # of Holes Other   | Depth to bottom of fresh water: 150'+-  |   |
| Other:   | Depth to bottom of usable water: 175  |   |
| Li Other.  | Surface Pipe by Alternate: I XII  |   |
| If OWWO: old well information as follows:  | Length of Surface Pipe Planned to be set: 40'   |   |
|  | Length of Conductor Pipe (if any):  |   |
| Operator:  | ACOD Foot   |   |
| Well Name:   | Formation at Total Depth: Mississippian   |   |
| Original Completion Date: Original Total Depth:  | Water Source for Drilling Operations:   |   |
| Directional, Deviated or Horizontal wellbore?  | Well Farm Pond Other:   |   |
| If Yes, true vertical depth:   | DWR Permit #:   |   |
| Bottom Hole Location:  | (Note: Apply for Permit with DWR  |   |
| KCC DKT #:   | Will Cores be taken?  | Yes No                                  |
|  | If Yes, proposed zone:  | RECEIVED                                |
|  | KANG  | NECEIVED<br>AS CORPORATION COMMISSION   |
| AFF  | IDAVIT  | 10 00 H OISTING COMMISSIE               |
| The undersigned hereby affirms that the drilling, completion and eventual plug   | gging of this well will comply with K.S.A. 55 et. seq.  | MAD R = 2000                            |
| It is agreed that the following minimum requirements will be met:  |   | MAR 0 7 2008                            |
| Notify the appropriate district office <i>prior</i> to spudding of well;   |   | 001050145161                            |
| A copy of the approved notice of intent to drill <b>shall be</b> posted on each  | drillina ria:   | CONSERVATION DIVISION                   |
| 3. The minimum amount of surface pipe as specified below shall be set b  | by circulating cement to the top; in all cases surface pipe shall   | WICHITA, KS<br>be set                   |
| through all unconsolidated materials plus a minimum of 20 feet into the  | underlying formation.   |   |
| 4. If the well is dry hole, an agreement between the operator and the distr  | ict office on plug length and placement is necessary prior to p   | lugging;                                |
| 5. The appropriate district office will be notified before well is either plugge   | ed or production casing is cemented in;   | d data                                  |
| <ol> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented<br/>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>   | From below any usage water to surface within 120 DAYS of Sp   | oud date.                               |
| must be completed within 30 days of the spud date or the well shall be   | nlugged. In all cases NOTIFY district office prior to any cent  | cementing<br>tenting                    |
|  | 4 W   | ·-····································  |
| I hereby certify that the statements made herein are true and correct to the be  | 1   |   |
| Date: March 6, 2008 Signature of Operator or Agent:  | Title: Production I   | =ngineer                                |
| Signature of Operator of Agent.  | <b>Y</b>  | NA                                      |
|  | Remember to:  | N                                       |
| For KCC Use ONLY   | <ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> </ul>   |   |
| 175-41555-6777   | · · · · · · · · · · · · · · · · · · ·   |   |
| API # 15- 125-31555-0000   | - File Completion Form ACO-1 within 120 days of spud date;  | ့  ယ                                    |
| Conductor pipe required None feet  | <ul> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration order</li> </ul>  | •••                                     |
| Conductor pipe required None feet  | <ul> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration order</li> <li>Notify appropriate district office 48 hours prior to workover or</li> </ul>  | re-entry;                               |
| Conductor pipe required  Minimum surface pipe required  A  feet  feet  feet  feet per ALT. I   | <ul> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration order</li> <li>Notify appropriate district office 48 hours prior to workover or</li> <li>Submit plugging report (CP-4) after plugging is completed (w</li> </ul>  | re-entry;<br>vithin 60 days);           |
| Conductor pipe required  Minimum surface pipe required  Approved by:   Approved b | <ul> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration order</li> <li>Notify appropriate district office 48 hours prior to workover or</li> <li>Submit plugging report (CP-4) after plugging is completed (w</li> <li>Obtain written approval before disposing or injecting salt wat</li> </ul>  | re-entry;<br>vithin 60 days);<br>er.    |
| Conductor pipe required  Minimum surface pipe required  Approved by:   Last 3-7-08  This authorization expires: 3-7-09   | <ul> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration order</li> <li>Notify appropriate district office 48 hours prior to workover or</li> <li>Submit plugging report (CP-4) after plugging is completed (v</li> <li>Obtain written approval before disposing or injecting salt wat</li> <li>If this permit has expired (See: authorized expiration date) pl</li> </ul>   | re-entry;<br>vithin 60 days);<br>er.    |
| Conductor pipe required  Minimum surface pipe required  Approved by:   Approved b | <ul> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration order</li> <li>Notify appropriate district office 48 hours prior to workover or</li> <li>Submit plugging report (CP-4) after plugging is completed (w</li> <li>Obtain written approval before disposing or injecting salt wat</li> <li>If this permit has expired (See: authorized expiration date) plugheck the box below and return to the address below.</li> </ul>  | re-entry;<br>vithin 60 days);<br>er.    |
| Conductor pipe required  Minimum surface pipe required  Approved by:   Last 3-7-08  This authorization expires: 3-7-09   | <ul> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration order</li> <li>Notify appropriate district office 48 hours prior to workover or</li> <li>Submit plugging report (CP-4) after plugging is completed (v</li> <li>Obtain written approval before disposing or injecting salt wat</li> <li>If this permit has expired (See: authorized expiration date) plugheck the box below and return to the address below.</li> <li>Well Not Drilled - Permit Expired Date:</li> </ul> | re-entry;<br>vithin 60 days);<br>er.    |
| Conductor pipe required  Minimum surface pipe required  Approved by:   Last 3-7-08  This authorization expires: 3-7-09   | <ul> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration order</li> <li>Notify appropriate district office 48 hours prior to workover or</li> <li>Submit plugging report (CP-4) after plugging is completed (w</li> <li>Obtain written approval before disposing or injecting salt wat</li> <li>If this permit has expired (See: authorized expiration date) plugheck the box below and return to the address below.</li> </ul>  | re-entry;<br>vithin 60 days);<br>er.    |

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 125-31555-0000  Operator: Dart Cherokee Basin Operating Co LLC      | Location of Well: County:  | Montgomery                                     |  |  |
|--|--|--|--|--|
| Lease: D&M Wittum Trust  | 1980   | feet from N / S Line of Section                |  |  |
| Well Number: C1-2  | 4620   | feet from X E / W Line of Section              |  |  |
| Field: Cherokee Basin Coal Gas Area  | Sec. 2 Twp. 33   | feet from X E / W Line of Section S. R. 14 E W |  |  |
| Number of Acres attributable to well: 40 QTR/QTR/QTR/QTR of acreage: C _ NW _ SW | Is Section: Regular  | or Irregular                                   |  |  |
|  | If Section is integular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |  |  |  |

#### **PLAT**

(Show location of the well and shade attributable acreage for proprated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name: Dart Cherokee Basin Operating Co LLC  |                                | License Number: 33074   |   |             |                                  |  |  |
|--|--------------------------------|---|---|-------------|----------------------------------|--|--|
| Operator Address: 211 W Myrtle   |                                |   | Independence  | KS          | 67301                            |  |  |
| Contact Person: Jeff Hudson  |                                |   | Phone Number: 620-331-7870  |             |                                  |  |  |
| Lease Name & Well No.: D&M Wittun  | n Trust C1                     | -2  | Pit Location (QQQQ):  |             |                                  |  |  |
| Type of Pit:   | Pit is:                        |   | CNW _ SW  |             |                                  |  |  |
| Emergency Pit Burn Pit   | Proposed Existing              |   | Sec. 2 Twp. 33 R. 14 East West  |             |                                  |  |  |
| Settling Pit Drilling Pit  Workover Pit Haul-Off Pit   | If Existing, date constructed: |   | 1980 Feet from North / South Line of Section                              |             |                                  |  |  |
| (If WP Supply API No. or Year Drilled)   | Pit capacity: 926 (bbls)       |   | 4620 Feet from ∑ East / West Line of Section Montgomery County            |             |                                  |  |  |
| Is the pit located in a Sensitive Ground Water Area? Yes No  |                                |   | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only) |             |                                  |  |  |
| Is the bottom below ground level?  Yes No  | Artificial Liner? Yes No       |   | How is the pit lined if a plastic liner is not used?  Natural Clays       |             |                                  |  |  |
| Pit dimensions (all but working pits):   | 5 Length (fe                   | eet) 30   | Width (feet)  | N/A:        | Steel Pits                       |  |  |
| Depth fr   | om ground level to de          | eepest point:   | 5 (feet)  | No          | Pit                              |  |  |
| If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. |                                |   |   |             |                                  |  |  |
| '  |                                | owest fresh waterfeet.  |   |             |                                  |  |  |
| 1  |                                |   | measured well owner electric log KDWR                                     |             |                                  |  |  |
| Emergency, Settling and Burn Pits ONLY:  |                                | Drilling, Work  | kover and Haul-Off Pits ONLY:   |             |                                  |  |  |
|  |                                | rial utilized in drilling/workover: None Air Rìg                          |   |             |                                  |  |  |
|  |                                | working pits to be utilized: 0  |   |             |                                  |  |  |
| Barrels of fluid produced daily: Abandonment   |                                | ent procedure: Air Dry & Backfill   |   |             |                                  |  |  |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must   |                                | be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMI |   |             |                                  |  |  |
| I hereby certify that the above state  | ments are true and o           | correct to the bes  | t of my knowledge and belief.   |             | MAR 0 7 2008                     |  |  |
| March 6, 2008<br>Date  |                                | Jeff !  | signature of Applicant or Agent   | C           | ONSERVATION DIVISION WICHITA, KS |  |  |
| KCC OFFICE USE ONLY Steel Pit RFAC RFAS  |                                |   |   |             |                                  |  |  |
| Date Received: 3/7/asr Permit Num  | ber:                           | Perm  | it Date: $3/7/\sigma S$ Lease   | Inspection: | Yes & No                         |  |  |