For KCC Use:	3-16-08
Effective Date: _	2710-08
District #	4,
SCA2 The	. F7hus

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed

	I I EN I 1 U UNILL All blanks must be Fi (5) days prior to commencing well	illed
Expected Sould Date: APRIL 4 2008	., , ,	
Expected Spud Date: 4 2000 month day year	Spot Description:	
2004	Sw. NW SE NE Sec. 18 Twp. 9 S. R. 20 []E	
PERATOR: License# 6931 /	feet from XN / S Line of Sec	
arne: BOWMAN OIL COMPANY	section KE/ W Line of Sec	tion
ddress 1: 805 CODELL ROAD	Is SECTION: Regular Inegular?	
odress 2:	(Mate: Locate well on the Section Plat on reverse-side)	
State: KS Zip: 67663 4	County: ROOKS	
contact Person: LOUTS D. BOWMAN	Lease Name: TChesS'ESTATE Well #: 6	
INDIO.	Field Name: Gra-Rook North	
ONTRACTOR: License# 39575	Is this a Prorated / Spaced Field?	No
ame: W-W DRILLING	Target Formation(s): ARBUCKLE	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1000	
	Ground Surface Elevation: 2230 687 feet M	ISL
Oil Enh Rec XInfield X Mud Rotary	Water well within one-quarter mile:	Na
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile: Yes	
Disposal Wildcat Cable Seismic: # of Holes Other	Denth to bottom of fresh water: 150	·
Other:	Depth to bottom of usable water: 950	
Oues.	Surface Pipe by Alternate:	_
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200	
O	Length of Conductor Pipe (if any): NONE	
Operator:	Projected Total Depth: 3800'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: ARBUCKLE	
Original Completion Date.	Water Source for Drilling Operations:	
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other: X	
Yes, true vertical depth:	DWR Permit #:	-
Rottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken?	No
	If Yes, proposed zone:	
•	RECEIVI	ΞD
AFF	IDAVIT KANSĀS CORPORATION	COMMISS
he undersigned hereby affirms that the drilling, completion and eventual plu		
is agreed that the following militimum requirements will be met:	MAR 102	2008
	יותוין	-000
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each 	drilling rig: CONSERVATION	DIVISION
The minimum amount of surface pine as specified below shall be set be.	by circulating cement to the top; in all cases surface pipe ahali be ad/ICHTA.	
through all unconsolidated materials plus a minimum of 20 feet into the	underlying formation.	
4. If the well is dry hole, an agreement between the operator and the distr		
The appropriate district office will be notified before well is either plugg.		
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	·	
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1; must be completed within 30 days of the spud date or the well shall be	33,891-C, which applies to the KCC District 3 area, alternate II cementing	
•		
hereby certify that the statements made herein are true and correct to the bo	est of my knowledge and belief.	
3/5/08	AGENT	
ate: Signature of Operator or Agent:	Title:	
	Remember to:	28
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;	-
API # 15 - 163-23705-0000	 File Completion Form ACO-1 within 120 days of spud date; 	9
Conductor pipe required Work feet	 File acreage attribution plat according to field proration orders; 	
Constitute prior required	- Notify appropriate district office 48 hours prior to workover or re-entry;	
	 Submit plugging report (CP-4) after plugging is completed (within 60 days); 	20
Approved by: Kuth 3-11-08	Obtain written approval before disposing or injecting salt water.	0
This authorization expires: 3-11-09	 If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. 	
(This authorization void if drilling not started within 12 months of approval date.)"		\Box
	Well Not Drilled - Permit Expired Date:	m
	SKIDSDIED OF LINGUSTOF OF BOOD!	


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15-163-83705000		
Operator: BOWMAN OIL COMPANY	Location of Well: County: R	OOKS
Lease: TOWNS ESTATE	1,725	
Well Number: 6	1,000	feet from X E / W Line of Section
Field:	Sec. 18 Twp. 9	S. R. 20 E X W
Number of Acres attributable to well:	Is Section: Regular o	r Thronder
QTR/QTR/QTR/QTR of acreage: NE	is decitor. Partequial of	i La inegues
	If Section is Irregular, loca	te well from nearest corner boundary.
	Section corner used:	NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



RECEIVED
**ANSAS CORPORATION COMMISSION

MAR 10 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section fines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (Co-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: BOWMAN OIL COMPANY		License Number: 6931	
Operator Address: 805 CODELL ROAD		CODELL KS 67663	
Contact Person: LOUIS D. BOWMAN		Phone Number: 785-434-2286	
Lease Name & Well No.: TOWNS ESTATE 6		Pit Location (QQQQ):	
Type of Pit: Pit is:		SW. NW SE. NE	
Emergency Pit Burn Pit Proposed	Existing	Sec. 18 Twp. 9 R. 20 East West	
Settling Pit Drilling Pit If Existing, date	constructed:	1,725 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit		1,000 Feet from East / West Line of Section	
(If WIP Supply API No. or Year Drilled) Pit capacity: 500	(664-)	ROOKS	
	(bbls)	County	
Is the pit located in a Sensitive Ground Water Area? Yes	No	Chioride concentration:mg/l	
s the bottom below ground level? Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	No		
Pit dimensions (all but working pits): 40 Length	(feet)12	Width (feet) N/A: Steel Pits	
		6	
Depth from ground level to	Describe proce	edures for periodic maintenance and determining RECEIV	
	Describe proce	edures for periodic maintenance and determining RECEIV notuding any special monitoring. KANSAS CORPORATIO	
If the pit is lined give a brief description of the liner	Describe proce liner integrity, i	edures for periodic maintenance and determining RECEIV notuding any special monitoring. KANSAS CORPORATION MAR 10	
If the pit is lined give a brief description of the liner	Describe proce liner integrity, i	edures for periodic maintenance and determining RECEIV notuding any special monitoring. KANSAS CORPORATION MAR 10 CONSERVATION WICHTA, prest fresh water	
If the pit is lined give a brief description of the liner material, thickness and installation procedure.	Describe proce liner integrity, i	edures for periodic maintenance and determining RECEIV notuding any special monitoring. KANSAS CORPORATION MAR 10 CONSERVATION WICHITA, weest fresh water feet.	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Distance to nearest water well within one-mile of pit	Describe proceliner integrity, i	edures for periodic maintenance and determining RECEIV RANSAS CORPORATION KANSAS CORPORATION WAR 10 CONSERVATION WICHITA, I west fresh water feet. The conservation of the conservation	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Distance to nearest water well within one-mile of pit 3910 feet Depth of water well	Describe proceliner integrity, i	edures for periodic maintenance and determining RECEIV National Receivements of the periodic maintenance and determining RECEIV KANSAS CORPORATION WAR 10 CONSERVATION WICHITA, I west fresh water feet. The mation: Lived well owner electric log KDWR COVER and Haul-Off Pits ONLY: But utilized in drilling/workover:	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Distance to nearest water well within one-mile of pit 3910 feet Depth of water well	Describe proceliner integrity, is Depth to shalle Source of informeast Drilling, Work Type of materia	edures for periodic maintenance and determining RECEIV notuding any special monitoring. MAR 10 CONSERVATION WICHITA, mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: ROTARY MUD	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Distance to nearest water well within one-mile of pit 3910 feet Depth of water well	Describe proceliner integrity, is Depth to shalle Source of informeast Drilling, Work Type of materia	edures for periodic maintenance and determining RECEIV RANSAS CORPORATION KANSAS CORPORATION WAR 10 CONSERVATION WICHITA, I west fresh water feet. The mation: Lived well owner electric log KDWR Lover and Haul-Off Pits ONLY: all utilized in drilling/workover:	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Distance to nearest water well within one-mile of pit 3910 feet Depth of water well // O feet Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	Describe proceliner integrity, is Depth to shalld Source of informeast Drilling, Work Type of material Number of work Abandonment	edures for periodic maintenance and determining RECEIV notuding any special monitoring. MAR 10 CONSERVATION WICHITA, mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: ROTARY MUD	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Distance to nearest water well within one-mile of pit 3910 feet Depth of water well feet Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to	Describe proceliner integrity, is Depth to shalle Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must	edures for periodic maintenance and determining RECEIV notuding any special monitoring. MAR 10 CONSERVATION WICHITA, West fresh water feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: ROTARY MUD tking pits to be utilized: procedure: BACKFILL W/ DOZER be closed within 365 days of spud date.	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Distance to nearest water well within one-mile of pit 3910 feet Depth of water well feet Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No	Describe proceliner integrity, is Depth to shalle Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must	edures for periodic maintenance and determining RECEIV notuding any special monitoring. MAR 10 CONSERVATION WICHITA, West fresh water feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: ROTARY MUD tking pits to be utilized: procedure: BACKFILL W/ DOZER be closed within 365 days of spud date.	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Distance to nearest water well within one-mile of pit 3910 feet Depth of water well feet Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of work Abandonment Drill pits must	edures for periodic maintenance and determining RECEIV notuding any special monitoring. MAR 10 CONSERVATION WICHITA, West fresh water feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: ROTARY MUD tking pits to be utilized: procedure: BACKFILL W/ DOZER be closed within 365 days of spud date.	