# For KCC Use: Effective Date: 3 1708 District # 3 Ver VNo

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: March 15, 2008 month day year	Spot Description:	 w
OPERATOR: License# 33344 /	1,980 feet from N / S Line of Sect	on
Name: Quest Cherokee, LLC	Is SECTION: Regular Irregular?	OII
Address 1: 210 W. Park Ave., Suite 2750		
Address 2: State: OK Zip: 73102+	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Richard Marlin	County: Labette	
Phone: 405-702-7480	Lease Name: Haag, Stanley W. Well #: 9-3	
gggg as such as Lineared by KCC	Field Name: Cherokee Basin CBM	_
CONTRACTOR. Licenser	Is this a Prorated / Spaced Field?	Ю
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 660	
Oil Enh Rec XInfield Mud Rotary	Ground Surface Elevation: 870 feet M  Water well within one-quarter mile:	
Gas Storage Pool Ext. Air Rotary		-
DisposalWildcatCable	··· · · · · · · · · · · · · · · · · ·	<b>VO</b>
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100  Depth to bottom of usable water: 156 105	
Other: Coalbed Methane		
If OWWO: old well information as follows:	Surface Pipe by Alternate: [ [ X ]   1	
III OVVIVO. OID WER MIDITIALION AS IONOWS.	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth:	
Original Completion Date: Original Total Depth:		
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Yes No	Well Farm Pond Other: Air	
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR )	_
KCC DKT #:		_
	Mill Cores he taken?	Vo.
NOC DRI #.	Will Cores be taken? Yes X	Nο
NOC DINI #.	If Yes, proposed zone:	_
	If Yes, proposed zone:	<u> </u>
AFFI	If Yes, proposed zone:  RECEIVED  DAVIT  KANSAS CORPORATION C	<u> </u>
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:  RECEIVED  DAVIT  KANSAS CORPORATION C  ging of this well will comply with K.S.A. 55 et. seq.	 Ommission
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:  RECEIVED  DAVIT  KANSAS CORPORATION C	 Ommission
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:  RECEIVED  DAVIT  KANSAS CORPORATION C  ging of this well will comply with K.S.A. 55 et. seq.  MAR 1 1 20	OMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A conv of the approved notice of intent to drill <i>shall be</i> posted on each of	If Yes, proposed zone:  RECEIVED  RECEIVED  KANSAS CORPORATION COMPONENTIAL CONSERVATION DIVIDING FIG.	OMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	RECEIVED  DAVIT  Ging of this well will comply with K.S.A. 55 et. seq.  MAR 1 1 20  Drilling rig;  CONSERVATION DIV  Oriculating cement to the top; in all cases surface pipe shall be SECHITA, KS  underlying formation.	OMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.	RECEIVED  NANSAS CORPORATION CONSERVATION DIVIDING FOR THE CONSERV	OMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the definition of the them.  4. If the well is dry hole, an agreement between the operator and the distriction of the plugges.  5. The appropriate district office will be notified before well is either plugges.	RECEIVED  NANSAS CORPORATION CONSERVATION DIVIDENTISHED FOR THE STATE OF THE STATE	OMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the defense of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	RECEIVED  NANSAS CORPORATION OF CONSERVATION DIVIDED IN THE CONSERVATION DIVIDED IN TH	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the surface of t	RECEIVED  RECEIVED  RECEIVED  KANSAS CORPORATION OF MAR 1 1 20  drilling rig;  CONSERVATION DIV  or circulating cement to the top; in all cases surface pipe shall be \$86\text{HITA, KS} underlying formation.}  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the state of t	RECEIVED  RECEIVED  RECEIVED  KANSAS CORPORATION OF CONSERVATION OF CONSERVATION OF CONSERVATION DIVIDED TO THE CO	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B". Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the spud case of the spud case of the spud case of the spud case.	RECEIVED  RECEIVED  RECEIVED  KANSAS CORPORATION OF MAR 1 1 20  drilling rig;  CONSERVATION DIVIDED IN THE SECONDARY OF SE	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge.  If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the best of the statements.	RECEIVED  RECEIVED  RECEIVED  KANSAS CORPORATION OF MAR 1 1 20  drilling rig;  CONSERVATION DIVIDED IN THE SECONDARY OF SE	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the best of the spud date.	RECEIVED  RECEIVED  KANSAS CORPORATION OF KA	OMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the standard of the set of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the set o	RECEIVED  RECEIVED  RECEIVED  KANSAS CORPORATION OF MAR 1 1 20  Drilling rig;  Conservation of the circulating cement to the top; in all cases surface pipe shall be SECHITA, KS underlying formation.  In office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief.  Title: Vice President	OMMISSION  OB  /ISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B". Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the place.  March 7, 2008  Signature of Operator or Agent:  For KCC Use ONLY	RECEIVED  RECEIVED  RECEIVED  KANSAS CORPORATION OF KANSAS CORPORA	OMMISSION  OB  VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. If hereby certify that the statements made herein are true and correct to the bed in the placed.  Signature of Operator or Agent:  For KCC Use ONLY  API #15 - 099-24300-0000	RECEIVED  RECEIVED  RECEIVED  KANSAS CORPORATION OF MAR 1 1 20  Drilling rig;  Conservation of the circulating cement to the top; in all cases surface pipe shall be SECHITA, KS underlying formation.  In office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief.  Title: Vice President	OMMISSION  OB  VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:    March 7, 2008	RECEIVED  RECEIVED  RECEIVED  KANSAS CORPORATION OF GROUND CORPORATION OF GROUND CONSERVATION OF GROUND CONSERVATION OF GROUND CONSERVATION DIVERSAL TO THE CONSE	OMMISSION  OB  /ISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:    I hereby certify that the statements made herein are true and correct to the between the completed within and the plate of the plate of the plate. Signature of Operator or Agent:    For KCC Use ONLY	RECEIVED  RECEIVED  RECEIVED  KANSAS CORPORATION OF CONSERVATION OF CONSERVATI	OMMISSION  OB  VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:    I hereby certify that the statements made herein are true and correct to the between the completed within and the plate of the plate of the plate. Signature of Operator or Agent:    For KCC Use ONLY	RECEIVED  RECEIVED  RANSAS CORPORATION OF CONSERVATION OF CONSERVATION DIVIDED IN THE	OMMISSION  OB  VISION  9
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the best of the statements of the placed in the place	RECEIVED  RECEIVED  RANSAS CORPORATION OF CONSERVATION OF CIRCUIT CONSERVATION OF CIRCUIT CONSERVATION OF CIRCUIT CONSERVATION DIVERSAL TO THE CONSERVATION DIVER	OMMISSION  OBS  VISION  1
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge if an ALTERNATE if COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct the best placed.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	RECEIVED  RECEIVED  KANSAS CORPORATION OF CONSERVATION OF CONS	OMMISSION  OBS  VISION  1
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:    March 7, 2008	RECEIVED  RECEIVED  RANSAS CORPORATION OF CONSERVATION OF CIRCUIT CONSERVATION OF CIRCUIT CONSERVATION OF CIRCUIT CONSERVATION DIVERSAL TO THE CONSERVATION DIVER	OMMISSION  OBS  VISION  1


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-24300-0000	
Operator: Quest Cherokee, LLC	Location of Well: County: Labette
Lease: Haag, Stanley W.	1,980 feet from N / S Line of Section
Well Number: 9-3	660 feet from X E / W Line of Section
Field: Cherokee Basin CBM	Sec. 9 Twp. 35 S. R. 18 Z E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage:  SE _ NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee, LLC		License Number: 33344	
Operator Address: 210 W. Park Ave., Suite 2750		Oklahoma City OK 73102	
Contact Person: Richard Marlin		Phone Number: 405-702-7480	
Lease Name & Well No.: Haag, Stanley W. 9-3		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>SE _ NE</u>
Emergency Pit Burn Pit	Proposed	Existing	Sec. 9 Twp. 35 R. 18 East West
Settling Pit Drilling Pit	If Existing, date constructed:		1,980 Feet from North / South Line of Section
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	ul-Off Pit Pit capacity:		Feet from East / West Line of Section
(If WP Supply APT No. of Year Diffied)	300	(bbls)	Labette County
Is the pit located in a Sensitive Ground Water Area? Yes No		No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  Air Drilling Well
Pit dimensions (all but working pits):	30 Length (fe	eet)10	Width (feet) N/A: Steel Pits
Depth from ground level to deepest point:10(feet) No Pit			
If the pit is lined give a brief description of the material, thickness and installation procedure		liner integrity, i	edures for periodic maintenance and determining nocluding any special monitoring.
Well is being air drilled.		Well is beii 3 days	ng air drilled with operations lasting approx.
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh waterfeet. mation:
NA feet Depth of water well	feet	measu	ired well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:	**************************************	_	over and Haul-Off Pits ONLY:
Producing Formation: Type of mater		al utilized in drilling/workover: Air Drilled	
The state of the s		king pits to be utilized:	
Barrels of fluid produced daily: Abandonment		procedure: Air Dry, Back fill and cover.	
Does the slope from the tank battery allow al flow into the pit? Yes No	I spilled fluids to	Drill pits must	be closed within 365 days of spud date.
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSION			
March 7, 2008	_\$	1 chand	Marlin MAR 1 1 2008
Date		, / = s	Signature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 3/11/08 Permit Num	nber:	Perm	it Date: 3/11/08 Lease Inspection: Yes No