For KCC Use:	0 17 50
Effective Date:	3-17-08
District #	1
0042 V	, [] _{Na}

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed

	TENT TO DRILL All blanks must be Filled (5) days prior to commencing well
Expected Spud Date: 02/20/2008 month day year	Spot Description:
OPERATOR: License# Name: OXY USA, Inc.	feet from N / S Line of Section 1,250 feet from E / W Line of Section
Address 1: P O Box 2528	Is SECTION: Regular Irregular?
Address 2:	
City: Liberal State: KS Zip: 67880 +	(Note: Locate well on the Section Plat on reverse side) County: Seward
Contact Person: Jarod Powell	Lease Name: Hitch "A" Well #: 4
Phone: 620-629-4227	Field Name: Hugoton
CONTRACTOR: License# 30606	Is this a Prorated / Spaced Field?
Name: Murfin Drilling Co., Inc.	Target Formation(s): Council Grove
Well Drilled For: Well Class: Type Equipment: ☐Oil ☐ Enh Rec	Nearest Lease or unit boundary line (in footage): 1250 Ground Surface Elevation: 2951.37 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one rolle:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 560
Other:	Depth to bottom of usable water: Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 600'
Oncortos	Length of Conductor Pipe (if any):
Operator:	Projected Total Depth: 3100
Original Completion Date: Original Total Depth:	Formation at Total Depth: Council Grove
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: To be hauled
If Yes, true vertical depth: Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR 💹) Will Cores be taken?
	If Yes, proposed zone:
2 10 11	
PRORATED & SPACED: HUBOTON. AFF	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug	gging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
must be completed within 30 days of the spud date or the well shall be	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and correct to the be	$\sim \sim 10^{-2}$
Date: 03/06/2008 Signature of Operator or Agent:	Title: Capital Assets AA
F KOO U OWY	Remember to:
For KCC Use ONLY API # 15 - 175-22135-0000	- File Drill Pit Application (form CDP-1) with Intent to Drill;
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
COOL	Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required Approved by: Appro	 Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
This authorization expires: 3-/2-09 (This authorization void if drilling not started within 12 months of approval date.)	If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
Spud date: Agent:	Well Not Drilled - Permit Expired Date: Signature of Operator or Agent: KANSAS CORPORATION COMMISSION

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 175-22135-0000	
Operator: OXY USA, Inc.	Location of Well: County: Seward
Lease: Hitch "A"	1,250 feet from N / S Line of Section
Well Number: 4	1,250 feet from E / W Line of Section
Field: Hugoton	Sec. 30 Twp. 32 S. R. 34 E 🛛 E 🔀 W
Number of Acres attributable to well: 640 QTR/QTR/QTR/QTR of acreage: SW - NE - NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

1250 **EXAMPLE** 1980 3390' SEWARD CO. RECEIVED KANSAS CORPORATION COMMISSION

NOTE: In all cases locate the spot of the proposed drilling locaton.

MAR 10 2008

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding seconds are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding seconds. WICHITA, KS 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

PLAT AND CERTIFICATION OF ACREAGE ATTRIBUTABLE TO A GAS WELL

Kansas Corporation Commission, Conservation Division Finney State Office Building, 130 South Market, Room 2078 Wichita, Kansas 67202

API NUMBER 175- 221350000	LOCATION OF WELL: COUNTY Seward
OPERATOR OXY USA Inc.	1250 Feet from south (north line of section
LEASE Hitch "A"	1250 Feet from east // west line of section
WELL NUMBER 4	SECTION 30 TWP 32 (S) RG 34 E (W)
FIELD Hugoton	IS SECTION X REGULAR or IRREGULAR
NUMBER OF ACRES ATTRIBUTABLE TO WELL 640	IF SECTION IS IRREGULAR, LOCATE WELL FROM
QTR/QTR OF ACREAGE SW — NE — NE	NEAREST CORNER BOUNDARY, (check line below)
	Section corner used: NE NW SE SW
(Show the location of the well and shade attributable acreage for prunit boundary line; and show footage to the nearest common source	
Hitch A #4 1250 FNL,1250 FEL 30-32S-34W Seward County	
26	
· · · · · · · · · · · · · · · · · · ·	EXAMPLE .
Hitch A #1 1925' from Hitch A #4	. 1980 RECEIVED
	1 1 1 1
	MAR 1 0 2008
	- 3390' CONSERVATION DIVISION
	WICHITA, KS
The undersigned hereby certifies as	Capital Assets (title) for
Shown hereon is true and correct to the best of my knowledge and belie by production from that well and hereby make application for an allowatest, whichever is later.	ble to be assigned to the well upon the filing of this form and the State
Subscribed and sworn to before me on this Si	gnature John John John John John John John John
My Commission expires Oct. 1, 2009	Notary Public AN!TA PETERSON Notary Public - State of Kansas Appt. Expires October 1, 2009

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: OXY USA Inc.			License Number: 5447	
Operator Address: P. O. Box 25	28, Liberal,	KS 6790	1	
Contact Person: Mike Fink			Phone Number: (620) 624 - 3569	
Lease Name & Well No.: Hitch A-4		Pit Location (QQQQ):		
Type of Pit:	Pit is:		SW SW NE NE	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 30 Twp. 32S R. 34 East 🗸 West	
Settling Pit 📝 Drilling Pit	If Existing, date constructed:		1250 Feet from 🗸 North / 🗌 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1250 Feet from 🗸 East / Nest Line of Section	
(If WP Supply API No. or Year Drilled)	8,900	(bbls)	Seward County	
Is the pit located in a Sensitive Ground Water	Area? ✓ Yes] No	Chloride concentration: mg/l	
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
Yes No	Yes 🗸	No	Bentonite & Cuttings	
Pit dimensions (all but working pits):	00 Length (fe	et) 100	Width (feet) N/A: Steel Pits	
Depth from ground level to deepest point: 5 (feet)				
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		,	edures for periodic maintenance and determining ncluding any special monitoring.	
			KANSAS CORPORATION COMMISSION MAR 1 0 2008	
Distance to nearest water well within one-mile	e of pit		MAR 1 0 2008 CONSERVATION DIVISION West fresh water 305 feet. WICHITA, KS	
Distance to nearest water well within one-mil		Source of infor	MAR 1 0 2008 CONSERVATION DIVISION West fresh water 305 feet. WICHITA, KS	
_	402 feet	Source of info	MAR 1 0 2008 CONSERVATION DIVISION West fresh water	
	402 feet	Source of informeasu	MAR 1 0 2008 CONSERVATION DIVISION West fresh water	
	402 feet	Source of inform measurements Drilling, Work Type of materia Number of work	MAR 1 0 2008 CONSERVATION DIVISION West fresh water	
	402 feet	Source of inform measurements Drilling, Work Type of materia Number of work	MAR 1 0 2008 CONSERVATION DIVISION West fresh water	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	<u>402</u> feet	Source of informeast Drilling, Work Type of materic Number of work Abandonment	MAR 1 0 2008 CONSERVATION DIVISION West fresh water	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	402 feet	Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must	MAR 1 0 2008 CONSERVATION DIVISION Invest fresh water	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No	402 feet	Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must correct to the bes	CONSERVATION DIVISION Inwest fresh water	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? I hereby certify that the above state 03/06/08	402 feet	Source of informeast Drilling, Work Type of materia Number of work Abandonment Drill pits must correct to the bes	MAR 10 2008 CONSERVATION DIVISIONS Invest fresh water	