For KCC Use:	3-17-08	
District #	3,	
SGA? Yes	s 🗹 No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: March 15, 2008	Spot Description:
month day year	
OPERATOR: License#	(2/0/0/0) 1,980 feet from N / X S Line of Section
Name: Quest Cherokee, LLC	1,980 feet from E / W Line of Section
Address 1: 210 W. Park Ave., Suite 2750	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Oklahoma City State: OK Zip: 73102 +	County: Labette
Contact Person: Richard Martin	Lease Name: Madron Rev. Trust Well #: 16-2
Phone: 405-702-7480	Field Name: Cherokee Basin CBM
CONTRACTOR: License#_33837 or another Licensed by KCC	Is this a Prorated / Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 630
Oil Enh Rec Infield Infield Mud Rotary	Ground Surface Elevation: 794 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100
Other: Coalbed Methane	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: I XIII
_	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe (if any):
Weil Name:	Projected Total Depth: 1500 Formation at Total Depth: Cherokee Coals
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #	
KCC DKT #:	Will Cores be taken?
RCC DRT #:	
RCC DRT #:	 -
AFF	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT
AFF	If Yes, proposed zone: KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. semAR 1 1 2008
AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. semAR 1 1 2008 CONSERVATION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. sepIAR 1 1 2008 CONSERVATION DIVISION WICHTA, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. sepIAR 1 1 2008 CONSERVATION DIVISION WICHITA, KS Y circulating cement to the top; in all cases surface pipe shall be set
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. sepIAR 1 1 2008 CONSERVATION DIVISION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. sepAR 1 1 2008 CONSERVATION DIVISION WICHITA, KS Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. sepAR 1 1 2008 CONSERVATION DIVISION WICHITA, KS Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. sepAR 1 1 2008 CONSERVATION DIVISION WICHITA, KS Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. semAR 1 2008 CONSERVATION DIVISION WICHITA, KS Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	IDAVIT Iging of this well will comply with K.S.A. 55 et. semAR 1 1 2008 CONSERVATION DIVISION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	IDAVIT Iging of this well will comply with K.S.A. 55 et. semAR 1 1 2008 CONSERVATION DIVISION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the best agreed to the spud date.	IDAVIT Iging of this well will comply with K.S.A. 55 et. semAR 1 1 2008 CONSERVATION DIVISION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 11 est of my knowledge and belief. Vice President
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the completed within 30 days of Operator or Agent: March 7, 2008	IDAVIT Iging of this well will comply with K.S.A. 55 et. semAR 1 1 2008 CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 st of my knowledge and belief. 16 Vice President
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the many control of the spud date or the well shall be the place. March 7, 2008 Signature of Operator or Agent:	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. semAR 1 2008 CONSERVATION DIVISION WICHITA, KS Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. Ist, 83,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In the Completion Form ACC-1 within 120 days of soud date:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be Date: March 7, 2008	IDAVIT Iging of this well will comply with K.S.A. 55 et. semAR 1 2008 CONSERVATION DIVISION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 est of my knowledge and belief. 16 Vice President Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date: - File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the specific o	IDAVIT Iging of this well will comply with K.S.A. 55 et. semAR 1 2008 CONSERVATION DIVISION WICHITA, KS Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 11 est of my knowledge and belief. Wice President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be Date: March 7, 2008	IDAVIT Iging of this well will comply with K.S.A. 55 et. semAR 1 2008 CONSERVATION DIVISION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. IS 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Ist of my knowledge and belief. Vice President File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CR-4) after plugging is completed (within 50 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the because. March 7, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15	IDAVIT Iging of this well will comply with K.S.A. 55 et. semAR 1 2008 CONSERVATION DIVISION WICHITA, KS Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Vice President Title: File Completion Form ACO-1 within 120 days of spud date: - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the because of the complete of the spud date or the well shall be complete. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 099 - 24291-0000 Conductor pipe required Now feet Minimum surface pipe required teet per ALT. I Fill Approved by: March 3-12-08 This authorization expires: 3-12-09	IDAVIT Iging of this well will comply with K.S.A. 55 et. semAR 1 2008 CONSERVATION DIVISION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. Is 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Ist of my knowledge and belief. Wice President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the behalf. Date: March 7, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15	IDAVIT Iging of this well will comply with K.S.A. 55 et. semAR 1 2008 CONSERVATION DIVISION WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 Ittle: Vice President Vice Pr
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the best marked to the statements of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 099 - 24291-0000 Conductor pipe required Now feet Minimum surface pipe required teet per ALT. I Fill Approved by: This authorization expires: 3-12-09 This authorization expires:	IDAVIT Iging of this well will comply with K.S.A. 55 et. sepical 1 2008 CONSERVATION DIVISION WICHTA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; In all cases, in all cases within 120 DAYS of spud date. Is 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. It is of my knowledge and belief. Vice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-24291-0000		
Operator: Quest Cherokee, LLC	Location of Well: County: Lab	ette
Lease: Madron Rev. Trust	1,980	_ feet from N / X S Line of Section
Well Number: 16-2	1,980	feet from E / X W Line of Section
Field: Cherokee Basin CBM	Sec. 16 Twp, 34	S. R. 18 XE W
Number of Acres attributable to well:	Is Section: Regular or	Irregular
	If Section is irregular, located Section corner used:	well from nearest corner boundary.

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee, LLC		License Number: 33344		
Operator Address: 210 W. Park Ave., Suite 2750			Oklahoma City OK 73102	
Contact Person: Richard Marlin		Phone Number: 405-702-7480		
Lease Name & Well No.: Madron Rev. Trust 16-2		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NESW</u>	
Emergency Pit Burn Pit	Proposed Existing		Sec. 16 Twp. 34 R. 18 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1,980 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	300 (bbl		Labette County	
Is the pit located in a Sensitive Ground Water Area? Yes No		No	Chloride concentration: mg/l	
Is the bottom below ground level? Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
is the bottom below ground level? Yes No	Yes X	No	Air Drilling Well	
Pit dimensions (all but working pits):	30 Length (fe	net) 10	Width (feet) N/A: Steel Pits	
	om ground level to de		40	
If the pit is lined give a brief description of the liner Describe process.		edures for periodic maintenance and determining including any special monitoring.		
,		Well is being air drilled with operations lasting approx.		
'		3 days		
			epth to shallowest fresh waterfeet.	
NA /feet		measured well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY:		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of materi	ype of material utilized in drilling/workover: Air Drilled	
Number of producing wells on lease: Number of wo		rking pits to be utilized:1		
Barrels of fluid produced daily: Abandonme		Abandonment	bandonment procedure: Air Dry, Back fill and cover.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMISSION		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
MAR 1 1 2008 March 7, 2008 Conservation Division Conservation Cons				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 3/11/05 Permit Number: Permit Date: 3/11/05 Lease Inspection: Yes No				