For KCC Use:	3-17-QP
Effective Date:_	3-17-48
District #	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1

December 2002

Form must be Typed

Form must be Signed

All blanks must be Filled

Must be approved by KCC five	(a) days prior to commencing wer
	• • • • • • • • • • • • • • • • • • • •
Expected Spud Date March 14 2008	Spot ✓ East
month day year	NE SW SE Sec. 3 Twp. 24 S. R. 17 West
OPERATOR: License# 34047	794 feet from N / S Line of Section
Name: Ron-Bob Oil LLC	1449feet from F / W Line of Section
Address, PO Box 41	Is SECTION Regular Irregular?
City/State/Zip: Neosho Falls, KS 66758	(Note: Locate well on the Section Plat on reverse side)
Contact Person Robert Chriestenson	County: Woodson
Phone: 620-365-0919	Lease Name: Nelson Well #: 37
CONTRACTOR: License# 33374	Field Name: Neosho Falls-Leroy
Name: L & S Well Service LLC	Is this a Prorated / Spaced Field?
rallio.	Target Formation(s): mississippi
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 794'
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 960' feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes √No.,
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water: 100+
Seismic;# of Holes Other	Depth to bottom of iresh water: 200+
Other	Surface Pine by Alternate: 1 1 2
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 1300'
Original Completion Date:Original Total Depth:	Formation at Total Depth: mississippi
_ <i>_</i> _ /	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well 🗸 Farm Pond Other
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
ACC	*** A1 41T
ACT.	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual p	
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	olugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea	olugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so	olugging of this well will comply with K.S.A. 55 et. seq. such drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the	olugging of this well will comply with K.S.A. 55 et. seq. such drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into the second of the se	challenging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into the standard of the standard	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into table. 4. If the well is dry hole, an agreement between the operator and the case of the surface of the surface well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig; at by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of th	ch drilling rig; at by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the decision of the surface pipe as specified before and the continuous states of the specified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the spud case of the spud to the best of the spud case of the spud to the best of the spud case of the spud to the best of the spud case of the spud to the best of the spud case of the spud to the best of the spud case of the spud to the best of the spud case of the spud case of the spud to the best of the spud case of the	ch drilling rig; at by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into the statement of the surface pipe as specified before and the surface pipe and the surface pipe as a minimum of 20 feet into the surface pipe is sufface to the surface pipe shall be comen or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the surface pipe shall be surface to the surface pipe shall be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best of the surface pipe shall be surface pipe as a surface casing order must be completed within 30 days of the spud date or the well shall be pipe shall be surface.	ch drilling rig; at by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the decision of the surface pipe as specified before and the continuous states of the specified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the spud case of the spud to the best of the spud case of the spud to the best of the spud case of the spud to the best of the spud case of the spud to the best of the spud case of the spud to the best of the spud case of the spud to the best of the spud case of the spud case of the spud to the best of the spud case of the	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> into the surface and the surface pipe as minimum of 20 feet into the surface has a minimum of 20 feet into the surface and the surface propriate district office will be notified before well is either pipe. 5. The appropriate district office will be notified before well is either pipe. 6. If an ALTERNATE II COMPLETION, production pipe shall be cerned or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface o	tch drilling rig; at by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Guman.
The undersigned hereby affirms that the drilling, completion and eventual put is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the second surface pipe as specified before well is either but the well is dry hole, an agreement between the operator and the control of the surface pipe is either plus of the surface as a surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best content. For KCC Use ONLY	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a specified below <i>shall</i> be set through all unconsolidated materials plus a specified below <i>shall</i> be comen or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the consolidated of the pursuant of the properties of the consolidated materials plus a specified below <i>shall</i> be set through the consolidated materials plus a specified below <i>shall</i> be set through the consolidated materials plus a specified below <i>shall</i> be set through the shall be set through through the shall be set through	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File accesses attribution plet according to field progetion orders:
The undersigned hereby affirms that the drilling, completion and eventual plt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be significant through all unconsolidated materials plus a minimum of 20 feet into the following start of the well is dry hole, an agreement between the operator and the complete of the well is dry hole, an agreement between the operator and the complete of the well is district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the well shall hereby certify that the statements made herein are true and to the best of the complete of	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File accesses attribution plet according to field progetion orders:
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the first three well is dry hole, an agreement between the operator and the constitution of the surface properties district office will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date. For KCC Use ONLY API # 15 - 207-273 68-0000 Conductor pipe required 1000 feet per Alt. 12	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File accesses attribution plet according to field progetion orders:
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the following that the well is dry hole, an agreement between the operator and the following that the well is dry hole, an agreement between the operator and the following that the state office will be notified before well is either plus to the following that the state of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certified before well is either by the statement of the spud date or the well shall hereby certified before well is either by the statement of the spud date or the well shall hereby certified before well is either by the statement of the spud date or the sp	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File accesses attribution plet according to field progetion orders:
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be significant through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the second of the surface of the well is district office will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 3 - 8 / 0 8 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207-27368-0000 Conductor pipe required	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File accesses attribution plet according to field progetion orders:
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	ch drilling rig; at by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. ### Title: **CLIMEA** Title: **CLIMEA** **File Drill Pit Application (form CDP-1) with Intent to Drill; **File Completion Form ACO-1 within 120 days of spud date; **File acreage attribution plat according to field proration orders; **Notify appropriate district office 48 hours prior to workover or re-entry; **Submit plugging report (CP-4) after plugging is completed; **Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be significant to the surface pipe as specified below shall be significant. 4. If the well is dry hole, an agreement between the operator and the surface pipe is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: 3 - 8 / 0 8 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207-273 US - 0000 Conductor pipe required	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate if cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File accesses attribution plet according to field progetion orders:

Mall to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

MAR 1 1 2008

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 207-27368-0000	Location of Well: County: Woodson
Operator: Ron-Bob Oil LLC	
Lease: Nelson	794 feet from N / V S Line of Section 1449 feet from V E / W Line of Section
Well Number: 37	Sec. 3 Twp. 24 S. R. 17 Fast West
Field: Neosho Falls-Leroy	<u> </u>
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: NE - SW - SE	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PL AT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached. (CO-7 TO BIP WEIS!ON COMMISSION CG-8 for gas wells).

MAR 1 1 2008

RECEIVED

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Ron-Bob Oil LLC			License Number: 34047		
Operator Address: PO Box 41, Neosho Falls, KS 66758					
Contact Person: Robert Chriestenson			Phone Number: (620) 365 - 0919		
Lease Name & Well No.: Nelson #37			Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE . SW . SE .		
Emergency Pit Burn Pit	Proposed Existing		Sec. 3 Twp. 24 R. 17		
Settling Pit	If Existing, date constructed:		794 Feet from North / ✓ South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		1449 Feet from 🗸 East / 🗌 West Line of Section		
(III VI Gappy Al Tivo. of Teal Difficult	200	(bbis)	Woodson County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸] No	Chloride concentration: mg/l		
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
✓ Yes No	☐ Yes 🗸 l	No	native clay		
Pit dimensions (all but working pits):3	O Length (fe	et) 8	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point: 5	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure			dures for periodic maintenance and determining including any special monitoring.		
	•	mor magniff i	and the second s		
		Depth to shallo Source of Infor	west fresh waterfeet.		
N/A feet Depth of water well feet			I A		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Hauf-Off Pits ONLY:		
		Type of materia	pe of material utilized in drilling/workover: fresh water		
			king pits to be utilized: 1		
Barrels of fluid produced daily: Abandonmen		Abandonment	procedure: evaporation and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits		Drill pits must I	pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
3/8/2008 Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 3/11/05 Permit Number: Permit Date: 3/11/05 Lease Inspection: YesREGENVED					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

MAR 112008