# For KCC Use: Effective Date: District # SGA2 Vss VNn

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing we

wust be approved by KCC live	
Expected Spud Date: March 18, 2008	Spot Description:
month day year	5/2 9W NE NW NW Sec. 16 Twp. 2 S. R. 25 EXW
33629	(G/G/G/G/G) 520 feet from N / S Line of Section
OPERATOR: License#	990 feet from E / W Line of Section
Address 1: PO Box 292	Is SECTION: Regular Irregular?
Address 2:	<b>—</b>
City: Wahoo State: NE Zip: 68066 +	(Note: Locate well on the Section Plat on reverse side)  County: Norton
Contact Person: Dan Blankenau	Lease Name: Shulte Well #: 2
Phone: (402) 277-5336	Field Name: Wildcat
CONTRACTOR: License#_33575	Is this a Prorated / Spaced Field?
Name: WW Drilling, LLC	Target Formation(s): Granite
	Nearest Lease or unit boundary line (in footage): 520'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2533 feet MSL
⊠Oil	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 390 245
Seismic ; # of Holes Other Other:	Depth to bottom of usable water: 1300'
	Surface Pine by Atternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 375'
Operator:	Length of Conductor Pipe (if any): 0
Operator: Weil Name:	Projected Total Depth: 3900'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Granite
/	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFF	If Yes, proposed zone:  RECEIVED FIDAVIT  KANSAS CORPORATION COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone:  RECEIVED  FIDAVIT  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.
AFF	If Yes, proposed zone:  RECEIVED FIDAVIT  KANSAS CORPORATION COMMISSION
AFF  The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	FIDAVIT KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 1 2008
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	FIDAVIT  Gansas corporation commission  gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 1 2008  drilling rig;  CONSERVATION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> in the set of the specified below <i>shall be set</i> in the set of the specified below <i>shall be set</i> in the specified b	If Yes, proposed zone:  RECEIVED  FIDAVIT  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 1 2008  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe whether Ref.
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist	FIDAVIT  Gansas corporation commission gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 1 2008  drilling rig;  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe whether, research or plug length and placement is necessary prior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg	If Yes, proposed zone:  RECEIVED  FIDAVIT  CANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 1 2008  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe wiether, researched in;  et underlying formation.  rict office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cementer	If Yes, proposed zone:  RECEIVED  FIDAVIT  Gaing of this well will comply with K.S.A. 55 et. seq.  MAR 1 1 2008  drilling rig;  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe wielding, resident of the complete of the c
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	If Yes, proposed zone:  RECEIVED  FIDAVIT  Gansas CORPORATION COMMISSION  Grilling rig;  CONSERVATION DIVISION  Per underlying formation.  Frict office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  of from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	FIDAVIT  CANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 1 2008  drilling rig;  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe wietling region and placement is necessary prior to plugging; ed or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the both	FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 1 2008  drilling rig;  po circulating cement to the top; in all cases surface pipe whether, research of comply length and placement is necessary prior to plugging; et or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 1 2008  drilling rig;  po circulating cement to the top; in all cases surface pipe whether, research of comply length and placement is necessary prior to plugging; et or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the business.	FIDAVIT  Gaing of this well will comply with K.S.A. 55 et. seq.  MAR 1 1 2008  drilling rig;  CONSERVATION DAYSON  De underlying formation.  Fict office on plug length and placement is necessary prior to pluggling;  ed or production casing is cemented in;  def from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.  Secretary  Title:
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the business.	FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 1 2008  drilling rig;  po circulating cement to the top; in all cases surface pipe whether, research of comply length and placement is necessary prior to plugging; et or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the b Date:  March 10, 2008  Signature of Operator or Agent:	FIDAVIT  Gansas corporation commission  gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 1 2008  drilling rig;  conservation preson  by circulating cement to the top; in all cases surface pipe with the Research or plug length and placement is necessary prior to plugging;  ed or production casing is cemented in; form below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Secretary  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the botate:  March 10, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 37 - 20477-0000	FIDAVIT  Gansas corporation commission gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 1 2008  drilling rig;  CONSERVATION DAYSON by circulating cement to the top; in all cases surface pipe whether, reserve to underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Secretary  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the botate:  March 10, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 107 - 204/77-0000  Conductor pipe required  Conductor pipe required  Conductor pipe required	FIDAVIT  Gaing of this well will comply with K.S.A. 55 et. seq.  MAR 1 1 2008  drilling rig;  CONSERVATION DAYSON  De underlying formation.  Fict office on plug length and placement is necessary prior to pluggling;  ed or production casing is cemented in;  def from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Secretary  Title:  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders  Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the botate:  March 10, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 37 - 20477 - OOO  Conductor pipe required feet  Minimum surface pipe required feet per ALT	FIDAVIT  Gaing of this well will comply with K.S.A. 55 et. seq.  MAR 1 1 2008  drilling rig;  CONSERVATION DAYSON  De underlying formation.  Fict office on plug length and placement is necessary prior to pluggling;  ed or production casing is cemented in;  def from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Secretary  Title:  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the b Date:  March 10, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 107 - 20477 - 0000  Conductor pipe required 15/5 feet per ALT 16/11/11   16/11/11   16/11/11   16/11/11   16/11/11   16/11   16/11   16/11/11   16	FIDAVIT  Gansas corporation commission  Gansas corporation commission  Gansas corporation commission  MAR 1 1 2008  drilling rig;  Conservation division  Output of this well will comply with K.S.A. 55 et. seq.  Conservation division  Output of this well will comply with K.S.A. 55 et. seq.  Conservation division  Output of this well will comply with K.S.A. 55 et. seq.  Conservation division  Conservation division  Output of this well will comply with K.S.A. 55 et. seq.  Conservation division  Conservation division  Output of this well will comply with K.S.A. 55 et. seq.  Conservation division  Conservation divisio
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the botate:  March 10, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 137 - 20477 - OOOO  Conductor pipe required 15/5 feet per ALT 15/1 15/1 15/1 15/1 15/1 15/1 15/1 15/	FIDAVIT  Gansas corporation commission gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 1 2008  drilling rig;  Conservation division by circulating cement to the top; in all cases surface pipe whether, reserve to underlying formation. Fict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.  Secretary  Title:  Remember to:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the botate:  March 10, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 37 - 20477 - OOOO  Conductor pipe required	RECEIVED  RANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 1 2008  drilling rig;  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe whether, rest e underlying formation. First office on plug length and placement is necessary prior to pluggling; ed or production casing is cemented in; form below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Secretary  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the botate:  March 10, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 37 - 20477 - OOO  Conductor pipe required  Minimum surface pipe required  Approved by:  March 2008  This authorization expires:  3-12-09  This authorization expires:	FIDAVIT  Gansas corporation commission  gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 1 2008  drilling rig;  Conservation division  by circulating cement to the top; in all cases surface pipe whether research or plug length and placement is necessary prior to plugging;  ed or production casing is cemented in; form below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Secretary  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders  Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 137-20477-0000	
Operator: Great Plains Energy, Inc. & NE Corp.	Location of Well: County: Norton
Lease: Shulte	520 feet from X N / S Line of Section
Well Number: 2	990 feet from E / X W Line of Section
Field: Wildcat	Sec. <u>16</u> Twp. <u>2</u> S. R. <u>25</u> E X W
Number of Acres attributable to well:  QTR/QTR/QTRQTR of acreage: SW - NE - NW - NW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**



NOTE: in all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Great Plains Energy, Inc. a NE Corp.		License Number: 33629	
Operator Address: PO Box 292		Wahoo NE 68066	
Contact Person: Dan Blankenau		Phone Number: (402) 277-5336	
Lease Name & Well No.: Shulte 2		Pit Location (QQQQ):	
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 16 Twp. 2 R. 25 East West
Settling Pit  Drilling Pit	If Existing, date co	onstructed:	520 Feet from North / South Line of Section
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:	<del></del> _	990 Feet from East / West Line of Section
	600	(bbls)	Norton County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
Yes No	Yes X	No	Bentonite & Drilling Solids for Self Seal
	BO Length (fe		Width (feet) N/A: Steel Pits
Depth fr	rom ground level to de		
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, i	edures for periodic maintenance and deterreteicEIVED ncluding any special monitoring. KANSAS CORPORATION COMMISS
		l	
			MAR 1 1 2008
			MAR 1 1 2008
Distance to nearest water well within one-mile	e of pit	Depth to shallo	MAR 1 1 2008  CONSERVATION DIVISION WICHITA, KS  west fresh water
	·	Depth to shallo	West fresh water 135 feet.
/ 338 feet Depth of water well	182 feet	Depth to shallo Source of infor measu	West fresh water feet. mation: ired well owner electric log KDWR
/ 338 feet Depth of water well  Emergency, Settling and Burn Pits ONLY:	182 feet	Depth to shallo Source of infor measu Drilling, Work	War 11 2008  Conservation Division Wichita, K8  west fresh water
/ 338 feet Depth of water well	182 <sub>feet</sub>	Depth to shallo Source of infor measu Drilling, Work	West fresh water feet. mation: ured well owner electric log KDWR  by wer and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite
	182 <sub>feet</sub>	Depth to shallo Source of information measu Drilling, Work Type of material Number of wor	WAR 11 2008  CONSERVATION DIVISION WICHITA, KS  West fresh water
Land Jacobs Land Land Land Land Land Land Land Land	182 feet	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of work Abandonment	MAR 1 1 2008  CONSERVATION DIVISION WICHITA, KS  west fresh water
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes No	182 feet	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment	MAR 11 2008  CONSERVATION DIVISION WICHITA, KS  West fresh water
Land Jacobs Land Land Land Land Land Land Land Land	182 feet	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment	MAR 11 2008  CONSERVATION DIVISION WICHITA, KS  West fresh water
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state	spilled fluids to	Depth to shallor Source of informeasure.  Drilling, Work Type of materia Number of wor Abandonment  Drill pits must correct to the bes	MAR 11 2008  CONSERVATION DIVISION WICHITA, KS  West fresh water
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  Yes No	spilled fluids to	Depth to shallor Source of information measurement.  Drilling, Work Type of material Number of work Abandonment.  Drill pits must correct to the best	MAR 11 2008  CONSERVATION DIVISION WICHITA, KS  West fresh water
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state  March 10, 2008	spilled fluids to	Depth to shallor Source of informeasure of measure Drilling, Work Type of materia Number of work Abandonment Drill pits must correct to the besure Source So	West fresh water
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state  March 10, 2008	spilled fluids to	Depth to shallor Source of information measurement.  Drilling, Work Type of material Number of work Abandonment.  Drill pits must correct to the best	West fresh water