For KCC Use: Effective Date: 3-18-08 District # 3 SGA? Yes V No

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description:
month day year	NE NE Sec. 36 Twp. 14 S. R. 20 XE W
OPERATOR: License# 32218	(Q/Q/Q/Q) 2,475 feet from N / X S Line of Section
Name: TDR Construction, Inc.	165 feet from E / W Line of Section
Address 1: 1207 N. 1st Street East	Is SECTION: Regular Inregular?
Address 2:	
City: Louisburg State: KS Zip: 66053 +	(Note: Locate well on the Section Plat on reverse side) County: Douglas
Contact Person: Lori Driskell	
Phone: 913-406-4236	
CONTRACTOR: License# 33715	1,000 (1011)
Name: Town Oilfield Service, Inc.	Is this a Prorated / Spaced Field? Yes No
Name.	Target Formation(s): Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 200'
Oil / Enh Rec X Infield / Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100
Other:	Depth to bottom of usable water:
Duana, a sur sur sur	Surface Pipe by Alternate: I XIII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 26 40 min.
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth: 900'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirrel
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ☒ No
	If Yes, proposed zone:
	If Yes, proposed zone:
AFFI	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugg	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION
	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual pluge it is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual pluge	If Yes, proposed zone: RECEIVED CANSAS CORPORATION COMMISSION Ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008
The undersigned hereby affirms that the drilling, completion and eventual plugges it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall bloosts, KS
The undersigned hereby affirms that the drilling, completion and eventual pluggest is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall become A, KS underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plugget is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit of the unit	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall become A, KS underlying formation. et office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plugget is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the case of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged.	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall become, KS underlying formation. et office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plugget is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall blowtra, KS underlying formation. In office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plugget is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unsured that the surface is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged.	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall bloom, KS underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugget is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the sum of the	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall bloom, KS underlying formation. In office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugget is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be part of the best certify that the statements made herein are true and correct to the best contents.	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall blooter, KS underlying formation. at office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plugget is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the sum of the	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall bloom, KS underlying formation. In office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugget is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best of the spud date.	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall blooter, KS underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plugget is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugget 6. If an ALTERNATE II COMPLETION, production pipe shall be comented for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be possible to the best complete that the statements made herein are true and correct to the best constants. Signature of Operator or Agent:	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall bloom, KS underlying formation. et office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plugget is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall bloot A, KS underlying formation. et office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plugget is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the undersided the set of the set of the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented of the completed within 30 days of the spud date or the well shall be producted to the permitted of the statements made herein are true and correct to the best of the set of the statements made herein are true and correct to the best of the set of the statements of the statement of the set of the statement o	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall bloom, KS underlying formation. It office on plug length and placement is necessary prior to plugging; do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plugget is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall bloot A, KS underlying formation. et office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plugget is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the total find the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented of Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed before the well shall be placed. I hereby certify that the statements made herein are true and correct to the best of the placed of the spud state of the placed of the spud state. For KCC Use ONLY API # 15 - 2/3 74-0000 Conductor pipe required feet Minimum surface pipe required feet the production and eventual plugget to spud surface pipe required feet the production and surface pipe required feet purple feet production and surface pipe required feet production and surface production are producted for the production and surface prior to specifie the production and surface production a	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall bloom, KS underlying formation. ot office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plugget is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the total find the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented of Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed before the well shall be placed. I hereby certify that the statements made herein are true and correct to the best of the placed of the spud state of the placed of the spud state. For KCC Use ONLY API # 15 - 2/3 74-0000 Conductor pipe required feet Minimum surface pipe required feet the production and eventual plugget to spud surface pipe required feet the production and surface pipe required feet purple feet production and surface pipe required feet production and surface production are producted for the production and surface prior to specifie the production and surface production a	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall MONTA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugget is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated plus a minimum of 20 feet into the unconsolidated plus a minimum of 20 feet into the unconsolidated plus a minimum of 20 feet into the unconsolidated plus a minimum of 20 feet into the unconsolidated plus	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008 Irrilling rig: CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall bloom, KS underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual pluge it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best of the statements of the production of	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall MONTA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugget is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008 Irrilling rig: CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall bloom, KS underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual pluge it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best of the statements of the production of	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall blooms, KS underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 045-21374-0000	
Operator: TDR Construction, Inc.	Location of Well: County: Douglas
Lease: John Bell South	2,475 feet from N / X S Line of Section
Well Number: T1	165 feet from X E / W Line of Section
Field: Baldwin	Sec. <u>36 Twp. 14 S. R. 20 X</u> E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NE - NE	Is Section: Regular or Irregular
NE SE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (Co-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: TDR Construction, Inc.		License Number: 32218	
Operator Address: 1207 N. 1st Street East		Louisburg KS 66053	
Contact Person: Lori Driskell		Phone Number: 913-406-4236	
Lease Name & Well No.: John Bell South T1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		NE NE SE NE
Emergency Pit Burn Pit	Proposed Existing		Sec. 36 Twp. 14 R. 20 East West
Settling Pit Drilling Pit	If Existing, date constructed:		2,475 Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section
(II VVP Supply APT No. or real Dillied)	100	(bbls)	Douglas County
Is the pit located in a Sensitive Ground Water Area? Yes		Nο	Chloride concentration: mg/l
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
Yes No	Yes X	No	·
Pit dimensions (all but working pits):	8 Length (fe	eet) 12	Width (feet) N/A: Steel Pits
Depth fr	om ground level to de	eepest point:	5 (feet) No Pit
		edures for periodic maintenance and determining any special monitoring.	
material, proceeding materialism procedure	••	mici integrity, i	RECEIVED KANSAS CORPORATION COMMISS
		MAR 1 2 2008	
, , , , , , , , , , , , , , , , , , , ,		west fresh waterfeet. WICHITA, KS	
Source of in		measu	
		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation: Type of materi		Type of materia	al utilized in drilling/workover: Fresh water
		king pits to be utilized: 2	
Barrels of fluid produced daily: Abandonment		procedure: Pits filled as soon as well is completed	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		pe closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.			
3/10/08 Date Signature of Applicant of Agent			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: $3/12/oF$ Permit Num	ber:	Perm	it Date: $\frac{3/12/08}{}$ Lease Inspection: Yes \times No