For KCC Use: Effective Date: District # SGA? Yes TNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	(0(0(0))]w
OPERATOR: License#	feet from N / S Line of Sec	tion
Name: TDR Construction, Inc.	reet from X E / W Line of Sec	tion
Address 1: 1207 N. 1st Street East	Is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Louisburg State: KS Zip: 66053 +	County: Douglas	
Contact Person: Lori Driskell Phone: 913-406-4236	Lease Name: John Bell South Well #: T4	
	Field Name: Baldwin	-
CONTRACTOR: License# 33715	Is this a Prorated / Spaced Field?	Mo.
Name: Town Oilfield Service, Inc.	Target Formation(s): Squirrel	140
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 200'	
	Ground Surface Elevation:feet M	ACI
⊠Oil Enh Rec ⊠Infield	Water well within one-quarter mile:	
Gas Storage Pool Ext. X Air Rotary	Public water supply well within one mile:	-
Disposal Wildcat Cable	Depth to bottom of fresh water: 100	NO
Seismic;# of Holes Other	Depth to bottom of usable water: 209,250	
Other:		
If OWWO: old well information as follows:	Surface Pipe by Alternate:	
_	• • • • • • • • • • • • • • • • • • • •	
Operator:	Length of Conductor Pipe (if any): None	
Well Name:	Projected Total Depth: 900'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirrel	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
If Yes, true vertical depth:	Well Farm Pond Other: X	_ _
Bottom Hole Location:	DWR Permit #:	
KCC DKT #:	(Note: Apply for Permit with DWR)	
	Will Cores be taken?	No
	If Yes, proposed zone:	No
A	If Yes, proposed zone:	
	If Yes, proposed zone: RECEIVEL	—)
The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: RECEIVEL	—)
The undersigned hereby affirms that the drilling, completion and eventual plug lt is agreed that the following minimum requirements will be met:	If Yes, proposed zone: FIDAVIT RECEIVEL gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION C) Ommission
The undersigned hereby affirms that the drilling, completion and eventual plugible is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: FIDAVIT RECEIVEL RECEIVEL Regging of this well will comply with K.S.A. 55 et. seq. RECEIVEL RECEIVE) Ommission
The undersigned hereby affirms that the drilling, completion and eventual plugible is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: FIDAVIT RECEIVEL gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION C MAR 1 2 20 drilling rig:	08
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: FIDAVIT GECEIVEL gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION OF MAR 1 2 20 drilling rig; by circulating cement to the top; in all cases surface pipe shell-description of	OS WOISION
The undersigned hereby affirms that the drilling, completion and eventual plugible is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: FIDAVIT RECEIVELY RECEIVELY RECEIVELY RECEIVELY RECEIVELY RECEIVELY MAR 1 2 20 Received a second composition of the	OS WOISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions.	If Yes, proposed zone: FIDAVIT Geging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 20 drilling rig; by circulating cement to the top; in all cases surface pipe shall assessment to the top; in all cases surface pipe shall assessment to the top; in all cases surface pipe shall assessment to the top; in all cases surface pipe shall assessment to the top; in all cases surface pipe shall assessment to the top; in all cases surface pipe shall assessment to the top; in all cases surface pipe shall assessment to the top; in all cases surface pipe shall assessment to the top; in all cases surface pipe shall assessment to the top; in all cases surface pipe shall assessment to the top; in all cases surface pipe shall assessment to the top; in all cases surface pipe shall assess to the top; in all cases su	OS WOISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone: FIDAVIT RECEIVED REC	OS WOISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone: FIDAVIT Grant Gra	OS WOISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone: FIDAVIT Grant Gra	OS WOISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION Of MAR 1 2 20 drilling rig; by circulating cement to the top; in all cases surface pipe shall instant TION District office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; it from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	OS WOISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be-	FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION C MAR 1 2 20 drilling rig; by circulating cement to the top; in all cases surface pipe shall instruction Driving formation. WICHITA, KS rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.	OS WOISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION Of MAR 1 2 20 drilling rig; by circulating cement to the top; in all cases surface pipe shall instant TION District office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; it from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.) OMMISSION O 8 VISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be-	FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION C MAR 1 2 20 drilling rig; by circulating cement to the top; in all cases surface pipe shall instruction Driving formation. WICHITA, KS rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.	OB VISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be be thereby certify that the statements made herein are true and correct to the best of the complete of the statements of the production of the statements of the spud date or Agent: Signature of Operator or Agent: For KCC Use ONLY	FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMPANY CORPORATION COMPANY CORPORATION COMPANY CORPORATION COMPANY CORPORATION COMPANY CORPORATION DISTRICT CORPORATION DISTRICT COMPANY CORPORATION DISTRICT CO) OMMISSION O 8 VISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be be thereby certify that the statements made herein are true and correct to the best of the complete of the statements of the production of the statements of the spud date or Agent: Signature of Operator or Agent: For KCC Use ONLY	FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMPANY drilling rig; by circulating cement to the top; in all cases surface pipe shall instruction of witching formation. WICHITA, KS into office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Agent	OB VISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be be a completed. I hereby certify that the statements made herein are true and correct to the best of the complete of the complete of the complete of the complete of the spud date or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OYS - 213 77 - OOOO	FIDAVIT Graph of this well will comply with K.S.A. 55 et. seq. MAR 1 2 20 drilling rig; by circulating cement to the top; in all cases surface pipe shall instruction Drive underlying formation. WICHITA, KS rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	OB VISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the beat controlled to the statements of the operator of Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OV5 2/3 77 OOO Conductor pipe required feet	FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION C MAR 1 2 20 drilling rig; by circulating cement to the top; in all cases surface pipe shall instruction of the underlying formation. WICHITA, KS rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	OB VISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be been been certify that the statements made herein are true and correct to the been considered. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OHS - 213 77 ODOO Conductor pipe required	If Yes, proposed zone: FIDAVIT Graph of this well will comply with K.S.A. 55 et. seq. MAR 1 2 20 drilling rig; by circulating cement to the top; in all cases surface pipe shall instruction of underlying formation. WICHITA, KS rict office on plug length and placement is necessary prior to plugging; et or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	08 VISION 36
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the district. The well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best signature of Operator or Agent: For KCC Use ONLY	FIDAVIT Graph of this well will comply with K.S.A. 55 et. seq. MAR 1 2 20 drilling rig; by circulating cement to the top; in all cases surface pipe shall instruction Driver and or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	OB VISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the district. The well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best signature of Operator or Agent: For KCC Use ONLY	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION C MAR 1 2 20 drilling rig; by circulating cement to the top; in all cases surface pipe shall instruction of the underlying formation. WICHITA, KS rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	08 VISION 36
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be been been certify that the statements made herein are true and correct to the been considered. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OHS - 213 77 ODOO Conductor pipe required	FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 20 drilling rig; by circulating cement to the top; in all cases surface pipe shall instruction Driver and or production. WICHITA, KS into office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	08 VISION 36
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the district. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cernented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be be also be completed within 30 days of the spud date or the well shall be be also completed within 30 days of the spud date or the well shall be be also completed within 30 days of the spud date or the well shall be be also completed within 30 days of the spud date or the well shall be be also completed within 30 days of the spud date or the well shall be be also completed within 30 days of the spud date or the well shall be be also completed within 30 days of the spud date or the well shall be be also completed within 30 days of the spud date or the well shall be be also completed within 30 days of the spud date or the well shall be be also completed within 30 days of the spud date or the well shall be be also completed within 30 days of the spud date or the well shall be also completed within 30 days of the spud date or the well shall be also completed within 30 days of the spud date or the well shall be also completed within 30 days of the spud date or the well shall be also completed within 30 days of the spud date or the well shall be also completed within 30 days of the spud date or the well shall be also completed within 30 days of the spud date or the well shall be also completed within 30 days of the spud da	FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMPORATION COMPORA	08 VISION 36
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the district. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cernented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be be also be completed within 30 days of the spud date or the well shall be be also completed within 30 days of the spud date or the well shall be be also completed within 30 days of the spud date or the well shall be be also completed within 30 days of the spud date or the well shall be be also completed within 30 days of the spud date or the well shall be be also completed within 30 days of the spud date or the well shall be be also completed within 30 days of the spud date or the well shall be be also completed within 30 days of the spud date or the well shall be be also completed within 30 days of the spud date or the well shall be be also completed within 30 days of the spud date or the well shall be be also completed within 30 days of the spud date or the well shall be also completed within 30 days of the spud date or the well shall be also completed within 30 days of the spud date or the well shall be also completed within 30 days of the spud date or the well shall be also completed within 30 days of the spud date or the well shall be also completed within 30 days of the spud date or the well shall be also completed within 30 days of the spud date or the well shall be also completed within 30 days of the spud da	FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. MAR 1 2 20 drilling rig; by circulating cement to the top; in all cases surface pipe shall instruction Driver and or production. WICHITA, KS into office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	08 VISION 36


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 045-21377-0000	
Operator: TDR Construction, Inc.	Location of Well: County: Douglas
Lease: John Bell South	1,155 feet from N / N S Line of Section
Well Number: T4	165 feet from X E / W Line of Section
Field: Baldwin	Sec. 36 Twp. 14 S. R. 20 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR/QTR of acreage: NE - SE - ME	is decitori. All regular of Integular
NE SE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (Co-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: TDR Construction, Inc.		License Number: 32218	
Operator Address: 1207 N. 1st Street East		Louisburg KS 66053	
Contact Person: Lori Driskell		Phone Number: 913-406-4236	
Lease Name & Well No.: John Bell South T4		Pit Location (QQQQ):	
Type of Pit: Pit is:		NE SE SE NE	
Emergency Pit Burn Pit Proposed	Existing	Sec. 36 Twp. 14 R. 20 East West	
Settling Pit	Settling Pit Drilling Pit If Existing, date constructed:		
Workover Pit Haul-Off Pit Pit capacity:		165 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled) 100	(bbls)	Douglas	
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l	
Is the bottom below ground level? Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
	No	The first partial and place and the first deed.	
Pit dimensions (all but working pits): 8 Length (feet) 12 Width (feet) N/A: Steel Pits			
Depth from ground level to deepest point:5(feet) No Pit			
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.			
Thaterial, triodices and installation procedure.	inter integrity, i	ncluding any special monitoring. KANSAS CORPORATION COMMISSION	
		MAR 1 2 2008	
		CONSERVATION DIVISION	
		west fresh water 35 feet. WICHITA, KS	
Source of infor 4711 feet Depth of water well 60 feet measu			
,		over and Haul-Off Pits ONLY:	
· · · · ·		al utilized in drilling/workover: Fresh water	
		king pits to be utilized: 2	
Barrels of fluid produced daily: Abandonment procedure		procedure: Pits filled as soon as well is completed	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No	Drill pits must l	procedure: Pits filled as soon as well is completed be closed within 365 days of spud date. t of my knowledge and belief.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.			
3/10/08 Date Signature of Applicant of Agent)			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 3/12/08 Permit Number: Permit Date: 3/12/08 Lease Inspection: Yes \(\text{No} \)			